

**LEFT PANEL**

**NATIONAL CHEMSEARCH**

**WATROL**

**HERBICIDE**

**Kills Aquatic Weeds**

**May be used as a Chemical Edger**

**ACTIVE INGREDIENT**

Diquat dibromide 6,7-dihydrodiprido

(1,2-a:2',1'-c) pyrazinedium dibromide.....1.85%

**INERT INGREDIENTS.....98.15%**

**TOTAL.....100.00%**

\*Equivalent to 0.08 lb. diquat cation or 0.156 lb. diquat salt per gallon.

Read the entire label. Use strictly in accordance with cautions, warnings and directions and with applicable state and federal regulations.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

(See elsewhere on the label for additional precautions.)

EPA Reg. No. 1769-174


NET CONTENTS:

**NATIONAL CHEMSEARCH**

A Division of NCH Corporation

2727 Chemsearch Blvd.

Irving, Texas 75062



**CENTER PANEL**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin.

Prolonged skin contact will cause severe irritation. Do not get

WATROL on skin, eyes or clothing. Repeated contact with skin or

contact with open cuts or sores may increase the hazard

associated with this product.

Wear a face shield, rubber gloves and a rubber apron when handling the concentrate. Do not breathe the spray mist, in order to avoid nasal, throat and respiratory tract irritation. When spraying or when contacting sprayed vegetation wet with spray, dew or rain, wear a protective suit of one or two pieces, such as coveralls, worn over work clothing and covers the entire body except head, hands and feet; chemical resistant gloves; chemical resistant footwear during handling (mixing, loading, application, flagging, disposal, etc.) of this product. Do not contaminate feed, foodstuffs or drinking water. Do not store or transport with feed or food. Do not apply under conditions involving possible drift to food, forage or other plantings that might be damaged or the crops thereof rendered unfit for sale, use or consumption.

#### **ENVIRONMENTAL HAZARDS:**

This pesticide is toxic to wildlife. Do not apply directly to water except as specified on this label. Do not contaminate water when disposing of equipment washwater. Do not use treated water for swimming, animal consumption, spraying or irrigation within 14 days after treatment. Treatment of dense weed areas can result in oxygen loss from decomposition of dead weeds. This loss can cause fish suffocation. Therefore, treat only 1/3 to 1/2 of the dense weed areas at a time and wait 14 days between treatments. **DO NOT APPLY TO MUDDY WATER.** Avoid treating muddy water during application. Do not apply where plants are covered with mud deposits. Consult your State Fish and Game agencies before applying this product to public waters. Rinse all spray equipment thoroughly with water after use.

#### **STATEMENT PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove the victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush the eyes with plenty of water. Call a physician immediately.

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

#### **PESTICIDE DISPOSAL**

Wastes resulting from use of this product must be disposed of according to applicable Federal, State, or Local procedures.

## **CONTAINER DISPOSAL**

**PLASTIC CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by State and Local authorities, by burning. If burned, stay out of the smoke.

**METAL CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

## **RIGHT PANEL**

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**Do Not Apply This Product Through Any Type Of Irrigation System.**

For application only to ponds, lakes and drainage ditches where there is little or no overflow of water and that are totally under the control of the product's user.

**SUBMERGED WEEDS:** Apply at the rate of 48 gallons per surface acre or 140 ounces per 1000 square feet to control bladderwort, coontail, elodea, naiad, pondweeds and watermilfoil. In early season and before the submerged weed growth has reached the surface, apply WATROL undiluted into the water while moving slowly over the surface in a boat. Distribute uniformly over infested areas in strips 40 feet apart.

In late season or where weed growth has reached the water surface, apply WATROL as above or injecting below the water surface in strips 20 feet apart or less.

**FOR FLOATING WEEDS:** To control pennywort, salvinia, waterhyacinth and waterlettuce, apply at the rate of 12-18 gallons per surface acre or 35 to 53 fl. oz. per 1000 square feet. Mix 12 to 18 gallons of WATROL with 140 to 185 gallons of water and spray uniformly over the surface of one acre of the water. For small areas, mix 35 to 53 fl. oz. with 3 1/4 to 4 1/4 gallons of water and spray uniformly onto 1000 square feet of surface area.

**FOR DUCKWEED:** Dilute 24 gallons of WATROL with 30 to 130 gallons of water and apply as an overall spray to the acre. Thoroughly cover all plants on water and on damp marginal areas. Re-treat when necessary, as reinfestation of duckweed occurs readily from untreated areas.

4/4

**FOR MARGINAL WEEDS** infesting the edges and other portions of ponds, lakes, ditches and for cattails-mix 24 gallons per 80 gallons of water. Thoroughly wet the plant. Re-treat when necessary. For best results, apply before flowering.

**AS A CHEMICAL EDGER:** Dilute 2 1/2 gallons of WATROL with 20 gallons of water. Spray thoroughly along fence rows, sidewalks, under shrubs and trees. WATROL kills only by leaf absorption and is harmless to bark and woody stems of plants. Do not allow the spray to contact the leafy structure of desirable shrubs, ornamentals or trees. For best results, treat while plants are young and growing vigorously. Repeat treatment when necessary.

NCH CORPORATION'S TURF COLOR may be used as a color indicator on turf to aid in a more uniform application. Use according to directions on the TURF COLOR label.

To clear dormant bermudagrass, St. Augustine, centipedegrass or zoysiagrass fairways of the early stages of undesirable cool weather emergent weeds and grasses such as Poa annua and chickweed, dilute 1 gallon of WATROL with 20 gallons of water and apply 2 1/2 to 5 gallons of diluted spray per 1000 square feet. Thoroughly cover all plants, as WATROL kills by contact only.

**NOTE:** Green, desirable grasses can be damaged.

**TO REORDER**

Call TOLL-FREE 1-800-527-9921  
In Texas, 1-800-527-9921

9M110<sup>55</sup>

EPA Est. 4140

CA-1    IN-1    NJ-1    PR-1    TX-1