

Industrial and Institutional Residual Spray — **Lasts for Weeks** 

3 00° s

Killy:		
Ants	Brown Dog Ticks	Claver Mites
Crickets	Eurwigs	Float
Fües	Millipades	Mosquitees
Sowbugo	Scorpions	Sew Teeth Grain
Bouches	Spiders	Bootles (expese
		st <del>oge</del> )

ACTIVE INGREDIENTS	97.00%
Petroleum Distillates	95.401.
o-Isopropo xyphenyl methylcarbamate*	1 00° s
Technical Piperanyl Butaride**	ნ <b>25</b> % ა
N-octyl bicycloheptenedicarboximide	0.25° s
Pyrethrins	0.10%
INFOT INCOCNICATE	

\*US Pat. No. 3 111 539 Sold Under License from Chemogra Corporation

\*\*Consists of (Butylcarbityl) (6 propylpiperoxyl) ether and related compounds

## CAUTION: **KEEP OUT OF REACH OF CHILDREN**

(See right panel for additional coutions)

EPA Reg. No. 1769-175

MET COUTENTS

Nonal Phenol

**NATIONAL CHEMSEARCH** 

2727 Chemsearch Blad Treing Texas 75062 

use formulation which provides rapid kill of the insects listed, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. This product stays on a treated surface. and kills insects many weeks after the spray deposit has dried. For use at industrial plants, schools, hospitals and municipal

**RESTRICTIONS:** Do not apply to rugs carpets draperies wallpaper or similar materials that may be storned. DO NOT USE AS A SPACE SPRAY

#### DIRECTIONS FOR USE

INDOOR APPLICATION: For Ants. Cockrooches, Crickets. Silverfish Waterbugs Scorpions Spiders Saw Toothed Grain Beetles Spray into crocks crevices cround baseboords and other places where these insects hide. Apply behind and beneath cabinets refrigerators sinks stures and in and around waste containers. For ants, spray trails and places where ants enter premises

FOOD HANDLING ESTABLISHMENTS: Picces other than private residences in which food is held iprocessed iprepared or served. FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY Including areas for receiving storage packing (conning bottling wrapping boxing) preparing ed.blwaste storage and enclased processing systems (mills) doines. edible oils syrups). Service areas twhen food is exposed and facility is in operation) also would be considered food

Apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insectivide n points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where cock rooches, silverfish and waterbugs hide. Do not use this product in conduits, mater housings and electrical switch boxes.

Care should be taken to avoid depositing ISO SPRAY solutions onto exposed surfaces or introducing the material into the air Avaid contain nation of food or food processing surfaces

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD NANOLING ESTABLISHMENTS, OTHER THAN AS A CRACE AND CREVICE TREATMENT, ARE NOT PERMITTED.

### NOT INTENDED FOR HOUSEHOLD **USE OR RESALE**

# BEST DOCUMENT AVAILABLE

Brown Dog Ticks: Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks, and local areas on floor. Repeat when necessary. Fresh bedding should be placed in animal quarters after spraying. Do not treat onmais.

### OUTDOOR APPLICATION:

Heeseffles: For fly control around buildings, apply at the rate of I gallon per 500 square feet or to runoff. Thoroughly treat areas where flies rest, paying particular attention to surfaces of screens, doors, window frames, foundations, garbage cans and patios where flies are a pest or enter.

## USE HOUSEFLIES RATES FOR:

Ants, Claver Mites, Crickets, Euruige, Floor, Fliot, Millipedes, Mesquitees, Soubugs and Brown Dog Ticks: Treat infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, potios or other places where insects may enter for onts, treat hills and runways. Repeat when necessary. Do not spray vegetation.

# **WARNING:**

May be fatal if swallowed inhaled or absorbed through the skin. Avoid breathing the spray mist and provide adequate ventilation of areas being sprayed. Do not get in eyes on skin or clothing. Wash thoroughly after using. Avoid contamination of food utensils and food preparation areas. Do not allow children to contact treated surfaces until surfaces are completely dry, Should unless occur, get prompt medical attention.

To Physician: Atropine sulfate is antidotal

in case of prolonged exposure, wear natural rubber gloves, protective clothing and goggles. In case of contact wash thoroughly with soop and water. Wash hands arms, and face with soop and water after handling and before eating or smoking. Wash all contaminated clothing with soop and hat

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or pends

**EPA Est. No. 4140** 

CA 1 | IN 1 | NJ 1 | PR 1 | TX 1