# Acti-Cil Weed Killer

KILLS MOST VEGETATION

# KEEP OUT OF REACH OF CHILDREN CAUTION

\*\*Contains Heavy Aromatic Naphtha

EPA Reg. No. 1769-188

Net Contents:

NCH Corporation 2727 Chemsearch Boulevard Irving, Texas 75062

# ACCEPTED

SEP 2.7 1999

Under the Federal Insectacide, Pungioide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1769-188

#### GENERAL INFORMATION

Acti-Cil controls weeds such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarters, turkey mullein, johnsongrass, downy brome, puncturevine, bahiagrass, bermudagrass, nut sedge, natalgrass (redtop), smooth brome, bluegrass, purpletop, quackgrass, aster dandelion, dog fennel, goldenrod, plantain and wild carrot.

# DIRECTIONS FOR USE

1

GENERAL PRECAUTIONS AND RESTRICTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use on plants in non-crop and non-timber areas only. Not for use on crops, timber or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply this product through any type of irrigation system. Not to be used in any recreational areas or in or around homes. Do not make more than 6 applications per year.

Where limited rainfall (usually less than 4 inches) occurs during the active growth period, such as in some areas of the West, Acti-Cil usually will hope provide satisfactory control of hard-to-kill, deep-rooted perennial weeds such as johnsongrass.

Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by irrigation and/or rainfall. Effects on perennials usually progress over a period of several months. The degree of control and duration of effect will vary with the amount of herbicide applied, soil texture, rainfall, and other conditions.

#### ENTRY RESTRICTIONS

Do not enter or allow others to enter the treated area until sprays have dried. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on the label.

#### APPLICATION INSTRUCTIONS

Best results are obtained if Acti-Cil is applied as a preemergence or early post emergence spray. Apply just before or during the period of active growth of plants to be controlled and when rainfall can be expected for soil activation. This product works only by root absorption, therefore it is important for the product to be applied to the soil and not the plant. If dense growth is present, results will be improved if vegetation is removed before treatment. Do not apply when the ground is frozen.

Acti-Cil can be used to kill most weeds for an extended period of time on non-cropland areas such as loading ramps, fence rows, railroad sidings, storage yards, parking lots, around buildings and industrial plant sites. Apply Acti-Cil, undiluted, 1 gallon per 1,000 square feet. Do not make more than 6 applications per year.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: KEEP THE CONTAINER CLOSED.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

## PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing.

Personal Protective Equipment (PPE)

Applicator and other handlers must wear:

Long-sleeved shirt and long pants,

Chemical-resistant gloves (such as Nitrile, Butyl, Neoprene, and/or Barrter',

Laminate) and

Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems (including water-soluble packets), enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

#### USER SAFTEY RECOMENDATIONS

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not apply when weather conditions favor drift from areas treated. Apply this pesticide only as specified on the label.

#### PHYSICAL OR CHEMICAL HAZARD

Combustible. Do not use or store near heat or open flame.

#### FIRST AID

IF SWALLOWED: Call a physician or poison control center. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

# NOTE TO PHYSICIAN

This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.

For medical or environmental emergencies, call 972-438-1381. Not for Resale MADE IN THE U.S.A. 9M908 0006NCBA

EPA Est. No. 4140-					
CA-1	IN-1	NJ-1	PR-1	TX-1	TX-2
		]			



• • •

Page 3