

LEFT PANEL

NATIONAL CHEMSEARCH

AQUA-FOG

FOR USE IN FOOD PROCESSING PLANTS, FOOD HANDLING ESTABLISHMENTS,  
BAKERIES, RESTAURANTS, HOTELS, MOTELS AND APARTMENTS.

ACTIVE INGREDIENTS:

Pyrethrins.....	0.20%
*Piperonyl butoxide, technical.....	0.40%
**N-octyl bicycloheptene dicarboximide.....	0.66%
Petroleum distillate.....	0.96%
INERT INGREDIENTS.....	97.78%
TOTAL.....	100.00%

\*Consists of 0.32% (butylcarbityl) (6-propylpiperonyl) ether and  
0.08% related compounds.

\*\*MGK 264 Insecticide Synergist

CAUTION  
KEEP OUT OF REACH OF CHILDREN

(See right panel for additional precautions).

EPA Reg. No. 1769-189

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not breathe spray mist. Avoid contact  
with skin, eyes or clothing. In case of contact, immediately  
flush eyes or skin with plenty of water. Get medical attention  
if irritation persists.


STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center  
immediately. If possible, vomiting should be induced under  
medical supervision. Drink one or two glasses of water and  
induce vomiting by touching the back of throat with finger. Do  
not induce vomiting or give anything by mouth to an unconscious  
person.

NOT FOR RESIDENTIAL USE AND STORAGE UNLESS APPLIED AND STORED BY  
SERVICE PERSONS.

NET CONTENTS:

National Chemsearch  
Div. of NCH Corporation  
2727 Chemsearch Blvd.  
Irving, Texas 75062



### CENTER PANEL

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician immediately.

### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** KEEP CONTAINER CLOSED.

**PESTICIDE DISPOSAL:** Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SPACE SPRAY** - To kill flies, mosquitoes, gnats and small flying moths: Shake container gently to be sure contents are uniformly mixed. Close doors and windows and turn off ventilating equipment. Pour in sprayer and mist all parts of the room or area at a dosage of 1 fluid ounce of AQUA-FOG per 1000 cubic feet of space. Repeat as needed. Use as a space spray in food processing plants only when the plants are not in operation. Do not remain in the treated area. Ventilate the area when treatment is completed. The use of insecticides in meat and poultry plants require that food processing surfaces be washed with an acceptable detergent and rinsed with potable water.

**FOOD PROCESSING:** Following the use of AQUA-FOG, equipment and utensils must be thoroughly washed with a suitable detergent and rinsed with potable water prior to being put back into service.

### RIGHT PANEL

**CONTACT SPRAY** - To kill roaches, waterbugs and silverfish: Shake container gently as above. Direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Thoroughly fog around shelves, under sinks, refrigeration equipment, dishwashing machines and bottle washers. Treat all returned bottle cartons and cases. Contact as many insects as possible. For badly infested areas, spray daily. During the summer months, spraying twice a week is advisable.

CONTACT SPRAY - To kill fleas and brown dog ticks: Dilute one part AQUA-FDG with one part water. Spray infested areas such as pet resting places and areas of floor and floor coverings (such as carpet) where these pests may be present. Use at the rate of one gallon of diluted product per 750 square feet of area to be treated. Old pet bedding should be discarded and replaced with clean fresh bedding after treatment. Do not apply directly to pet. Repeat as needed.

CONTACT SPRAY - To control exposed stages of certain insects infesting stored food products: This would be the rice weevil, granary weevil, angoumois grain moth, confused flour beetle, saw toothed grain beetle, mediterranean flour moth and the indian meal moth. Clean areas to be sprayed, especially cracks, crevices, and around machinery. To spray food storage areas, remove food products from shelves and racks.

Spray these areas thoroughly with AQUA-FDG and replace food products. For packaged food, spray in such a manner that light mist will fall on the packages. For food products in sacks, pay particular attention to all cracks, crevices, walls and any other places that might offer shelter to the insects. Contact as many insects as possible. After all the local areas of storage have been sprayed, close all windows and doors. Mist the entire storage area, being extremely careful that all open food products are covered. After 10 to 20 minutes, sweep up and destroy all fallen insects. Repeat sprayings at least once a week or when reinfestation becomes evident. Do not treat stored grain products.

Treat Unloading, Handling and Processing Areas: Spray the conveying, processing and handling equipment such as the inside of reel conveyers, sifters, hoppers and proofers, as well as around the base of heavy machinery and equipment. After 10 to 20 minutes remove dead insects and run equipment to aerate before beginning operations.

TO REORDER:

Call TOLL-FREE, 1-800-527-9921

In Texas, 1-800-442-7950

EPA Est. No. 4140  
CA-1 IN-1 NJ-1 PR-1 TX-1