

**LEFT PANEL**

## METRA-FOG

**ACTIVE INGREDIENTS:**

\* Contains Aromatic Petroleum distillate

## WARNING

**KEEP OUT OF REACH OF CHILDREN**

(See elsewhere on label for additional precautions)

EPA Reg. No. 1769-197

**NET CONTENTS:**

NATIONAL CHEMSEARCH  
A Division of NCH Corporation  
2727 Chemsearch Blvd.  
Irving, Texas 75062

**BEST AVAILABLE COPY**

### CENTER PANEL

An oil-soluble insecticide for use by municipalities for killing flies and mosquitoes.

### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**NOTE: Refer to product labeling for use restrictions to protect ENDANGERED SPECIES.**

**Flies and Mosquitoes:** Mix 1 gallon of METRA-FOG with 7 gallons of kerosene or diesel fuel. With this mixture, treat insect breeding areas such as garbage heaps, city dumps, sewage disposal areas and alleyways. Thoroughly wet all surfaces. Repeat treatment when necessary.

## **BEST AVAILABLE COPY**

For Fogging and Mist Machines: Use 1 gallon of METRA-FOG to 7 gallons of kerosene or diesel fuel. As a contact spray adjust the machine to produce a dry fog. Apply 3.2 gallons of this mixture per acre. Do not repeat application within 21 days.

NOTE: The carrier oil can burn vegetation. Do not reuse the empty container.

Avoid contamination of food handling equipment. If food handling equipment becomes contaminated, clean thoroughly before reuse.

### **PRECAUTIONARY STATEMENTS**

#### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

##### **WARNING**

May be fatal if swallowed, inhaled or absorbed through the skin. Causes eye and skin irritation. Wash thoroughly with soap and water after handling. Wash clothing with soap and hot water before reuse. Avoid contact with skin, eyes and clothing. Avoid breathing the fumes or mist. Avoid contamination of food and foodstuffs. Do not allow spray treatment to drift on pastureland, cropland, poultry ranges or water supplies. Do not use inside homes, in dairy barns, poultry houses or in buildings where food is processed. Do not apply directly to animals. Do not use on crops used for food, forage, or pasture. While applying this product or working in treated areas, wear clean natural rubber gloves, protective clothing, and goggles, a face shield or equivalent. Wear a pesticide respirator jointly approved by the Mine Safety and Health Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to shrimp, fish and wildlife. Birds, fish, shrimp, and crabs in treated areas may be killed. Do not apply directly to water or wetlands (including swamps, marshes, bogs and potholes). Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

#### **PERSONAL PROTECTIVE EQUIPMENT AND WORK SAFETY**

\*USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE:

Protective suit of one or two pieces that covers all parts of the body except head, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical-resistant apron. During equipment repair and cleaning, the respirator need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE:

Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant apron; shoes and socks. Goggles or face shield must be worn when the system is under pressure.

**BEST AVAILABLE COPY**

All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND CLEANING OF APPLICATION EQUIPMENT AND EARLY REENTRY TO TREATED AREAS! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

**IMPORTANT!** If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or using the toilet.

**AFTER WORK:** Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Clothing and that becomes heavily contaminated or drenched with fenthion must be destroyed according to State and local regulations. HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.

#### **BEE PRECAUTIONS**

"This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the treatment area."

**PHYSICAL OR CHEMICAL HAZARD:** Do not use or store near heat or open flame.

#### **STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

**IF INHALED:** Remove the victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush the eyes with plenty of water. Call a physician immediately.

**NOTE TO PHYSICIAN:** If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** KEEP CONTAINER CLOSED.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL**

**PLASTIC CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of the smoke.

**METAL CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**TO REORDER:**

In Texas, call 1-800-449-7950

Outside Texas, call 1-800-527-9921

BM912

EPA Est. No. 4140

CA-1 IN-1 NJ-1 PR-1 TX-1

**BEST AVAILABLE COPY**