8-- 11 176-1 - = 16

LEFT PANEL

NATIONAL CHEMSEARCH

BAYOS .

OIL SOLUBLE RESIDUAL SPRAY

National Chemsearch BAYOS is a highly effective formulation for use in industrial plants, municipal buildings, hospitals, schools and food processing plants. Provides rapid kill of the insects listed above including those resistant to certain chlorinated hydrocarbon and phosphate insecticides.. This product stays on treated surface and kills insects many weeks after the spray deposit has dried.

ACTIVE INGREDIENTS:

*O-Isoproxyphenyl methyl carbamate	4.00%
**Dichlorvos (2,2-dichlorovinyl dinethylphosphate	0.93%
Related compounds	0.07%
***INERT INGREDIENTS:	.95.00%
TOTAL	100.00%

*U.S. Fat No. 3,111,539

Equivalent to 0.074 pounds per gallon *Contains petroleum distillate

KILLS: Ants

Crickets

Flies(outdoors) Milipedes

Sowbuas

Roaches

Brown Dog Ticks

Earwigs

Spiders

Clover Mites

Fleas (outdoors) Mosquitoes(outdoors)

Silver Fish

KEEP OUT OF REACH OF CHILDREN

WARNING:

(See side panel for additional warnings.)

EPA Registration No. 1769~216

NET CONTENTS:

NATIONAL CHEMSEARCH Div. of NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

CENTER PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

WARNING:

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed, inhaled or absorbed through the skin. Do not breathe vapors or spray mist. Handle concentrate in a well-ventilated area. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Wash contaminated clothing.

NOTE TO PHYSICIAN: Dichlorvos is a cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote. 2-FAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish, birds, and aquatic invertebrates. Do not apply directly to water or wet-lands (swamps, marshes, bogs, and potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT:

BEST AVAILABLL COPY

IF SWALLOWED: Call a physician or Foison Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. Apply artificient respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

STORAGE AND DISFOSAL

Do not contaminate water, food, or feed by storage or disposal. STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Metal containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

RIGHT PANEL

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not For Resale

INDOOR APPLICATION: For ants, cockroaches, crickets, silverfish, and waterbugs: Mix 1 part National Chemsearch BAYOS to 3 parts of cil. Spray this mixture into chacks, crevicies, around baseboards, and other aresa where insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in where ants enter premises. For cockroaches residual control is limited to 1 or 2 weeks. Reapply BAYOS for cockroaches every 1 to 2 weeks until control is achieved.

Brown Dog Ticks: Mix 1 part National Chemsearch BAYOS to 3 parts of oil. Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks, and local areas of floor. Repeat when necessary. Fresh bedding should be placed in animal quarters after spraying. Do not treat animals.

NOTE: Do not apply to rugs, carpets, draperies, wall-paper or similar materials that may be stained.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty or any other warranty of MERCHANTABILITY of FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

TO REORDER:

In Texas, call 1-800-442-7950 Outside Texas, call 1-800-527-9921

9M001

BEST AVELABLE COPY