

NATIONAL

TRANSECT™

INSECTICIDE

ACTIVE INGREDIENTS:..... 100.000%
d-trans Allethrin (allyl homolog
of Cinerin I)..... 0.250%
*Piperonyl butoxide, technical... 0.500%
+ N-octyl bicycloheptene
dicarboximide..... 0.825%
Petroleum distillate..... 98.425%
*Consists of .400% (butylcarbityl) (6-pro-
pylpiperonyl) ether and .100% other re-
lated compounds.

+ MGK 264 Insecticide Synergist.

CAUTION:

KEEP OUT OF REACH OF CHILDREN
(See right panel for additional precautions.)
DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME


EPA Reg. No. 1769-226-AA

NET CONTENTS: _____

NATIONAL CHEMSEARCH
2727 CHEMSEARCH BOULEVARD IRVING, TEXAS 75062
• DANGER • POISON • KEEP OUT OF REACH OF CHILDREN •
• SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS •

DIRECTIONS FOR USE

**SPACE SPRAY TO KILL FLIES, MOS-
QUITOS, SMALL FLYING MOTHS AND
GNATS:** Cover or remove exposed food
and food handling surfaces. Close room
and shut off all air conditioning or venti-
lating equipment. Apply with mechan-
ical or compressed air sprayer or with
fogger which gives small particle size.
Direct upwards toward upper corner of
room and ceiling. Apply at the rate of 1
to 2 fluid ounces per 1000 cubic feet of
space to be treated. Leave room closed
for one half hour. Ventilate room thor-
oughly before reentry. Repeat as neces-
sary for insect control.



Not Intended For House
Hold Use Or Resale

**CONTACT OR SURFACE SPRAY TO
KILL ROACHES, WATER BUGS AND
ANTS:** Cover or remove food before
application as described under space
spray. Apply with a sprayer that gives
large wetting droplets. Force spray into
cracks and crevices in walls and floors,
areas at base of machinery, behind cabi-
nets, around pipes and openings, along
baseboards and other insect harbor-
ages. Use one gallon of spray per 1000
square feet of surface to be treated. For
ants, spray trails and all points of entry
into the building. Spray ant nests directly
with a soaking application. In all cases,
contact as many insects as possible
directly with the spray. Repeat applica-
tion as necessary for control.

CAUTION: Harmful if swallowed. Do not
apply directly to food. Foods should be
removed or covered during treatment.
All food processing surfaces should be
covered during treatment or thoroughly
cleaned before using. When using
TRANSECT in these areas, apply only
when the facility is not in operation.

Do not reuse empty container. Perforate
or crush and bury in a safe place.

3/78

EPA Est. No. 4140

CA-1	IN-1	NJ-1	PR-1	TX-1
------	------	------	------	------