stainless steel s and pipelines of

NG — WHERE 1 ounce #1430 every 4 gallons of Id have minimal minutes. Allow fore use.

OWING: Add 1 130 ACID SANIons of water used. act time of 2 minut to drain before

npty container and discard it. aug 22-1472-7-228

#1430 ACID SANITZER

ACTIVE INGREDIENTS:

Phosphoric Acid	.56.95%
Dodecylbenzene Sulfonic Acid	.10.70%
Isopropyl Alcohol	.10.00%
INERT INGREDIENTS:	.22.35%

DANGER

KEEP OUT OF REACH OF CHILDREN

See right panel for additional precautions.

EPA Reg. No. 1769-228-AA

DANGER: KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

(L-3) 7-72

PRINTED IN U.S.A.