

1769-235 (15)

NATIONAL CHEMSEARCH
POWER-PLUS

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

GERMICIDAL FOOD PLANT CLEANER
CLEANS - DISINFECTS - DEODORIZES

Read entire label before using product.

Si usted no sabe ingles, pida a alguien que sepa le lea y explique completamente esta etiqueta antes de usar este producto.

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₀)	
Dimethyl Benzyl Ammonium Chlorides	1.60%
n-Alkyl (68% C ₁₄ , 32% C ₁₆) Dimethyl	
Ethylbenzyl ammonium chlorides	1.60%
INERT INGREDIENTS	<u>96.80%</u>
TOTAL	100.00%

EPA Reg. No. 1769-235

DANGER

KEEP OUT OF REACH OF CHILDREN
(See right panel for additional precautions)

NET CONTENTS:

NATIONAL CHEMSEARCH
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, TX 75062

BEST AVAILABLE COPY

POWER-PLUS Germicidal Food Plant Cleaner is recommended for cleaning and sanitizing floors, walls and equipment in food storage and processing plants. It is free rinsing and effective against a wide spectrum of both gram positive and gram negative bacteria. It has a phenol coefficient of 17.0 against *Staphylococcus aureus* and 10.0 against *Salmonella typhosa*.

DIRECTIONS

For Cleaning and Disinfecting Floors, Walls, Ceilings and Other Non-food Contact Surfaces: Remove gross filth and heavy deposits from surfaces prior to application of the recommended solution. If deposits of dirt and debris are heavy, dilute POWER-PLUS Germicidal Food Plant Cleaner 4 to 6 ounces per gallon of water. Apply this solution through a pressure sprayer to the surface to be cleaned. Heavy incrustations of soil may require agitation to remove. For light soils, use 2 ounces per gallon of water and follow procedure outlined above. After cleaning, a rinse with high pressure water may be desired.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

NATIONAL CHEMSEARCH

POWER-PLUS

GERMICIDAL FOOD PLANT CLEANER

CLEANS-DISINFECTS-DEODORIZES

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈)	
Dimethyl Benzyl Ammonium Chlorides	1.60%
n-Alkyl (68% C ₁₂ , 32% C ₁₄ ,) Dimethyl	
Ethylbenzyl Ammonium Chlorides	1.60%

INERT INGREDIENTS:	<u>96.80%</u>
TOTAL	100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN

See right panel for additional precautions

EPA Reg. No. 1769-235

NET CONTENTS: -----

NATIONAL CHEMSEARCH

A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, TX 75062



POWER-PLUS Germicidal Food Plant Cleaner is recommended for cleaning and sanitizing floors, walls and equipment in food storage and processing plants. It is free rinsing and effective against a wide spectrum of both gram positive and gram negative bacteria. It has a phenol coefficient of 13.0 against Staphylococcus aureus and 10.0 against Salmonella typhosa.

DIRECTIONS

For Cleaning and Disinfecting Floors, Walls, Ceilings and Other Non-food Contact Surfaces: Remove gross filth and heavy soil deposits from surfaces prior to application of the recommended solution. If deposits of dirt and debris are heavy, dilute POWER-PLUS Germicidal Food Plant Cleaner 4 to 6 ounces per gallon of water. Apply this solution through a pressure sprayer to the surface to be cleaned. Heavy incrustations of soil may require agitation to remove. For light soils, use 2 ounces per gallon of water and follow procedure outlined above. After cleaning, a rinse with high pressure water may be desired.

For Cleaning and Sanitizing Food Processing Equipment: Clean and rinse equipment thoroughly.

Then apply a solution of 4 ounces of POWER-PLUS Germicidal Cleaner per 5 gallons of water by flooding the surface, mopping or wiping on. No rinse is required after this step.

To Control Mold and Mildew: Dilute 4 ounces of POWER-PLUS Germicidal Food Plant Cleaner per gallon of water. Apply to the walls and floors where the fungus grows such as proofing rooms in bakeries and food storage rooms. If the infestation is heavy, pre-clean the area by using a solution of 4 to 6 ounces per gallon of water by spraying or mopping on to the precleaned surface. Repeat application in 7 days or as necessary to maintain control or when new growth appears.

PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or a face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

Skin: Avoid contact with skin. If contact does occur, wash skin thoroughly with soap and water. Wash contaminated clothing. If skin irritation occurs, contact a physician.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. See a physician.

Ingestion: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing, manually or mechanically, may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short acting barbiturate drug.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative of the nearest EPA regional office, for guidance.


CONTAINER DISPOSAL

Plastic Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of the smoke.

Metal Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

9M001

TO REORDER
Call TOLL-FREE: 1-800-527-9921
In Texas, 1-800-442-7950



BEST AVAILABLE COPY