10F6 Pm 31 1761-2 1

NOV 25 BER

NCH Corporation 2727 Chemsearch Boulevard Irving, TX 75062

Attention: C. Richard Stolley

Gentlemen:

Subject: EverBrite Germicidal EPA Registration No. 1769-236 Your Submission Dated July 31, 1987 EPA Received Date August 7, 1987

The amendment referred to above, submitted in connection with the Label Improvement Program Notice for Antimicrobial Products Used as Food Contact Surface Sanitizers, is acceptable provided that you:

- 1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling.
 - Delete trisodium phosphate and tetrapotassium ethylene a. diamine tetraacetate from the list of active ingredients and adjust the percentages accordingly.
 - b. Delete the following statements from the "Note to Physician" statement:

Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a shortacting barbiturate drug.

- c. Delete the word "milk."
- 2. Submit five (5) copies of the final printed labeling before you release the product for shipment.

CONCURRENCES							
YMBOL							
							·····
						•	• • • • • • • • • • • • • • • • • • • •

50337: I: Leavy: LL-9: KENCO: 11/14/88: 12/28/88; SG: VO: EK: DD

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,

John H. Lee Product Managér (31) Antimicrobial Program Branch Registration Division (TS-767C)

••

 $\mathcal{I} \sim (\cdot$

Enclosure

LEFT_PANEL -

NATIONAL CHEMSEARCH

EVERBRITE Germicidal Cleaner

CLEANS - DISINFECTS - DEODORIZES

ACTIVE INGREDIENTS

n-Alkyl (30% C14, 30% C16, 5% C12, 5% C18) Dimethyl
Benzyl Ammonium Chlorides
n-Alkyl (68% C12, 32% C14) Dimethyl Ethylbenzyl
Ammonium Chlorides
Trisodium Phosphate
Tetrapotassium ethylenediamine tetraacetate1.10%
INERT INGREDIENTS
TOTAL



くいれ

1.1

See side panel for additional precautions.

EPA Reg. No. 1769-236

NET CONTENTS:

National Chemsearch Div. of NCH Corporation 2727 Chemsearc': Blvd. Irving, Texas 75062 ACCEPTED with COMMENTS in EPA Letter Dated: 1

NOV 25 1988

Under the Federal Insecticide,

Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1 769-236

CENTER PANEL

* FREE	RINSING
--------	---------

* PREVENTS LIME DEPOSITS

* DEODORIZES AND DISINFECTS

Disinfects Influenza A , Herpes Simplex Type I viruses carried on inanimate environmental surfaces.

Effective against a wide spectrum of both gram-positive and gram-negative bacteria including Pseudomonas aeruginosa. Also effective in inactivating Influenza A , (Hong Kong Flu) virus and Herpes Simplex Type I virus on inanimate environmental surfaces.

EVERBRITE Germicidal Cleaner is recommended for the cleaning, sanitizing, deodorizing and disinfecting of floors, walls, sink tops, telephones, tables, chairs, bedframes, fixtures and other environmental surfaces in hospitals, food processing plants, meat packing plants, dairy plants, schools, municipal buildings, a hotels and motels.

ACCEPTED with COMMENTS

EVERBRITE Germicidal Cleaner is free rinsing and leavesDAduseApd: scum.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

NOV 25 1988

Harmful if swallowed. Do not get in eyes, or kin, or on 1769-136 clothing. Corrosive. Causes eye and skin damage. Wear gogglés or face shield and rubber gloves when handling.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravencus injection of a short-acting barbiturate drug.

STATEMENT OF PRACTICAL TREATMENT IF SWALLOWED: Drink large quantities of milk, raw egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

RIGHT PANEL

STORAGE AND DISPOSAL Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional OFfice for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, of, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Ļ

ACCEPTED with COMMENTS in EPA Letter Dated:

٩.

ł

NOV 25 1988

Under the Federal Insecticide,

NOT FOR RESALE

۰.,

Fungicide, and Rode, ticide Act as amended, for the pesticide registered under LPA Reg. No. ĥ 1769-236 DIRECTIONS FOR USE GENERAL CLASSIFICATION It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EVERBRITE Germicidal Cleaner is an effective DISINFECTION: disinfectant and deodorizer when diluted 2 ounces per gallon of In use dilution, it reduces the hazard of Staphylococcus water. aureus as well as certain other pathogenic microorganisms on environmental surfaces. EVERBRITE Germicidal Cleaner can be used to disinfect against Staphylococcus aureus and Salmonella typhosa, in a hospital env.ronment when used at a dilution rate of 4 ounces per gallon of water. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when use solution becomes visibly dirty. Remove gross filth and heavy soil deposits from surfaces prior to application of the recommended solution. For cleaning and disinfecting resilient floor surfaces or on sealed wood floors, dilute EVERBRITE Germicidal Cleaner 2 ounces per gallon of water. Use 4 or 5 oz. per gallon of water if the floor is extremely dirty. Apply with a clean mop or spray so as to theroughly wet floor. After the cleaner has loosened the dirt and soil, pick up the remainder with a mop, squeegee or wet pickup vacuum. If desired, the floor may be rinsed with clear water.

MOLD AND MILDEWSTAT: EVERBRITE Germicidal Cleaner is an effective fungistat and will control mildew and mold on floors, walls and ceilings. Clean these surfaces prior to application with a compatible detergent using a scrub brush if necessary. Mix 4 ounces to each gallon of water and apply to the surfaces to thoroughly moisten all areas. May be sprayed or mop applied. Repeat application in 7 days to maintain control.

SANITIZATION: EVERBRITE Germicidal Cleaner can also be used in sanitizing previously cleaned food contact surfaces on food processing, meat packing and dairy equipment. Remove all gross food particles by pre-scraping and pre-wiping. Use a good detergent or other compatible cleaner and rinse with potable water. When used for this purpose, limit the level of active quaternaries to 200 ppm by diluting 4 ounces of EVERBRITE Germicidal Cleaner to 5 gallons of water. At this level no potable water rinse is required. Treated surfaces must remain wet for 1 minute. The solution should be drained and the surface should be allowed to air dry. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing _ To sanitize, clean and rinse the equipment applications. thoroughly, then apply the diluted solution of EVERBRITE Germicidal Cleaner by flooding the surface mopping or wiping on. Treated surfaces must remain wet for 1 minute. The solution should be drained and the surface should be allowed to air dry.

و' ، ر

C D E

י אי ש

(DATE)

ſ

<u>EPA_Est._No._4140</u> CA-1 IN-1 NJ-1 PR-1 TX-1

٠

	ACCEPTED with COMMENTS in EPA Letter Dated:	A MARKED A
	NOV 25 1988	
. included	Under the Federal Insecticide, Fungicide, and Redenticide Act as amended, for the pesticide registered under EPA Reg. No. 1769-236	

.....

. ...

٤..۱

3