

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

P.M. 31 REG # 1169-256

4

NCH Corporation
2727 Chemsearch Boulevard
Irving, TX 75062

JUL 18 1989

Attention: C. Richard Stolley

Gentlemen:

Subject: EverWrite Germicidal
EPA Registration No. 1769-236
Your Submission Dated December 13, 1988
EPA Received Date December 20, 1988


The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you submit five (5) copies of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Karen Leavy at (703) 557-3966.

Sincerely yours,


John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosure

54772:I:Leavy:L-2:KENCO:7/7/89:8/17/89:KA:GJ:VO:P.:AS

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

LEFT PANEL

NATIONAL CHEMSEARCH

EVERBRITE
Germicidal Cleaner

CLEANS - DISINFECTS - DEODORIZES

ACTIVE INGREDIENTS

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) Dimethyl Benzyl Ammonium Chlorides.....	1.60%
n-Alkyl (68% C12, 32% C14) Dimethyl Ethylbenzyl Ammonium Chlorides.....	1.60%
INERT INGREDIENTS.....	96.80%
TOTAL.....	100.00%

DANGER
KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

EPA Reg. No. 1769-236

NET CONTENTS:

National Chemsearch
Div. of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

ACCEPTED
with COMMENTS
in EIA Letter Dated:

JUL 18 1989

1769-236

CENTER PANEL

- * FREE RINSING
- * PREVENTS LIME DEPOSITS
- * DEODORIZES AND DISINFECTS

Disinfects Influenza A, Herpes Simplex Type I viruses carried on inanimate environmental surfaces.

Effective against a wide spectrum of both gram-positive and gram-negative bacteria including Pseudomonas aeruginosa. Also effective in inactivating Influenza A, (Hong Kong Flu) virus, and Herpes Simplex Type I virus on inanimate environmental surfaces.

EVERBRITE Germicidal Cleaner is recommended for the cleaning, sanitizing, deodorizing and disinfecting of floors, walls, sink tops, telephones, tables, chairs, bedframes, fixtures and other environmental surfaces in hospitals, food processing plants, meat packing plants, dairy plants, schools, municipal buildings, hotels and motels.

EVERBRITE Germicidal Cleaner is free rinsing and leaves no soap scum.

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Harmful if swallowed. Do not get in eyes, or skin, or on clothing. Corrosive. Causes eye and skin damage. Wear goggles or face shield and rubber gloves when handling.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink large quantities of raw egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

RIGHT PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOT FOR RESALE

ACCEPTED
FOR COMMENTS
EPA REGION 1

JUL 18 1989

BEST AVAILABLE COPY

1769-236

DIRECTIONS FOR USE
GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION: EVERBRITE Germicidal Cleaner is an effective disinfectant and deodorizer when diluted 2 ounces per gallon of water. In use dilution, it reduces the hazard of Staphylococcus aureus as well as certain other pathogenic microorganisms on environmental surfaces. EVERBRITE Germicidal Cleaner can be used to disinfect against Staphylococcus aureus and Salmonella typhosa, in a hospital environment when used at a dilution rate of 4 ounces per gallon of water. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when use solution becomes visibly dirty. Remove gross filth and heavy soil deposits from surfaces prior to application of the recommended solution. For cleaning and disinfecting resilient floor surfaces or on sealed wood floors, dilute EVERBRITE Germicidal Cleaner 2 ounces per gallon of water. Use 4 or 5 oz. per gallon of water if the floor is extremely dirty. Apply with a clean mop or spray so as to thoroughly wet floor. After the cleaner has loosened the dirt and soil, pick up the remainder with a mop, squeegee or wet pickup vacuum. If desired, the floor may be rinsed with clear water.

MOLD AND MILDEWSTAT: EVERBRITE Germicidal Cleaner is an effective fungistat and will control mildew and mold on floors, walls and ceilings. Clean these surfaces prior to application with a compatible detergent using a scrub brush if necessary. Mix 4 ounces to each gallon of water and apply to the surfaces to thoroughly moisten all areas. May be sprayed or mop applied. Repeat application in 7 days to maintain control.

SANITIZATION: EVERBRITE Germicidal Cleaner can also be used in sanitizing previously cleaned food contact surfaces on food processing, meat packing and dairy equipment. Remove all gross food particles by pre-scraping and pre-wiping. Use a good detergent or other compatible cleaner and rinse with potable water. When used for this purpose, limit the level of active quaternaries to 200 ppm by diluting 4 ounces of EVERBRITE Germicidal Cleaner to 5 gallons of water. At this level no potable water rinse is required. Treated surfaces must remain wet for 1 minute. The solution should be drained and the surface should be allowed to air dry. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications. To sanitize, clean and rinse the equipment thoroughly, then apply the diluted solution of EVERBRITE Germicidal Cleaner by flooding the surface mopping or wiping on. Treated surfaces must remain wet for 1 minute. The solution should be drained and the surface should be allowed to air dry.

(DATE)

EPA Est. No. 4140
CA-1 IN-1 NJ-1 PR-1 TX 1

ACCEPTED
JUL 18 1989

BEST AVAILABLE COPY

1769-286