10/3 # 1769-259 PM31

LEFT PANEL

NATIONAL CHEMSEARCH

GRENADIER

CLEANER - DEODORIZER - DISINFECTANT - FUNGICIDE

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl	
benzyl ammonium chlorides2.	25%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl	
ammonium chlorides	25%
INERT INGREDIENTS:95.	50%
TOTAL	00%

DANGER KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautions.

EFA Req. No. 1769-259

NET CONTENTS:

National Chemsearch Div. of NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062

CENTER PANEL

DANGER

ACCEPTED

JUL 1 0 1985

Under the Fe let 11. 24, Fungicide, and Redenacide Act, as amended, for the posticide registered under 201-251

GRENADIER is a cleaner, disinfectant and sanitizer designed for institutional use, such as hospitals, nursing homes and schools where housekeeping will be of prime importance in controlling the hazard of cross contamination from environmental surfaces.

GRENADIER can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, restrooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, Influenza A and Herpes Simplex Type I viruses carried on inanimate environmental surfaces. ("";"

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Harmful or fatal if swallowed. Do not get in eyes, on skin, bron clothing. Corrosive. Causes eye and skin damage. Wear a godgles or face shield and rubber gloves when handling.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate; the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

physician

Under the Federal 1

registered under EPA Reg. No.

JUL 1 0 1985

Fungicide, and Rodenii i c rict,

as amended, for the pesticide

STATEMENT OF PRACTICAL TREATMENT

IF SHALLOWED: Call a physician or Peison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

ACCEPTED

IF IN EYES: Flush eyes with plenty of water. Callimmediately.

RIGHT PANEL

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Festicide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EFA Regional Office for quidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerator, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOT FOR RESALE

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION: Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is also fungicidal against the pathogenic fungi, trichophyton mentagrophytes. Remove gross' filth and heavy soil deposits from surfaces prior to application of the recommended solution. To disinfect inanimate environmental surfaces (such as walls, resilient floors, sealed wooden floors, countertops, table tops), add 2 ounces of GRENADIER per gallon of water. Apply solution with mop, cloth or sponge. Rinse with potable water and let air dry.

3 73 #17.1-259 W31

To disinfect commodes, flush, then add 2 ounces of GRENADIER directly to the commode water. Swab the commode completely including under the rim with a toilet mop or scrub brush. Let stand for ten minutes and flush.

VIRUCIDAL ACTIVITY: The product when used on environmental inanimate hard surfaces at 2 ounces per gallon of water exhibits effective virucidal activity against Influenza A -Asian (representative of the common flu virus), Herpes simplex Type I (causative agent of fever blisters and mononucleosis), Adeno virus type 2 (causative agent of upper respiratory infections), and Vaccinia virus (representative of the pox virus group).

SANITIZATION: When used for sanitization of previously cleaned food equipment or food contact items limit active quaternaries to 200 ppm. A FOTABLE WATER RINSE is required. To sanitize food processing, meat packing and dairy equipment thoroughly. Flood the area with a solution of 2 ounces GRENADIER to 3 1/2 gallons of water (200 ppm active quaternary) or apply with a cloth or sponge. Make sure the entire surface is completely wet for at least 60 seconds. Prepare a fresh solution fore each use. FOOD CONTACT SURFACES must be rinsed with potable water before reuse.

TO REORDER:

In Texas. call 1-800-442-7950 Outside Texas, call 1-800-527-9921

(DATE)

EPA Est. No. 4140 CA-1 IN-1 NJ-1 FR-1 TX-1 JUL 1 0 1985

Under the Federal Ira
Fungicide, and Rodenticide Act, as amended, for the pecticide registered under EPA Reg. No. 769-259

