

ACCEPTED
MAY 10 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
registered under
EPA Reg. No. 1769-264

LEFT PANEL

NATIONAL CHEMSEARCH

DOUBLE-QUICK

ACTIVE INGREDIENTS:

Technical Piperonyl Butoxide*	1.50%
Pyrethrins	0.30%
**INERT INGREDIENTS	98.20%
TOTAL	100.00%

- * Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.30% related compounds.
- ** Contains Petroleum Distillates

Classified by Underwriters Laboratories, Inc. as to Fire Hazard Only. DOUBLE-QUICK Classed 20 to 25 between Paraffin Oil and Kerosene in Respect to Fire Hazard.

EPA Reg. No. 1769-264

CAUTION
KEEP OUT OF REACH OF CHILDREN
(See elsewhere on label for additional precautions.)

NET CONTENTS:

NATIONAL CHEMSEARCH
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

CENTER PANEL

National Chemsearch DOUBLE-QUICK is a concentrated contact insecticide formulated with pyrethrins and a synergist in a highly refined mineral oil base. National Chemsearch DOUBLE-QUICK is especially designed for use in steam vaporizers, compressed-air sprayers, heat-generated fogging machines and sprayers that produce extremely fine particle sizes. National Chemsearch DOUBLE-QUICK, when used as directed, is recommended for use in bakeries, wholesale groceries, bottling plants, restaurants and other industries that require a nonstaining insecticide.

National Chemsearch DOUBLE-QUICK is a concentrated insecticide scientifically formulated for control of the exposed stages of roaches, certain insects infesting stored food product areas, silverfish, flies, mosquitoes, wasps, gnats, small flying moths, waterbugs, crickets, spiders, ticks and centipedes.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Do not breathe spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this pesticide only as specified on the label.

PHYSICAL OR CHEMICAL HAZARD:

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: DO NOT induce vomiting. Call a physician or Poison Control Center immediately.

IF INHALED: Remove to fresh air.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOT FOR RESIDENTIAL USE AND STORAGE UNLESS APPLIED AND STORED BY SERVICE PERSONS.

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR EXPOSED STAGES OF GRANARY WEEVILS, CONFUSED FLOUR BEETLES, ANGOUMOIS GRAIN MOTHS, INDIAN MEAL MOTHS, CADELLES, RUST RED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, SPIDER BEETLES, GRAIN MITES, RICE WEEVILS, INFESTING STORED FOOD PRODUCT AREAS: Clean areas to be sprayed, especially cracks, crevices and around machinery. To spray food storage areas, remove food products from shelves and racks. Spray these areas thoroughly with National Chemsearch DOUBLE-QUICK and replace food products. For packaged food, spray in such a manner that a light mist will fall upon the packages. For food products in sacks, spray thoroughly between and around the sacks paying particular attention to all cracks, crevices, walls, and any other place that might offer shelter to the insects. Contact as many insects as possible. After all the local areas of storage have been sprayed, close all windows and doors. Thoroughly fog the entire storage area, being extremely careful that all open food products are covered. Wet surfaces of the storage area thoroughly after thorough cleanup and prior to filling with grain. Do not apply directly to grain or oil bearing seeds. After 10-20 minutes, sweep up and destroy all fallen insects. Repeat sprayings at least once a week or when reinfestation becomes evident.

When the actual stored food product is infested, use fumigation or other effective methods using an approved product intended for this specific purpose.

TREAT UNLOADING, HANDLING AND PROCESSING AREAS: Spray the conveying, processing and handling equipment as well as around the base of heavy machinery and equipment. After 10-20 minutes, remove dead insects and run equipment to aerate before beginning operations.

FOR ROACHES, SILVERFISH, WATERBUGS, CRICKETS, SPIDERS, TICKS, CENTIPEDES: Direct spray in such a manner as to penetrate all cracks, crevices and other hiding places. Thoroughly fog around shelves, under sinks, refrigeration equipment, dishwashing machines and bottle washers. Treat all returned bottle cartons and cases. Contact as many insects as possible. For badly infested areas, spray daily. During summer months, spraying twice a week is advisable. Do not remain in treated areas. Ventilate the area after treatment is completed.

FOR FLIES, MOSQUITOES, WASPS, GNATS, SMALL FLYING MOTHS: Close all doors and windows before spraying. Direct spray toward the ceiling and continue spraying until area is thoroughly fogged. After 10-20 minutes, sweep up and destroy all fallen insects. Repeat spraying as often as necessary. Do not remain in treated areas. Ventilate the area after treatment is completed.

WASP NESTS: Spray directly on insects, nests and hiding places. Application should be made in late evening (if possible) when wasps return to their nests.

FOR USE ON ANIMALS:

To protect against HORN FLIES, HOUSE FLIES, MOSQUITOES, and GNATS:

Mix 42.5 ounces of National Chemsearch DOUBLE-QUICK with sufficient oil to equal 1 gallon of diluted spray. Apply a light mist sufficient to wet the tips of the hair on beef and dairy cattle, horses and dogs.

To protect against STABLE FLIES, HORSE FLIES, and DEER FLIES:

Apply the above dilution at 2 ounces per individual animal for adult beef cattle, dairy cattle and horses to sufficiently wet the hair, but not to soak the hide. Repeat this application once or twice daily or as needed to give continued protection.

To control the motile stages of blood sucking lice on beef and dairy cattle, apply the diluted spray to thoroughly wet the hair. Use 2 ounces or less per animal and repeat every 2 to 3 weeks as required.

NOTE: Do not spray directly into foodstuffs. Use in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be removed or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Do not treat bulk grain products.

Remove pets and birds and cover fish aquariums before spraying.

TO REORDER:

In Texas, call 1-800-442-7950
Outside Texas, call 1-800-527-9921

9M00911

EPA Est. No. 4140
CA-1 IN-1 NJ-1 PR-1 TX-1