

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish, birds, and aquatic Flies, Mosquitoes, Gnats: Sprinkle lightly in refuse and garbage containers before and after filling. Repeat application as necessary.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOTICE:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty or any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE is intended to imply or be taken as a guarantee of the safety of the product or the safety of the use of the product. The user of the product is advised to read the label and to use the product in accordance with the directions thereon.

CAUTION

For information, call 1-800-4-A-FLY

Call 1-800-4-A-FLY, ext. 1-800-4-A-FLY 9901

1-800-4-A-FLY

EPA REG. NO. 4140

CA 1 IN 1 NO 1 PD 1 TX 1

BEST AVAILABLE COPY

9555

1/2 3 12

Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

NATIONAL CHEMSEARCH

GRANULAR INSECTICIDE

For Control of Mosquito Larvae and Certain Turf Pests

(See side panel)

ACTIVE INGREDIENTS:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	1.0%
* INERT INGREDIENTS	99.0%
TOTAL	100.0%

* Contains Aromatic Petroleum distillates

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional precautions)

FOR PROFESSIONAL USE ONLY

TO BE USED BY TRAINED PERSONNEL ONLY

EPA Reg. No. 1769-267

NET CONTENTS: _____

NATIONAL CHEMSEARCH
2727 Chemsearch Blvd.
Irving, TX 75062

BEST AVAILABLE COPY

USE DIRECTIONS FOR TURF

Controls chinch bugs, soil webworms (lawn moths), ants, Brown dog ticks, crickets cut worm, earwigs, sowbugs (pillbugs), certain white grubs* and Hyperodes (turf grass) weevils** infesting lawns and other ornamental turf areas.

Apply National Chemsearch Granular Insecticide uniformly to lawns and other ornamental recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using National Chemsearch Granular Insecticide at the rate of 100 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one direction, then apply the balance at a right angle. Immediately after application sprinkle the turf with 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of National Chemsearch Granular Insecticide and water needed for smaller sized areas. Re-treat as necessary.

BEST AVAILABLE COPY

RATES TO USE

<u>Area to be Treated</u>	<u>Pounds of National Chemsearch Granular Insecticide</u>	<u>Gallons of Water to Sprinkle on Turf After Treatment</u>
1,000 sq.ft.	2.5	30
5,000 sq.ft.	12.5	150
10,700 sq.ft.	25	325

* To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of National Chemsearch Granular Insecticide shown in the table, i.e. 5 to 10 pounds per 1,000 sq.ft. Apply the granules uniformly over the area to be treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

** To control Hyperodes (Turf grass) weevils use twice the rate of National Chemsearch Granular Insecticide shown in the table. Treat suspected problem areas in mid-April and again in the mid-May. Consult your local Agricultural Extension Service specialist for best time to treat in your area.

USE DIRECTIONS FOR MOSQUITO LARVAE CONTROL

USE NATIONAL CHEMSEARCH GRANULAR INSECTICIDE: To control mosquito larvae in non-crop areas that serve as breeding sites for these pests. Apply using any hand operated or ground vehicular mounted gravity or rotary type spreader or seeder or with aerial application equipment that will provide uniform distribution of the granules.

FLOODED AREA TREATMENT: Apply uniformly over flood water impoundments whenever mosquito larvae are present. Use National Chemsearch Granular Insecticide at the rate of 2.5 to 5 pounds per acre. This rate is equivalent to 0.025 to 0.05 pounds of active ingredients per acre.

PRE-HATCH TREATMENT: Many mosquito breeding areas are not covered by water during certain months of the year, yet these areas contain mosquito eggs from which larvae will hatch and grow to maturity when flooding occurs. To control these larvae, uniformly apply National Chemsearch Granular Insecticide at the rate of 10 pounds per acre over the known breeding sites prior to the time flooding is expected. This rate is equivalent to 0.1 pound of active ingredient per acre.

USE PRECAUTIONS

Keep children and pets off treated turf areas until this material is washed into the soil and grass is dry. This product is toxic to fish, wildlife and birds.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

NATIONAL CHEMSEARCH

AEROSOL

PAINT-SECT

Read entire label before using product.

Si usted no sabe ingles, pida a alguien que sepa le lea y explique completamente esta etiqueta antes de usar este producto.

AEROSOL PAINT-SECT is a scientifically formulated aerosol insecticidal varnish which gives up to 12 months residual action, depending on the type of surface.

ACTIVE INGREDIENTS:

*Chlorpyrifos (0,0-diethyl 0-3,5,6-Trichloro-2-pyridyl phosphorothioate)..... 1.0%

INERT INGREDIENTS:.....99.0%

TOTAL.....100.0%

U.S. PATENT NO. 3,244,586

WARNING

KEEP OUT OF REACH OF CHILDREN

(See side panel for first aid and additional precautionary statements.)

EPA Reg. No. 1767-267

EPA Est. No. 4140TX-1

NET CONTENTS: 16 oz./454 gm

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR PESTS: For spot application in industrial plants, municipal buildings, schools, motels, hotels, non-food areas of food handling establishments, hospitals and health care institutions.

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

To control cockroaches (including strains resistant to other types of insecticides), ants, crickets, spiders, silverfish, and firebrats. A second application may be required to control very heavy infestations.

For spot application apply to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, along baseboards, around windows and doors, under tables, chairs and sinks and around water pipes and other fixtures.

NOTE: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS -- APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas of receiving, storage, packing (canning, bottling, wrapping, boxing, preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation are also considered food areas. A second application may be required for very heavy infestations. Apply in small amounts directly into cracks and crevices, between different elements of construction, between and behind equipment (sinks, stoves, refrigerators, freezers) where cockroaches, ants, crickets, silverfish, firebrats and spiders hide. An extension nozzle may be used to gain access to difficult-to-reach areas. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard.

NOT FOR RESALE OR RESIDENTIAL USE AND STORAGE UNLESS APPLIED AND STORED BY SERVICE PERSONS.

NATIONAL CHEMSEARCH
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, TX 75062

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed, inhaled or absorbed through skin. Do not breathe vapors or spray mist in eyes, on skin, or on clothing. Wash contaminated clothing with soap and water. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

WARNING: (Pests indoors): For Spot Application Only. Do not use in poultry houses or other animal buildings. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils if they become contaminated. Do not allow children or pets to contact treated surfaces until surfaces are dry. Remove pets and cover fish bowls before spraying.

CAUTION: Do not spray into the air. Do not get on glass or aluminum surfaces. AEROSOL PAINT SECT may cause surfaces freshly painted with lacquers, enamels, or oil-base paints to blister unless these coatings are completely cured. If in doubt, treat a small, inconspicuous area. If the treated area does not raise or blister in 15 minutes, then proceed.

WARNING: Read label before using. If product is swallowed, get prompt medical treatment from physician. If it gets on skin or clothing, wash with soap and water. If it gets in eyes, flush with plenty of water.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F/54.4°C may cause bursting.

PESTICIDE DISPOSAL: Wrap container and put in trash collection.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. If Possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

9M001

TO REORDER

In Texas, call 1-800-442-7950

Outside Texas, call 1-800-527-9921

