

LEFT PANEL

NATIONAL CHEMSEARCH

RESTRICTED USE PESTICIDE

The use of this product may be hazardous to your health. This product contains dichlorvos, which has been determined to cause cancer in laboratory animals. Dichlorvos also causes adverse liver effects in laboratory animals and is a potent cholinesterase inhibitor.

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

CP-750

Residual Insecticide Spray

Kills cockroaches, ants, spiders, crickets, earwigs, brown dog ticks, silverfish; also for exterior control of flies and mosquitoes.

ACTIVE INGREDIENTS:

*Chlorpyrifos (O,O-diethyl O-(3,5,6 trichloro-2pyridyl) Phosphorothioate.....0.50%
2-2 dichlorovinyl dimethyl phosphate0.46%
Related Compounds.....0.04%

****INERT INGREDIENTS..... 99.00%**
TOTAL 100.00%

* U.S Patent No. 3,244,586

** Contains Aromatic Petroleum distillates

WARNING:

KEEP OUT OF REACH OF CHILDREN

Contents under pressure

(See side panel for additional precautions.)

EPA Reg. No. 1769-268

Net Weight: 11 oz./312 gms

CENTER PANEL

For industrial and institutional use around doors, window frames and baseboards for spot treatment in and around schools, hospitals, municipal buildings, industrial plants and offices, apartment buildings, kennels and rest homes.

DIRECTIONS FOR USE:

It is a violation Federal Law to use this product in a manner inconsistent with its labeling.

NOT FOR RESALE

BEST AVAILABLE COPY

1769-268 PM 15
Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidelines, Phase 2 Response, Page 2.12, Action to Alert Change in Status.

REENTRY

HANDLE THIS PRODUCT ONLY WHEN WEARING THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: protective suit of one or two pieces covering all parts of the body except head, hands, and feet; chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots), NIOSH or MSHA approved respirator. Mixer/loaders must also wear a chemical-resistant apron. If overhead exposure is likely wear a hood or wide-brimmed hat. Human flaggers must be in totally enclosed vehicles.

IMPORTANT: If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking or toileting.


AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear only clean clothes when leaving job--do not wear contaminated clothing. Contaminated clothing worn during work must be laundered separately from household clothing. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Clothing and protective equipment heavily contaminated or drenched with dichlorvos must be destroyed according to state and local regulations. Heavily contaminated or drenched clothing cannot be adequately decontaminated.

Reentry into treated areas is prohibited for 48 hours after the end of treatment, unless the following protective clothing and equipment is worn: protective suit of one or two pieces covering all parts of the body except head, hands, and feet, chemical resistant gloves; chemical resistant shoes (or chemical resistant shoe coverings or chemical resistant boots, NIOSH or MSHA approved respirator. If sprays have dried, the respirator need not be worn. The treated area must be posted with warning signs beginning at least immediately before application until the reentry interval has expired.

INDOOR APPLICATION: For Ants, cockroaches, crickets, spiders, silverfish and earwigs- Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. For ants, spray trails and places where ants enter premises. Do not treat foodstuff or house plants.

Do not allow children to contact treated areas until the surfaces are completely dry.

BEST AVAILABLE COPY



Brown Dog Ticks Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks and local area of floor. Repeat as necessary. Fresh bedding should be placed in animal quarters after spraying. DO NOT TREAT ANIMALS.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING

ESTABLISHMENTS—Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS—APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Apply a small amount of CP-750 by spraying food area. Apply a small amount of CP-750 by spraying using an injection tube or insertion tube directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the different elements of construction or equipment bases and the floor, wall voids, motor housings, junction boxes or switch boxes, conduits or hollow equipment legs where ants, cockroaches, spiders and silverfish hide.

Prior to application, de energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE PROHIBITED.

OUTDOOR APPLICATION: Ants, crickets, earwigs, flies and mosquitoes—Treat the outside surface of screens, doors, window frames, foundations, patios or other places where insects may enter. For ant hills and runways. Repeat when necessary. Do not spray vegetation.

RIGHT PANEL

BEST AVAILABLE COPY


PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling and before eating or smoking.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.



176 210 11 15 1/2 6/00 133

NATIONAL CHEMSEARCH

CP-750

Residual Insecticide Spray

Kills cockroaches, ants, spiders, crickets, earwigs, brown dog ticks, silverfish; also for exterior control of flies and mosquitoes.

ACTIVE INGREDIENTS:

* Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) Phosphorothioate	0.50%
2-2-dichlorovinyl dimethyl phosphate	0.46%
Related Compounds	0.04%
INERT INGREDIENTS	99.00%
TOTAL	100.00%

* U.S. Patent No. 3,244,586

KEEP OUT OF REACH OF CHILDREN

WARNING

(See side panel for additional precautions)

EPA Reg. No. 1769-268

Net Weight:

For industrial and institutional use around doors, window frames and baseboards for spot treatment in and around schools, hospitals, municipal buildings, industrial plants and offices, apartment buildings, kennels and rest homes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR APPLICATION: Ants, cockroaches, crickets, spiders, silverfish and earwigs -- Spray into cracks and crevices, around baseboards and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves and in and around waste containers. For ants, spray trails and places where ants enter premises. Do not treat foodstuff or house plants.

Do not allow children to contact treated areas until the surfaces are completely dry.

Reviewed. Registrant claims to be in accordance with
EPA's Pesticide Product Guidance for Phase 2
Labeling, Page 2.12, Active to Inert Change in Status.

Brown Dog Ticks - This product is effective against the Brown Dog Tick, which is a common pest of dogs and other animals. It is also effective against the Lone Star Tick, which is a vector of the disease relapsing fever. **DO NOT TREAT ANIMALS.**

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS - This product is not to be used in food areas of food handling establishments. It is a potent insecticide and should be used with extreme caution.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: This product is not to be used in food areas of food handling establishments, except for crack and crevice treatment. It is a potent insecticide and should be used with extreme caution. The product should be applied to cracks and crevices in walls, floors, and ceilings. It should not be applied to food surfaces or food handling equipment. The product should be applied in a thin layer, and should not be allowed to dry. It should be applied in a well-ventilated area, and should not be used in the presence of children or pets. The product should be stored in a secure location, and should not be used near food or food handling equipment. The product should be used in accordance with the instructions on the label.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE PROHIBITED.

OUTDOOR APPLICATION: Ants, crickets, earwigs, flies and mosquitoes

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS


STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Give the person or animal plenty of water to drink. If the person or animal is conscious, give them a glass of water. If the person or animal is unconscious, give them a glass of water. If the person or animal is having difficulty breathing, give them a glass of water. If the person or animal is having difficulty breathing, give them a glass of water.

IF INHALED: Move the person or animal to fresh air. If the person or animal is having difficulty breathing, give them a glass of water.

IF ON SKIN: Wash the affected area with plenty of water. If the person or animal is having difficulty breathing, give them a glass of water.

IF IN EYES: Flush the eyes with plenty of water. If the person or animal is having difficulty breathing, give them a glass of water.



SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY!

RESTRICTIONS: Do not apply to draper, wallpaper, carpeting, or similar materials that may be stained. Avoid excessive wetting of rubber, plastics, and asphalt surfaces such as tiles and floor coverings.

PHYSICAL OR CHEMICAL HAZARDS
Extremely Flammable

CONTENTS UNDER PRESSURE. Do not puncture or otherwise damage container. Do not use for purposes for which it is not designed. Do not spray on open flames. If pressure is too high, do not use. Do not use if the container is damaged or leaking.

NOT INTENDED FOR HOUSEHOLD USE OR RESALE

FOR SALE IN 414-111-1111
NATIONAL CHEMTECH
12000 10th St NE
Shelton, CT 06484
Tel: 203-375-1111

CHM-1

