

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

For Outdoor Use Only

For the Control of Wasps, Bees, Hornets and Yellow Jackets: Remove the protective cap and point the nozzle in the direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 10 to 12 feet. Allow sufficient time for the insects to become dead or moribund. Application to wasp nests should be made in late evening or early morning (if possible), when wasps are at rest.

Scorpions: Spray the insect directly or treat the exterior perimeters of infested areas of buildings.

Spiders: Apply in the same manner as for scorpions. Also spot treat areas where spiders tend to spin webs.

Restrictions: Do not use inside homes, on humans or animals. Do not use as a space spray.

Dielectric Breakdown Voltage: 26,000 Volts

STORAGE AND DISPOSAL:

Do not store at or near temperatures above 130°F/54.4°C. Keep out of reach of children. Wrap container and put in trash collection.

ACTIVE INGREDIENTS:

Pyrethrins	0.15%
Petroleum Distillate	11.61%
2-(1-Methylethoxy) phenol methylcarbamate*	1.00%
Technical Piperonyl Butoxide**	0.37%
N-octyl bicycloheptene dicarboximide	0.37%
INERT INGREDIENTS	86.50%

*U.S. Patent No. 3,111,538
 **Equivalent to 0.296% (Bicycloheptene)
 (5-propyloxyphenyl) ether and 0.024%
 related compounds.

NATIONAL CHEMSEARCH
 A Division of NCH Corporation
 2727 Chemsearch Blvd., Irving, Texas 75038
 Dallas • St. Louis • Paramus • Beverly Hills
 © 1982 NCH Corporation



FEB 22 1983

BEST DOCUMENT AVAILABLE

WASP SPRAY
FAST KNOCKDOWN
RESIDUALLY EFFECTIVE
KILLS WASPS, BEES, HORNETS,
SCORPIONS, SPIDERS AND
YELLOW JACKETS

CAUTION
 Contents Under Pressure
KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 1769-279
 Net Weight: 1 lb/454 g

Precautionary Statements
Hazard to Humans and Domestic Animals

CAUTION

Hazardous if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist. Area being sprayed must be adequately ventilated. Avoid contact with skin, eyes and clothing. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

Statement of Practical Treatment

IF SWALLOWED: Do not induce vomiting; get prompt medical attention. Atropine Sulfate is antidotal.

IF INHALED: Move person to fresh air and treat symptomatically.

IF ON SKIN: Wash with soap thoroughly. If skin irritation persists, see a physician.

IF IN EYES: Flush with water for fifteen minutes, then see a physician immediately.

Physical or Chemical Hazard

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F/54.4°C may cause bursting. Never throw container into fire or incinerator.

Not a Physician
 Atropine Sulfate is antidotal.

EPA Est. No. 4148-TX-1

REORDER:
 In Texas, call 1-800-442-7950
 Outside Texas, call 1-800-627-8821

FEB 22 1983

Mr. Michael Benton
ICI Corp.
2727 Chemsearch Blvd.
Irvine, TX 75062

Dear Mr. Benton:

Subject: P.C.V.
EPA Registration No. 1769-279
Your Application dated January 10, 1983

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

John J. Silberberger
Product Manager (12)
Insecticide-Fungicide-Rodenticide
Registration Division (71-767)

enclosure

BEST DOCUMENT AVAILABLE