

Not Reviewed. Registration shall be in accordance with
Reregistration or Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

COLUMN 1

TETRA-CIDE

Fogger and Contact Spray

A Pyrethroid Formulation for Control of the Listed Insects

Pyrethroids are synthetic organic compounds of the same family as pyrethrin.

For Use Only in Non-food Areas of Industrial Buildings: schools, warehouses, office buildings, theaters, garages, hotels, motels, hospitals, kennels, truck trailers, apartments and railroad cars.

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate].....	0.48%
3-phenoxybenzyl-(1RS, 3RS; 1RS, 3SR) -2,2-dimethyl- 3-(2-methylprop-1-enyl) cyclopropanecarboxylate	0.15%
3-(2-methylprop-1-enyl) cyclopropanecarboxylate	0.01%
*Other isomers.....	0.01%

**INERT INGREDIENTS.....	99.35%
TOTAL.....	100.00%

*d-(cis,trans)phenothrin

**Contains Petroleum distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See right panel for additional precautions.)

NET CONTENTS:-----

BEST AVAILABLE COPY

National Chemsearch
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

COLUMN 2

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

AND DOMESTIC ANIMALS

CAUTION:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

Do not use in commercial food processing, preparation, food storage or serving area. In apartments, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center immediately.

IF INHALED: Remove to fresh air.

IF ON SKIN: Remove contaminated clothing and wash affected area of the skin with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment wash water.

PHYSICAL HAZARDS

Do not store near heat or open flame.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry area inaccessible to children and away from heat or open flame. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

NOT INTENDED FOR HOUSEHOLD USE OR RESALE

BEST AVAILABLE COPY

COLUMN 3

DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

In Misting Equipment: Use a spraying device such as a cold aerosol generator. We recommend an AERO-FOG or an atomizing sprayer.

To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Close room, warehouse or other area to be treated and shut off all ventilating systems. Dispense this product as a fine mist. Use dosage of one-half ounce per 1000 cubic feet of room space. Do not remain in treated areas. Leave room closed for half an hour. Ventilate the area after treatment is completed. Repeat application as necessary for insect control.

In Pressurized Tank Sprayers For Wetting Contact Sprays: To kill the listed insects, TETRA-CIDE should be used as follows at a rate of one gallon per 1000 square feet of surface area.

To Kill Cockroaches, Ants and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry. Repeat as necessary.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Saw-toothed Grain Beetles, and Rice Weevils: Find and destroy infested package foods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Apply as a coarse wet spray to all other areas infested with these insects. Pay particular attention to cracks and crevices in floors, walls and ceiling. Repeat as necessary.

To Kill Sowbugs, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators and machinery.

EPA Reg. No. 1769-297

EPA Est. No. 4140

CA-1 IN-1 NJ-1 PR-1 TX-1

9M001

BEST AVAILABLE COPY

9 5 2