

BEST AVAILABLE COPY

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

LEFT PANEL

NOT INTENDED FOR HOUSEHOLD USE OR RESALE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Indoor Pest: For spot application in industrial plants, municipal buildings, schools, motels, hotels, apartments, non food areas of food handling establishments, hospitals and health care institutions.

Non Food Areas: Includes garbage rooms, lavatories, floor drains (to sewer), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Food Areas: Includes bakeries, beverage plants, canneries, flour mills, food processing plants, grain elevators, hospitals, motels, railroad cars, restaurants, schools, supermarkets, truck trailers and warehouses.

INDOORS: To Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Ventilate room thoroughly before reentry. Sweep up and destroy fallen insects. Before spraying, cover in such a way as to prevent contamination of exposed food and utensils.

To Kill Cockroaches, Ants and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surface under sinks, behind stoves and refrigerators. For control of ants, treat doors, window sills, and trails and other areas of entry. Repeat as necessary for control.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Exposed Forms of Confused Flour Beetles, Saw-toothed Grain Beetles, Lesser Grain Borers and Rice Weevils: Destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return goods after shelves have dried. Repeat as necessary.

To Kill Sowbugs, Earwigs, Firebrats and Spiders: Contact as many as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

OUTDOORS

To Kill Flies, Mosquitoes, Gnats and Small Flying Moths: Spray area infested with these listed flying insects. Follow precautions listed above. Hold container 12-24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from treated areas. To reduce annoyance from these pests, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

To Protect Ornamental Plants: For the below listed insects infecting roses, azalea, cherry amaryllis, wisteria, ornamental filberts, ornamental plum, hollyhock, pussywillow, and purple loose-strife. Also for the insects specified below on evergreens, small ornamental deciduous trees, shrubs and vines. Caution should be taken when spraying new rose growth since some varieties may exhibit phytotoxicity. Do not spray impatiens while flowering. When sprayed directly on insects, this spray will kill aphids, mites, Japanese beetles, plant slugs, white flies, southern armyworm larvae, Mexican bean beetle larvae, cucumber beetles, lacebugs, meal bugs and measuring worms.

CENTER PANEL

NATIONAL CHEMSEARCH

BEST AVAILABLE COPY

AQUA-THRIN

Contact Insecticide Spray For Indoor and Outdoor Use

ACTIVE INGREDIENTS:

d-trans chrysanthemum monocarboxylic acid ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one.....	1.13%
Other isomers	0.14%
*Piperonyl butoxide, technical	0.30%
N-octyl bicycloheptene dicarboximide	0.43%

**INERT INGREDIENTS:	98.00%
TOTAL	100.00%

* Equivalent to 0.64% (butylcarbitol) (6-propylpiperonyl ether) and 0.16% related compounds.

** Contains Petroleum Distillates.

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional precautions)

EPA Reg. No. 1769-304

EPA Est. No. 4140

NET WEIGHT 318 oz./136 gms.

BEST AVAILABLE COPY

NATIONAL CHEMSEARCH

A Division of NCH Corporation

2727 Chemsearch Blvd.

Irving, Texas 75062

RIGHT PANEL

WHEN SPRAYING KEEP CAN 18-24 INCHES FROM PLANT.

For best results spray in evening or on a cloudy day when air is still. Use slow sweeping motion. Avoid wetting foliage with the spray. Spray rows at the rate of 1 ft. per second. For heavy growth, spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray when temperatures exceed 90°F/27°C. This product may be used outside on porches, patios and in the yard and picnic areas to kill flies, mosquitoes, gnats and flying moths present at the time of treatment. Spray the area liberally. Spray with the breeze allowing the spray to drift into shrubbery and other places where insects harbour. Repeat as necessary.

To Kill Wasps: Spray nests with a generous blast (at least 4-6 seconds) from this unit from a distance of approximately 2 ft.--soaking the nest thoroughly with the spray. Contact as many insects as possible with the spray. To avoid being stung, make applications at dusk or other times when wasps are not active. **To Kill Sowbugs, Pseudoscorpions and Ants.** Spray directly as many insects as possible. Spray ant hills and trails. Repeat as necessary for control.


PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist. Provide adequate ventilation of the area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after use. Avoid contamination of food, utensils and food preparation areas.

Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse following the use of this product. Should poisoning occur, get prompt medical attention.



In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.

IF INHALED: Move to fresh air.

IF ON SKIN: Remove contaminated clothing and wash affected area of the skin with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F/54°C may cause bursting. Never throw the container into a fire or incinerator.

STORAGE: Store in cool, dry area inaccessible to children and away from heat or open flame.

CONTAINER DISPOSAL

Replace the cap and securely wrap the original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

TO REORDER:

In Texas, call 1-300-442-7950
Outside Texas, call 1-800-527-9921

BEST AVAILABLE COPY

8M910

