

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

COLUMN 1

NATIONAL CHEMSEARCH

SECURE

Insecticide

ACTIVE INGREDIENTS:

Allettrin (allyl homolog of Cinerin I).....	1.75%
Related Compounds.....	
*Piperonyl Butoxide.....	
*INERT INGREDIENTS.....	
TOTAL.....	

* Includes all other active ingredients and all other related compounds.
* Includes Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See side panel for first aid and additional precautionary statements.)

EPA Reg. No. 1769-306

NET CONTENTS: _____

National Chemsearch
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062


BEST AVAILABLE COPY

COLUMN 2

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY: To kill accessible stages of house flies, fruit flies, small flying moths, gnats, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, sawtoothed grain beetles, spider beetles, cigarette moths, Indian meal moths, Tobacco moths, meal worms and grain mites: Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).



Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Vacate and close off treated area. Do not re-enter for at least 15 minutes after application. Ventilate before reoccupying.

In mushroom production and processing: To kill mushroom flies or fungus gnats in growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation; however, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

SPACE AND CONTACT SPRAY: To kill accessible, exposed stages of silverfish, crickets, roaches, clover mites, earwigs and ants, first, using equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible; spray directly all ant trails. Do not allow spray to contact stored food. Then, shutting all doors, windows, and shutting off all ventilating systems, proceed with space spraying directions as given above. Use a dosage rate of 1 ounce per 1000 cubic feet of space. Vacate and close off treated area. Do not re-enter for at least 15 minutes after application. Ventilate before reoccupying. Repeat treatment as necessary.

NOT FOR RESALE.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

BEST AVAILABLE COPY

CAUTION

Harmful if swallowed. The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed before treatment. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse after using this product. Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Call a physician and Poison Control Center immediately.

IF INHALED: Remove to fresh air.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry area inaccessible to children and away from heat or open flame. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL: Consult federal, state or local disposal authorities for approved alternate procedures.

TO REORDER:
In Texas, call 1-800-442-7950
Outside Texas, call 1-800-527-9921

EPA Est. No. 4140
CA-1 IN-1 NJ-1 FR-1 TX-1

BEST AVAILABLE COPY

