

SEP 20 1991

Ms. Chanda B. Hill  
NCH Corporation  
2727 Chemsearch Blvd.  
Irving, Texas 75062

**BEST AVAILABLE COPY**

Dear Ms. Hill:

Subject: Review of Labeling and Confidential Statement of Formula  
P.O. # 1  
Registration No. 1769-311  
Your application of April 2, 1991

The labeling required to above, submit to the registrant, will  
registration under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as required, is acceptable provided that you  
and labeling of your lists held before you release the product  
for shipment and the appropriate labeling.

Labeling "Chloro" dye or similar "Chloro" in your label  
declaration of active ingredient.

The labeling of your product must be submitted to the registrant  
and must be submitted to the registrant to the registrant  
of the product.

Submit five copies of final printed labeling to the registrant

Submit five (5) copies of final printed labeling before you  
release the product for shipment.

If these conditions are not complied with, the registrant  
will be subject to cancellation in accordance with FIFRA sec  
6. You are advised that the registrant of the product bearing the  
labeling of the product is subject to the conditions.

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

-2-

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosure

BEST AVAILABLE COPY

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

**CENTER PANEL**

**NATIONAL CHEMSEARCH**

**P-O-W II**

**WASP SPRAY**

**FAST KNOCKDOWN  
RESIDUALLY EFFECTIVE**

**KILLS WASPS, BEES, HORNETS, SCORPIONS, SPIDERS AND YELLOW JACKETS**

**CAUTION  
KEEP OUT OF REACH OF CHILDREN**

(See side panel for additional precautions)

Contents Under Pressure

EPA Reg. No. 1769-311  
EPA Est. No. 4140-TX-1

NET CONTENTS:

**LEFT PANEL**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:**

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing the spray mist. Provide adequate ventilation of area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

**NOTE TO PHYSICIAN: ATROPINE SULFATE IS ANTIDOTAL.**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Do not induce vomiting; get prompt medical attention.

**IF INHALED:** Move person to fresh air and treat symptomatically.

**IF ON SKIN:** Wash with soap thoroughly. If skin irritation persists, see a physician.

**IF IN EYES:** Flush with water for fifteen minutes, then see a physician immediately.

SEARCHED  
SERIALIZED  
INDEXED

SEP 20 1991

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
1769-311

**BEST AVAILABLE COPY**

**STORAGE AND DISPOSAL  
PHYSICAL OR CHEMICAL HAZARDS:  
NON-FLAMMABLE**

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130 F./54 C. may cause bursting. Never throw container into fire or incinerator.

**CONTAINER DISPOSAL**

Replace cap and securely wrap original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR RESALE**

(Date)

IN TEXAS, call 1-800-941-7500  
Outside Texas, call 1-800-517-9921

National Chemsearch  
Div. of HCH Corporation  
177 Chemsearch Blvd.  
Irving, Texas 75061

**BEST AVAILABLE COPY**

**RIGHT PANEL**

**ACTIVE INGREDIENTS:**

- d-trans-Allethrin (racemic mixture of enantiomers)..... 0.10%
- Permethrin Distillate..... 10.47%
- 2-(2-methylthio)phenol methylcarbamate \*..... 1.07%
- liperonyl Butoxide technical \*\*..... 0.30%
- N-methyl bicyclohexane dicarbonyl diethylamine..... 0.04%

**INERT INGREDIENTS..... 88.02%**


Total..... 100.00%

Net weight 1.00 lb (453.59 g)  
\*Equivalent to 0.10% diazinon (0.10% propyl pyrophosphoryl diisopropyl phosphorotriester) and 0.42% related compounds.

Use with low voltage outlets (600V max)

**DIRECTIONS FOR USE:**

Observe all Federal and State laws for use of this product. In no manner may this label be altered or removed.



**FOR OUTDOOR USE ONLY:** For the control of wasps, bees, hornets and yellow jackets, remove protective cap and point nozzle in direction of the wasp nest or at the insect. Press the nozzle and completely saturate the nest from a distance of 10 to 12 feet. Allow sufficient time for insects to become dead or moribund. Application to wasp nests should be made in late evening or early morning (if possible) when wasps are at nest.

**SCORPIONS:** Spray insect directly or treat exterior perimeters of infested areas or buildings.

**SPIDERS:** Apply in same manner as scorpions. Also spot treat areas where spiders tend to spin webs.

**RESTRICTIONS:** Do not use inside of homes, on humans or animals. Do not use as a space spray.

This pesticide is highly toxic to fish. DO NOT apply directly to water or wetlands, (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwater.

**NOTE:** For best results, spray in short burst of 3 seconds to provide greatest distance and economy. If pressure reduces during 30 seconds, let can stand for approximately one minute to allow can to repressurize.

