

HYDROCIDTM 85

ACTIVE INGREDIENTS:

- Petroleum Distillates 81.47%
- Piperonyl Butoxide Technical* 1.47%
- N-Octyl bicycloheptene dicarboximide 1.47%
- Pyrethrins 0.59%

INERT INGREDIENTS 15.00%

*Equivalent to 1.16% (Butylcarbityl) (6-Propylpiperonyl) ether and 0.29% related compounds.

CAUTION:
KEEP OUT OF REACH
OF CHILDREN

(See right panel for additional precautions).

EPA Reg. No. 1769-312

NET CONTENTS: _____

NATIONAL CHEMSEARCH

A Division of NCH Corporation
 2727 Chemsearch Blvd., Irving, Texas 75062
 Dallas • St. Louis • Paramus • Beverly Hills
 1982 NCH Corporation

HYDROCID 85 is a special insecticide formulated primarily for the dairy food storage and food processing industries, particularly where an insecticide with a high base oil content is desirable. HYDROCID 85 is highly recommended as an aid in the control of insects commonly found around dairy barns and herds, meat processing plants, canning plants, bottling plants and other places where foods are processed or stored.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR SPRAYING CATTLE

STABLEFLIES, HORSEFLIES AND DEERFLIES: Dilute 1 part HYDROCID 85 to 2 parts of water and apply 1 to 3 pints per animal, paying particular attention to legs, flanks, head, top line and other body areas commonly attacked by these insects. Repeat treatment every 3 days or when needed.

HORNFLIES, MOSQUITOES AND GNATS: Dilute 1 part HYDROCID 85 with 10 parts of water and apply 1 to 3 pints per animal with particular attention to flanks, under the top line, withers, ear and other infested areas. Repeat treatment weekly or when needed.

LICE: For complete treatment to both young and adults use a 1 to 50 dilution is recommended and applied at the rate of 1 gallon or more per animal. Repeat in about 10 days or when necessary.

DO NOT USE IN POULTRY HOUSES

FOR FOOD PLANTS AND STORAGE AREAS

When conventional sprayers, such as hand or electric sprayers, are used good control of flying insects will be had with a spray containing 1 gallon of HYDROCID 85 and 24 gallons of water. Two ounces of this material should be used per 1,000 cubic feet of space. Repeat treatment when necessary.

Use HYDROCID 85 as a space spray in food processing plants only when plants are not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be cleaned and thoroughly cleaned before using.

FOR SPACE SPRAYING: For the control of flying insects in buildings and enclosures, dilute 1 part of HYDROCID 85 with 5 parts of water using a compressed air or steam nozzle sprayer directing the spray toward the ceiling and filling the room with the mist. Cover exposed food when spraying. Sweep up and destroy all fallen insects. If there is an accumulation of rubbish, dirt and debris, clean before spraying. Repeat treatment when necessary.

ACCEPTED

JUN 28 1982

1769-312

FOR CRAWLING INSECTS SUCH AS ROACHES, ANTS, SILVERFISH: Dilute 1 part HYDROCID 85 with 2 parts water. Direct the spray in such a manner as to thoroughly treat all places commonly inhabited by these pests such as cracks, crevices, baseboards, around shelves, refrigerators and bottling equipment and other places that might offer shelter to the insects. Do not spray directly into exposed food products. Contact as many insects as possible. Repeat when necessary.

FOR A FEW DAYS' LASTING EFFECTIVENESS: Dilute 1 part HYDROCID 85 with 2 parts water. Apply to walls, floors, ceiling and other places where insects alight or congregate at the rate of 1 gallon to 750 square feet. Use a sprayer that produces a wet spray and thoroughly wet all surfaces. Repeat treatment when necessary.

CAUTION: HARMFUL IF SWALLOWED

This insecticide in the concentrated form is inflammable and should not be stored near an open flame.

STORAGE AND DISPOSAL DIRECTIONS: Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a dry place where temperatures do not exceed 110°F/43°C.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

Container: Triple rinse (or equivalent). Then offer for recycling or reconditioning or dispose of in a sanitary landfill, or by other approved state and local procedures.

KEEP FROM FREEZING. If this product is stored in cold or freezing temperatures it may separate or thicken. This will not harm the performance. Before using, warm to room temperature and stir thoroughly.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled with potable water. In food processing areas, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Get prompt medical attention. Also see separate information.

IF IRRITATED: Move person to fresh air and treat symptomatically.

IF ON SKIN: Wash with soap thoroughly. If skin irritation persists, see a physician.

IF IN EYES: Flush with water for fifteen minutes, then see a physician immediately.

NOT FOR RESCALE, THERAPEUTICAL USE AND STORAGE UNLESS APPLIED AND STORED BY SERVICE PERSONS

TO REORDER:

In Texas, call 1-800-442-7950
 Outside Texas, call 1-800-527-9921

EPA Est. No. 4140

CA 1 IN-1 NJ-1 PR-1 TX-1

482