

LEFT PANEL

NATIONAL CHEMSEARCH

FOLLOW-THRU

Highly Concentrated Germicide Based on a Unique Blend of Quaternaries with Organic Soil Load Tolerance.

Cleaner-Disinfectant-Deodorizer-Fungicide-Viricide*-Sanitizer for Hospital and Institutional Use.

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	3.750%
Diocetyl Dimethyl Ammonium Chloride.....	1.875%
Didecyl Dimethyl Ammonium Chloride.....	1.875%
Allyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) Dimethyl Benzyl Ammonium Chloride.....	5.000%
Tetrasodium Ethylenediamine Tetraacetate.....	3.420%
Inert Ingredients.....	<u>84.080%</u>
	100.000%

EPA Reg. No. 1769-313


DANGER

**KEEP OUT OF REACH
OF CHILDREN**

See right panel for additional precautionary statements.

NET CONTENTS: _____

National Chemsearch
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062



CENTER PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOLLOW THRU is a proven "one-step" cleaner-disinfectant-sanitizer-fungicide-viricide in the presence of moderate amounts of organic soil.

BEST AVAILABLE COPY

Apply FOLLOW THRU to walls, floors and other hard (inanimate) nonporous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, mop or mechanical spray device so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when used solution becomes visibly dirty.

Disinfection--to disinfect hard, nonporous surfaces, add 1/2 oz. per gallon of water. Treated surfaces must remain wet for 10 minutes. At this use level, FOLLOW THRU is also viricidal and fungicidal.

Sanitizing--To sanitize porous or nonporous, nonfood contact surfaces, add 1/4 oz. per gallon of water.

1/2 oz.-per gallon use level. The broad spectrum activity of FOLLOW THRU has been evaluated in the presence of 5% serum and found to be effective against the following by the AOAC Use-Dilution test.

Pseudomonas aeruginosa	Enterobacter aerogenes
Staphylococcus aureus	Salmonella schottmuelleri
Streptococcus faecalis	Salmonella choleraesuis
Escherichia coli	Shigella dysenteriae
Klebsiella pneumoniae	Brevibacterium ammoniagenes

AOAC Fungicidal Test


FOLLOW THRU is effective against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces in areas such as locker rooms, shower and bath areas, exercise areas, dressing rooms, etc.

Viricidal Performance

*At 1/2 oz.-per gallon use level, FOLLOW THRU was evaluated in the presence of 10% serum and found to be effective against the following viruses: Herpes simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), and Influenza A₂ (the Hong Kong flu virus) on inanimate environmental surfaces.

Sanitizing--nonfood Contact Surfaces (such as floors, walls, tables, etc.) At 1/4 oz.-per gallon use level, 30-second contact time, FOLLOW THRU is an effective sanitizing agent in waters of up to 600 ppm hardness against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on porous and nonporous environmental surfaces.

BEST AVAILABLE COPY



RIGHT PANEL

Odor-contamination is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry. FOLLOW FRO will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors. Prevents odors caused by mold and mildew.

This product is economical to use because it is highly concentrated. It should be handled with care.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT

Skin: Avoid contact with skin. If contact does occur, wash skin thoroughly with soap and water. Wash contaminated clothing. If skin irritation occurs, contact a physician.

Eyes: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. See a physician.


Ingestion: If swallowed, drink promptly a large quantity of egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, as well as oxygen and measures to support breathing manually or mechanically, may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open burning is prohibited. Do not reuse empty container.

BEST AVAILABLE COPY



Pesticide Disposal: Pesticides that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides.

Container Disposal: Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers.

TO REORDER:

In Texas, call 1-800-442-7950

Outside Texas, call 1-800-527-9921

EPA Est. No. 4140
CA-1 IN-1 NJ-1 PR-1 TX-1

11-88

BEST AVAILABLE COPY

ACCEPTED
MAY 05 1988
Use for the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under
EPA Reg. No. 1769-303

5528