

NATIONAL CHEMSEARCH Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

ARMADA II

TOTAL RELEASE INSECT AEROSOL

ACTIVE INGREDIENTS

| | |
|---|---------------|
| Pyrethrins | 0.50% |
| * Piperonyl butoxide, technical | 1.25% |
| ** N-Octyl bicycloheptene dicarboximide | 1.25% |
| *** INERT INGREDIENTS | <u>97.00%</u> |
| TOTAL | 100.00% |

- * Equivalent to 1.00% (butylcarbityl) (6-propylpiperonyl) ether and 0.25% related compounds.
- ** MGK 264, Insecticide Synergist
- *** Contains Aliphatic Petroleum Hydrocarbons

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

"Not for resale or residential use and storage unless applied and stored by service persons".

EPA Reg. No. 1769-316
 Net Weight: 11 oz/312 grams

BEST AVAILABLE COPY

FOR USE IN BAKERIES, FOOD PLANTS, RESTAURANTS, SCHOOLS, HOTELS, MOTELS, OFFICE BUILDINGS, HOSPITALS AND FOOD HANDLING AREAS.

TOTAL RELEASE DIRECTIONS

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, holding the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Treat dogs and cats with a registered tick control product prior to re-entry. Repeat as necessary to bring infestation under control.

EPA Est. No. 4141-TX-1

Manufactured by:
NATIONAL CHEMSEARCH
Div. of NCH Corporation
2730 Carl Rd.
Irving, TX 75062

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If Swallowed: do not induce vomiting. Call a physician immediately.

FOOD HANDLING AREA

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After spraying in bakeries, and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F/54.4°C may cause bursting. Never throw container into fire or incinerator.


DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:

Storage: Store in a cool, dry place away from heat and open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.



BEST AVAILABLE COPY