

LEFT PANEL

NATIONAL CHEMSEARCH

PROMONITE

ROOT STIMULATOR, STARTER SOLUTION AND FERTILIZER

Plus Hormone-like Chemical to Stimulate Root Growth

5-20-10

**CAUTION****KEEP OUT OF REACH OF CHILDREN**

(See side panel for additional precautionary statements.)

EPA Reg. No. 1769-318

Registration No. 530-1008

Weight Per Gallon: 11.6 Lbs., 5.1 Lg.

NATIONAL CHEMSEARCH  
 Division of NCH Corporation  
 5707 Chemsearch Blvd.  
 Irving, Texas 75067

**ACCEPTED**

OCT - 9 1984

U.S. Environmental Protection Agency  
 Fully registered under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) as the pesticide.  
 registered under  
 EPA Reg. No. 1769-318

**ACTIVE INGREDIENTS:**

Indole-3-Butyric Acid.....	0.0001%
<b>INERT INGREDIENTS.....</b>	<b>22.222%</b>
<b>TOTAL.....</b>	<b>100.0001%</b>

**GUARANTEED ANALYSIS:**

Total Nitrogen.....	5%
5% Ammonium Nitrogen	
Available Phosphoric Acid 12-15%	25%
Soluble Potash 12-18%	10%

Derived from Fertilizer, Plant Food.

Nitrogen derived from Ammonium Chloride, Phosphate derived from Ammonium Phosphate and Potassium Chloride. Potash derived from Soluble Potash.

**FAST, STRONG ROOT STRUCTURE:****VIGOROUS GREEN PLANTS**

PROMONITE contains the necessary plant nutrients to stimulate root growth. The roots are strong, compact, vigorous and produce a strong root structure.

**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS AND DOMESTIC ANIMALS****CAUTION**

Harmful if swallowed. Do not get in eyes or on skin. If swallowed, drink plenty of water. If swallowed, do not induce vomiting. Immediately call a physician.

**BEST AVAILABLE COPY**

flush eyes or skin with plenty of water. Get medical attention if irritation persists.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:** Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air. Apply artificial respiration if indicated.

**IF ON SKIN:** Remove contaminated clothing and wash affected areas with soap and water.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician immediately.

**NOT FOR RESALE**

**STORAGE AND DISPOSAL**

Do not contaminate water from feed, by storage or disposal.

**STORAGE: KEEP CONTAINER CLOSED.**

**PESTICIDE DISPOSAL:** After consulting with the user of this product, may be disposed of in accordance with approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or removal, crushing or puncture and dispose of in a suitable landfill or incinerator, or, if allowed by state and local authorities, burial. If buried, stay out of smoke.

**RIGHT PANEL**

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STIR WELL BEFORE USING**

**FOR TRANSPLANTING:** Water 1 part **TRANSPLANT** with **7 1/2** parts of water. Mix until well blended. Do not use if cloudy. If cloudy, strain.

For plants which are to be transplanted, no deeper than 1/2 inch, pour 1 cup of Transplant mix 7 parts of the diluted mixture.

**BEST AVAILABLE COPY**

DN125

1769-318

3/3  
9

For larger plants such as shrubs and trees, use 1 gallon of the solution per plant. Be sure to end spray thoroughly as the soil is being placed around the roots.

After planting, wet the soil thoroughly around the plant with water. Repeat in 2 or 3 weeks, applying the above mixture on the soil around the plants.

**PREVIOUSLY PLANTED TREES AND SHRUBS:** Not to be used on trees or shrubs that will bear fruit or nuts. Dilute 1 gallon of FURFOLITE with 10-15 gallons of water. Soak into ground to the root of the plant at the rate of 1 gallon of diluted solution for each 4 feet of plant height.

This application should be made in the early fall and late spring.


**FOR GRASS:** Dilute 1 gallon of FURFOLITE with 10-15 gallons of water to cover 5,000 sq. ft. Apply in the late fall before grass becomes dormant. Water thoroughly to soak into the root zone.

**TO REORDER:**

In Texas, call 1-807-427-7711  
Out of Texas, call 1-600-527-2771

(See P.D.C.)

\_\_\_\_\_  
FURFOLITE No. 4242  
CA-1 TH-1 NJ-1 PB-1 TX-1



**BEST AVAILABLE COPY**