

PM 25

1769-318

1 of 3

LEFT PANEL

NATIONAL CHEMSEARCH

PROMONITE

ROOT STIMULATOR, STARTER SOLUTION AND FERTILIZER

Plus Hormone-like Chemical to Stimulate Root Growth

5-20-10

**CAUTION
KEEP OUT OF REACH OF CHILDREN**

(See side panel for additional precautionary statements.)

EPA Reg. No. 1769-318
Registration No. 530-1008

Weight Per Gallon: 11.6 Lbs./5.3 Kg.

NATIONAL CHEMSEARCH
Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

ACCEPTED
JUL 22 1988
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1769-318

ACTIVE INGREDIENTS:

Indole-3-Butyric Acid..... 0.0504%

INERT INGREDIENTS..... 99.9996%

TOTAL..... 100.0500%

GUARANTEED ANALYSIS:

Total Nitrogen (N)..... 5%

5% Ammoniacal Nitrogen

Available Phosphoric Acid (P₂O₅)..... 10%

Soluble Potash (K₂O)..... 10%


Derived from Primary Plant Foods.

Nitrogen derived from Ammonium Phosphate, Phosphorus derived from Ammonium Phosphate and Potassium Phosphate. Potash derived from Potassium Phosphate.

FAST, STRONG ROOT STRUCTURE:

VIGOROUS GREEN PLANTS

PROMONITE contains the necessary basic nutrients for root growth. It aids in the development of a strong root structure.



BEST AVAILABLE COPY

pn125

1769-318

2 of 3

Refer to supplemental labeling for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation is followed.

STIR WELL BEFORE USING

FOR TRANSPLANTING: Dilute 1 gallon of FROMONITE with 76 gallons of water. Use 1 pint of the solution on annual flowers such as mums and geraniums.

For plants such as roses, azaleas, gardenias, camellias and other plants 2 or 3 feet high, use 3 pints of the diluted solution.

For larger plants such as shrubs and trees, use 1 gallon of the solution per plant. Be sure to wet roots thoroughly as the soil is being placed around the roots.

After planting, wet the soil thoroughly around the plant with water. Repeat in 2 or 3 weeks, applying the above dilutions on the soil around the plants.

PREVIOUSLY PLANTED TREES AND SHRUBS: (Not to be used on trees or shrubs that will bear fruit or nuts). Dilute 1 gallon of FROMONITE with 76 gallons of water. Soak into ground to the root of the plant at the rate of 1 gallon of diluted solution for each 4 feet of plant height. This application should be made in the early fall and late spring.

FOR GRASS: Dilute 1 gallon of FROMONITE with 10-15 gallons of water to cover 2,500 sq.ft. Apply in the late fall before grass becomes dormant. Water thoroughly to soak into the root zone.


NCH CORPORATION'S TURF COLOR may be used as a color indicator on turf aid in a more uniform application. Use according to directions on the TURF COLOR label.

TO REORDER:

In Texas, call 1-800-442-7950
Outside Texas, call 1-800-527-9921

(DATE)

____ EPA Est. No. 4140
CA-1 IN-1 NJ-1 FR-1 TX-1



BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Do not breathe spray mist. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS: Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

NOT FOR RESALE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.


PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal Law to use this material in a manner inconsistent with its labeling.



BEST AVAILABLE COPY