

PM 12 1769-328

1/3

LEFT PANEL

NATIONAL CHEMSEARCH

DICHLORON II
Insecticide

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-diethyl 0-[3,5,6-trichloro-2-pyridyl] phosphorothioate)..... 0.50%

INERT INGREDIENTS..... 99.50%

TOTAL 100.00%

* U.S. Patent No. 3,244,586

** Equivalent to 0.042 pounds per gallon

KEEP OUT OF REACH OF CHILDREN

WARNING

(see side panel for additional warnings.)

EPA Reg. No. 1769-328

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

NET CONTENTS:

NATIONAL CHEMSEARCH
A Division of NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

ACC
OCT 31 1988
1769-328

CENTER PANEL

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING: Keep out of the reach of children. Avoid contact with eyes, skin and clothing. Avoid breathing vapors and spray mist. Wash contaminated clothing. Keep away from food, foodstuffs and domestic water supplies. Wash thoroughly after handling. Do not allow children to play, lie or sleep in treated areas until at least six hours following treatment. Do not allow children or pets to contact treated surfaces until dry.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection is the preferred antidote. Oximes, such as 2-PAM, may or may not be therapeutic.

10/5

but it is recommended they not be used in place of atropine.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use, pour, spill or store near heat or open flame.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED--Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED--Remove the victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN--Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES--Flush eyes with plenty of water. Call a physician immediately.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable federal, State or local procedure.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved state and local procedures.

RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do Not Apply This Product Through Any Type Of Infrared System

PESTS INDOORS

GENERAL INFORMATION: Use DICHLORON II Insecticide to control the pests indicated in the areas listed below by application of a 1% dilution with water or undiluted spray. Use the 1 part DICHLORON II with 1 part water to control light infestations and DICHLORON II undiluted to quickly reduce heavy infestations. Repeat the treatment as needed.

APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS (PLACES OTHER THAN PRIVATE RESIDENCES IN WHICH FOOD IS HELD, PROCESSED, PREPARED OR SERVED) INCLUDING, BUT NOT LIMITED TO, RESTAURANTS, GROCERY STORES, BAKERIES, BOTTLING PLANTS, CANNERIES AND GRAIN MILLS: Use as a spot treatment in and around both food and nonfood areas to control cockroaches, including strains resistant to certain other insecticides, and, locally, crickets, firebrats, silverfish and spiders, and stored product insects. Apply as a coarse, low pressure (20 psi or less) spray to localized areas. Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners of rooms and closets; along and behind baseboards; beneath and behind stoves, refrigeration units and similar food preparation areas and equipment; floor drains; and around plumbing and other utility installations. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids or hollow spaces in walls, equipment legs and bases, or similar areas at points between different elements of construction such as between equipment and floors. Equipment capable of delivering a fine stream of insecticide should be used. Repeat treatment as needed, but not more often than once every 7 days in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS AND WITHIN NONFOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY -- Apply as a coarse spray or with a pump brush to localized areas where cockroaches, crickets, firebrats, crickets, firebrats, silverfish and spiders are found or normally occur. For ants, apply to ant trails. Use also around doors and windows and wherever else these pests may find entrance. For fleas, it may use undiluted spray only. A period of 4 to 7 days is normally required for maximum control of cockroaches.

FOR CONTROL OF CARPET BEETLES, Use as a spot treatment along baseboards and edges of rooms, under carpeting, rug and furniture, in closets and under beds and wherever else the carpet beetle may be found or expected.

FOR CONTROL OF BROWN DOG TICKS, Use as a spot treatment in and around

as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding or pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Additionally, treat pets with a product registered for use on pets.

FOR CONTROL OF FLEAS, thoroughly apply a flea control residual spray of 1 part DICHLORON II to 1 part water to carpets, pet beds and pet resting areas. Use one gallon of diluted spray per 1000 square feet. Cover aquariums, bird bowls and remove birds such as canaries from areas prior to treating. Other than the application, treated areas should be avoided during application. Leave treated areas and do not return for at least one hour. Do not allow children or pets to walk on treated surfaces until they are completely dry. Old pet bedding should be replaced with fresh, clean bedding after treatment. Do not treat pets with this product. To control the source of flea infestation, pet inhabiting the treated premises should be treated with a product registered for application to animals.

ATTENTION (Pests Indoors): DO NOT USE this product on conductors, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard.

PESTS OUT-OF-DOORS

IMPORTED FIRE ANT: Treatment of fire ant mounds with DICHLORON II as a drench diluted at a rate of 1 gallon of DICHLORON II to 4 gallons of water. Gently sprinkle about one gallon of the diluted solution over the surface of each mound using a sprinkler can. Thoroughly wet mound and surrounding area to a 4 ft. diameter (12 sq. ft.). For best results, apply in cool weather, 65-80 F., or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays will disturb the ants and cause migration, reducing product effectiveness.

PERIMETER TREATMENT AND PESTS ON OUTSIDE SURFACES OF BUILDINGS:

Use DICHLORON II undiluted to control ants, clover moths, cockroaches, crickets, earwigs, fleas, flies, millipedes, mosquitoes, sowbugs (pillbugs), spiders, gypsy moths and ticks by application as a residual spray or with a paint brush to outside surfaces of buildings including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where the pests congregate or have been seen. Do not treat or allow the spray to contact flowering plants because of possible injury. Repeat treatment as needed to maintain effectiveness.

NCH CORPORATION'S TURF COLOR may be used as a colorant on turf to aid in a more uniform application. Use according to directions on the TURF COLOR label.

11/6/79

5


NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of the product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller; and buyer assumes the risk of any such use.

TO REORDER:

In Texas, call 1-800-442-7950

Outside Texas, call 1-800-527-9921

-----EPA Est. No. 4140-----
CA-1 IN-1 NJ-1 PR-1 TX-1



3/3