

COOLCIDE™ ABF-100™

Broad-Spectrum Microbiocide Concentrate for Use in Cutting Oils or Metalworking Fluids

ACTIVE INGREDIENT:

Poly [oxyethylene (dimethyliminio)ethylene
(dimethyliminio)ethylene
dichloride] 10.0%
INERT INGREDIENTS: 90.0%
TOTAL 100.0%

This product contains 0.85 lb. of active ingredient per gallon and weighs 8.5 lbs. per gallon.

CAUTION

KEEP OUT OF REACH OF CHILDREN

(See elsewhere on label for additional precautions.)

EPA Reg. No. 1769-343
NET CONTENTS: _____

NCH CORPORATION
2727 Chemsearch Blvd., Irving, Texas 75062
© 1985 NCH Corporation

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or incinerator, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.


DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

COOLCIDE ABF-100 is used to inhibit the growth of bacteria in cutting fluids and oils employed as lubricants or coolants in the machining and processing of metals.

Add COOLCIDE ABF-100 to the diluted cutting fluid at a rate of 1/2 pint to 5 pints per 100 gallons of cutting fluid.

Treatment of the diluted cutting fluid should be repeated every four weeks as long as the cutting fluid is used. More frequent treatment may be required if excessive contamination occurs.



8M502

EPA Est. No. 4140

CA-1	IN-1	NJ-1	PR-1	TX-1
------	------	------	------	------