

Not Reviewed. Registrant must be in accordance with Reregistration of Pesticide Product: Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

**CENTER PANEL**

**NATIONAL CHEMSEARCH**

**SQUAD II**

**Insecticide**

**KILLS COMMON INSECTS**

**CONTAINS PYRETHRUM**

**ACTIVE INGREDIENTS:**

*Technical Piperonyl Butoxide.....	0.50%
N octylbicycloheptene dicarboximide.....	0.50%
Pyrethrins I & II.....	0.20%
**INERT INGREDIENTS:.....	<u>98.80%</u>
TOTAL.....	100.00%

- \* Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% related compounds.
- \*\* Contains Aliphatic Petroleum Hydrocarbons

This product contains the toxic inert ingredient methylene chloride.

**CAUTION**

**CONTENTS UNDER PRESSURE**

**KEEP OUT OF REACH OF CHILDREN**

(See side panel for additional precautions.)

NET WEIGHT: 13.5 oz/393 g

EPA Reg. No. 1769-347  
EPA Est. No. 4140-TX-1

**BEST AVAILABLE COPY**

**LEFT PANEL**


**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**SHAKE WELL BEFORE USING**

Kills flies, moths, roaches, ants, mosquitoes, gnats, bedbugs and silverfish.

**To Operate:** Hold the dispenser upright. Point the valve opening away from the face. Press the button to release the spray. Hold 2 feet from the object being sprayed. Use sparingly-6 to 8 seconds for an average-size (1000 cubic-foot) room is sufficient for control of flies, gnats and mosquitoes.



For best results, close doors and windows for 10 minutes or longer. Do not remain in treated areas, and ventilate the area after treatment is complete.

**Flies, gnats, mosquitoes:** Spray toward the ceiling and the center of the room.

**Roaches, ants, silverfish:** Spray into cracks and crevices enveloping the insects. Repeat spraying often.

**Bedbugs:** Spray mattresses, especially seams and under tufts. Spray springs, beds, baseboards and under loose wallpaper; spray into cracks. Repeat spraying often.

**Clothes moths:** Remove clothes from closets, brush and air well. Spray clothes, trunk drawers and closets every 30 days. Will not stain when used as directed.

**NOTE:** Remove pets, birds, and cover or remove fish aquariums before using.

**RIGHT PANEL**

If SQUAD II is used in food processing areas, food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using SQUAD II in these areas, apply only when the facility is not in operation.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing the spray mist. Provide adequate ventilation of the area being sprayed. Contact with skin, eyes and clothing should be avoided. Wash thoroughly after using. Avoid contamination of food, utensils and food preparation areas. Should poisoning occur, get prompt medical attention.

**NOTE TO PHYSICIAN**  
Atropine Sulfate is antidotal.

**STATEMENT OF PRACTICAL TREATMENT**

**BEST AVAILABLE COPY**

**IF SWALLOWED:** Do not induce vomiting; get prompt medical attention.

**IF INHALED:** Move the person to fresh air and treat symptomatically.

**IF ON SKIN:** Wash with soap thoroughly. If skin irritation persists, see a physician.

**IF IN EYES:** Flush with water for fifteen minutes, then see a physician immediately.

**STORAGE AND DISPOSAL**

**PHYSICAL OR CHEMICAL HAZARDS**

Contents Under Pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F/54°C may cause bursting. Never throw the container into a fire or incinerator.

**CONTAINER DISPOSAL**

Replace the cap and securely wrap the original container in several layers of newspaper and discard in trash. Do not incinerate or puncture.

**TO REORDER**

In Texas, call 1-800-442-7950  
Outside Texas, call 1-800-527-9921

National Chemsearch  
Div. of NCH Corporation  
2727 Chemsearch Blvd.  
Irving, Texas 75062

9M001

