

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION WASHINGTON, DC 20460	EPA REGISTRATION 1767-357 TERM OF ISSUANCE	DATE OF ISSUANCE DEC 22 1998
	NOTICE OF PESTICIDE... Under the Federal Insecticide, Fungicide, and Rodenticide Act...	

NAME AND ADDRESS OF REGISTRANT

160 / 221416  
18 / 2

NOTE: This registration is issued under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. 136) and the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 321) and is subject to the conditions of the registration and the terms of the registration agreement.

The registrant certifies that the information provided in this registration is true and correct and that the registrant is not a prohibited person under the Federal Food, Drug, and Cosmetic Act.

A copy of this registration is being furnished to the appropriate State or local health department, and the registrant is advised that the registrant is responsible for providing a copy of this registration to the appropriate State or local health department.

Signature: \_\_\_\_\_  
 Title: \_\_\_\_\_  
 Date: \_\_\_\_\_

ATTACHMENT (SEE INSTRUCTIONS)

SIGNATURE OF REGISTRANT: *[Signature]* DATE: 12/23/98

80 2 8

/ (

-2-

with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If Inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If On Skin - Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

- c. Use in food-handling establishments can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants," or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.
- d. There appears to be instructions missing under the "For Bedbugs" paragraph. Also under this paragraph, add "Allow all treated articles to dry thoroughly before use."

3. Also you must provide a flammability statement (flashpoint/flame extension).

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosures

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

Dec 22

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, this pesticide  
registered under EPA Reg. No.

1769-357

**LEFT PANEL**

**NCH CORPORATION**

**DROP DEAD**

A Combination of Insecticides (Deltamethrin, Dieldrin, and Permethrin) for  
Crawling Insects for up to 4 Weeks.

**ACTIVE INGREDIENTS**

- \* Permethrin (3-phenoxyphenyl)methyl ether, trans isomer, 30.0%
- \* Dichloroethyl-2,2-dimethylhexahydrophthalate, trans isomer, 15.0%
- \* d-Trans-Allethrin (ethyl homomer of Cypermethrin), 15.0%

**INERT INGREDIENTS:** .....

\* Cis/trans isomers ratio: min. 35% cis, and max. 65% trans.  
U.S. Patent No. 4,024,167.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**


**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND  
STATEMENT OF PRACTICAL TREATMENT**

Can be used in non food areas of food handling establishments, such as  
garbage rooms, lavatories, floor drains (to sewers), entries, restrooms  
and hallways, offices, locker rooms, machine rooms, basements, boiler  
rooms, garages, utility rooms, mop closets, and storage rooms (after cleaning  
or bottling).

EPA Est.: 4140-Tx-1  
EPA Reg. No. 1769-  
NET WEIGHT:

**BEST AVAILABLE COPY**

NCH CORPORATION  
2727 Chemsarch Blvd.  
Irving, Texas 75062



CENTER PANEL

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

Use only with approved disinfectant. Harmful if swallowed. Do not use on food, feed, or food processing plants, restaurants, or other food handling establishments. Do not use on food or feed. Do not use on food or feed.

STATEMENT OF PRACTICAL TREATMENT

Wash exposed area with plenty of water. Get medical attention if necessary.

ENVIRONMENTAL HAZARDS

Do not use on plants or animals. Do not apply to food or feed. Do not apply to food or feed.

PHYSICAL AND CHEMICAL HAZARDS

Do not use near heat or open flame. Do not use near heat or open flame. Exposure to temperatures above 170 F (77 C) may cause damage to equipment. Do not apply to electrical equipment because it may be damaged or cause a fire.

DIRECTIONS FOR USE


Use only with approved disinfectant. Do not use on food or feed.

STORAGE: Do not use near heat or open flame. Keep in locked storage area. Do not use near water bath. Do not use at temperatures below 72 F (22 C).

CONTAINER DISPOSAL: Do not use on food or feed. Do not use on food or feed.

Do not use on food or feed. Do not use on food or feed.

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, PRESCHOOLS, NURSERIES, DAY CAMPS, GREENHOUSES, LATHHOUSES, SEED HOUSES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, DAIRIES, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, AND HOSPITALS. IN HOSPITALS, PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN CAMPERS, MOBILE HOMES, BUSES, AUTOMOBILES, TRUCKS, AND BOXCARS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES, NOT FOR APPLICATIONS IF HORSES WILL BE USED FOR FOOD.



RIGHT PANEL

PESTS INDOORS

... and contact points of water pipes (water bugs), crickets, cockroaches, earwigs, silverfish, millipedes, centipedes, sawflies, ... spider beetles, carpet beetles, boxelder beetle, ... house flies, mosquitoes, ... silver moths, confused flour beetles, ... spider beetles, drain mites, red flour beetle, ... Indian meal moths, ... cigarette beetles, drug store beetle, ... Indian moths such as ... ground pine, and silk, under ... directly on insects

GRAIN INSECTS:

... confused flour beetles, ... grain beetle, store grain beetle, grain ... Indian meal ... grain borers, cigarette beetles, ... contamination of ... before spraying. Spray ... and crevices where grain insects ... and drawers ... and ... Any utensils that ... to be used in food using. Repeat as

SPIDERS:

... repeated applications to ...

ANTS:


... points of entry within ...

WASPS, HORNETS, YELLOW JACKETS, BEES:

... in the ... into holes and ...

HOUSE FLIES, MOSQUITOES, CLUSTER FLIES, GNATS, FRUIT FLIES, FLYING MOTHS:

... spray ... after light ...



**CARPET BEETLES AND CLOTHES MOTHS:** To treat Carpets: Hold container 14-18 inches from carpet. Spray evenly, covering the entire surface of the carpet. Spray the underside of carpet when possible. Also treat blankets, rugs, and other items. Wash before treatment and after. For clothing, spray the material on both sides until thoroughly wet. Place treated materials in plastic bags. Also spray floor and baseboards, and other areas of shelving and/or wherever these insects are reported.

For control of flies, ticks and


**FLIES, BROWN DOG AND FINE STAR TICKS ON DOGS, CATS AND PREMISES:** Spray dogs, cats, and premises. Use a fine spray nozzle. Apply until hair is thoroughly wet. To prevent ticks, spray bedding and other nesting places. Contacting animals as they enter the premises. In the floor and along baseboards. Spray for a distance of 10 feet (3m) at a distance of 18 inches (45cm) from the entire inside surface of dog

**DOG BEDDING:** Wash bedding and remove from dog. Wash bedding in hot water. Wash the entire dog and premises. Wash bedding and premises. Wash bedding and premises. Wash bedding and premises.

**FLIES OUT OF DOORS:**

**FLIES ON OUTSIDE SURFACES OF BUILDINGS:** Use this product to control flies, mosquitoes, and other insects on the exterior of buildings. Spray the entire exterior of buildings. Spray the entire exterior of buildings. Spray the entire exterior of buildings. Spray the entire exterior of buildings.

**HOUSE FLIES, MOSQUITOES, CHICKEN FLIES, GNATS, FLYING MOTHS:** Use this product to control flies, mosquitoes, and other insects on the interior of buildings. Spray the entire interior of buildings. Spray the entire interior of buildings. Spray the entire interior of buildings. Spray the entire interior of buildings.



ANTS, LONE STAR TICKS, CRICKETS, FLEAS AND EARWIGS: For treatment of...

WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made in late...

FOR USE ON PLANTS

CONTACT AND RESIDUAL SPRAY... concentration of 1 to 100.

INDOORS: For control of ants, crickets, fleas, earwigs, and other insects...

- Apple, Black plant, Corn, Cotton, Eggplant, etc.

For use on plants from living... to be... plants.

For use on plants from living... to be... plants.