

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCS WASHINGTON, D.C. 20469

OFFICE OF PREVENTION PENDENDES AND TOXICS UBS. ANCES

December 14, 2006

Dan Hollis Regulatory Specialist NCH Corporation 2727 Chemsearch Blvd. Irving, TX 75062

SUBJECT:

Application for Pesticide Notification

DANCO CONCENTRATE EPA Reg. No. 1769-373

Application Dated November 28, 2006

Dear Mr. Hollis:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

November 28, 2006

NOTIFICATION

DEC 1 4 2006

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460

ATTN:

Mr. Richard Gebken

Product Manager - Team 10

Insecticide Branch

SUBJECT:

Notification for DANCO CONCENTRATE

EPA Reg. No. 1769-373

Dear Mr. Gebken,

Enclosed, please find the Application for Pesticide Registration form, indicating a Notification for label change for DANCO CONCENTRATE, EPA Reg. No. 1769-373.

The purpose of this notification is to remove the 1-800-CLEANUP telephone number from the Storage and Disposal section of the label.

No other modifications have been made to this label at this time.

Please contact me at 972-438-0762 if you have any questions regarding this submission.

Sincerely,

Dan Hollas

Regulatory Specialist

Enclosures

			3	112
			Print Form	7
Form Approved.	OMB No.	2070-0080,	Approval expire	2-28-

	-		
=		Л	
$\sim$	_	_	

Please read instructions on reverse before completing form.

	Registration
	Amendment Other
×	Other

OPP Identifier Number

<b>\$EPA</b>	Environmental Protection Agency Washington, DC 20460			×	Amendmen Other	1		
		Application	n for Pesticide	- Section	l	•		
1. Company/Product Number 1769-373			2. EPA Prode Richard Ge	-		3. Proposed Classification    X   None		
4. Company/Product (Name) DANCO CONCENTRATE			<b>PM#</b> 10			None Restrict		
5. Name and Address of Applicant (Include ZIP Code)  NCH Corporation 2727 Chemsearch Blvd. Irving, TX 75062  Check if this is a new address			(b)(i), my pi to: EPA Reg.	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.  Product Name				
	<del></del>		Section - II			<del></del>		
Amendment - Explain Resubmission in responsible Notification - Explain Explanation: Use addition Notification of deletion	below.		Age "Me	ency letter det e Too" Applica er - Explain be	ation. elow.	98-10.		
(See attached page for n						DEC 14 200%		
			Section - III					
1. Material This Product Wil	Be Packaged In:		r					
Child-Resistant Peckaging Yes  No Certification must be submitted	Unit Peckaging Yes X No If "Yes" Unit Packaging wgt.	No. per container		ging lo. per ontainer	2. Type of Conta	tal stic ss		
3. Location of Net Contents	Information	4. Size(s) Retai	l Container	5. Lo	cation of Label Dir	ections		
X Labei	Container	24	oz, 32oz, bulk		On Label On Labeling acc	ompaning product		
6. Manner in Which Label is	Affixed to Product	Lithogra Paper pl Stencile	ph ued d	Other				
	<u> </u>		Section - IV	<del> </del>				
1. Contact Point  Complete	items directly below fo	or identification	of individual to be con	tected, if nec	essary, to process	this eoplication.)		
Neme Dan Hollas			itle Regulatory Specialist		1 .	hone No. (Include Area Code 438-0762		
-	ments I have made on by knowlingliy false or a law.		Il attachments thereto		•	S. Date Application Shoeived (Stamped)		
			3. Title  Regulatory Specialist					
4. Typed Name		5.	Date		<del>· · · · · · · · · · · · · · · · · · · </del>			
Dan Hollas			November 28, 2006					

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

# DANCO CONCENTRATE [for Automated Misting Systems]<sup>1</sup> PYRETHRIN CONCENTRATE

KILLS: Angoumois Grain Moths, Ants, Boxelder Bugs, Cadelles, Cheese Mites, Cigarette Beetles, Cockroaches, Confused Flour Beetles, Crickets, Earwigs, Fruit Flies, Gnats, Granary Weevils, House Flies, Indian Meal Moths, Mosquitoes, Rice Weevils, Spiders, Tobacco Moths and Wasps.

**FOR USE IN AND AROUND**: Apartments, Cafeterias, Dormitories, Food Service and Preparation Areas, Grocery and Convenience Stores, Hotels, Health Care Facilities, Motels, Office Buildings, Restaurants, Schools and Universities.

# **ACTIVE INGREDIENTS**

Pyrethrins	3.0%
Piperonyl Butoxide, Technical*	
n-Octyl Bicycloheptene Dicarboximide	
OTHER INGREDIENTS:	
TOTAL:	100.0%

<sup>\*</sup>Equivalent to 4.8% (butylcarbityl)(6-propylpiperonyl) ether and 1.2% related compounds.

# KEEP OUT OF REACH OF CHILDREN

(See elsewhere for additional precautionary statements.)

NOTIFICATION

DEC 1 4 2006

**NET CONTENTS:** 

24 fl oz/708 ml 32 fl oz/946 ml

EPA Reg. No. 1769-373

EPA Est. No. 4140 -							
CA-1	IN-1	NJ-1	PR-1	TX-1	TX-2	TX-4	CAN-1
				[			
	L	L	l .		1	<u> </u>	1

#### **NCH Corporation**

2727 Chemsearch Blvd. Irving, TX 75062 ©2006 NCH Corporation

#### TO REORDER,

Call TOLL-FREE: 1-800-527-9919

FAX: 1-800-456-0634

#### FIRST AID

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

<sup>&</sup>lt;sup>1</sup> Optional Text

<sup>&</sup>lt;sup>2</sup> Appropriate block below corresponding EPA Est. No. will be punched out or drilled out of the label at the site of manufacture, indicating the establishment number at which the product was produced. This method for indicating the EPA Est. No. has been previously reviewed and approved by the EPA.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

For medical or environmental emergencies, call CHEMTREC® at 1-800-424-9300.

# PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling.

#### **ENVIRONMENTAL HAZARDS**

# [for containers less than 5 gallons]

This product is toxic to fish. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

# [for containers greater than 5 gallons]

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

# PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

#### **DIRECTIONS FOR USE**

# IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

# **GENERAL RESTRICTIONS**

Do not apply directly to food. Do not apply as a space or ULV spray while food processing is underway. Cover or remove any food in the treatment area before application. Cover all food processing surfaces and equipment or wash with an effective cleaning compound followed by a potable water rinse. Food processing operations do not have to be stopped while applying as a wet spray with care and in accordance with directions and cautions above in establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

In the home, cover all food processing surfaces, dishes and utensils in the treatment area or thoroughly wash before use.

Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying. In health care facilities or schools, remove patients or students prior to treatment. Thoroughly ventilate treated area for two hours before reoccupying treated areas.

Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### DILUTION RATES

Use undiluted in mechanical sprayers which produce particles of aerosol size (80% ot droplets less than 30 microns), or diluted in pump sprayers or automated misting systems. Use the 0.125% rate for flying insects only. Use the 0.25% rate for maintenance. Use the 0.5% rate for clean outs or high insect infestations. Use the 0.05% rate only for automated misting or fogging applications outdoors.

# Pyrethrin % Desired 0.050% 2 fl oz 0.125% 5 1/3 fl oz 0.250% 10 2/3 fl oz 0.500% 21 1/3 fl oz 42 2/3 fl oz

NOTE: 1/3 fl oz = 2 tsp and 1/2 fl oz = 1 tbsp

## APPLICATION INSTRUCTIONS

**SPACE SPRAY (INDOORS)**: Apply using a mechanical aerosol generator which creates particles of aerosol size (80% of droplets less than 30 microns). Prior to application, close all doors and windows, shut off all ventilating equipment and extinguish all flames in the area to be treated. Do not remain in treated areas after application. Leave room(s) closed for at least one (1) hour. Ventilate thoroughly before re-entry.

CRACK AND CREVICE TREATMENT: Use diluted or undiluted. Inject DANCO CONCENTRATE into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one-second of product. For light infestations move injector tip along cracks while treating at the rate of three linear feet per second. For heavy infestations move injector tip along at one linear foot per second. Apply in such a manner to limit dripping and run-off on structural surfaces.

**VOID INJECTION**: Use diluted or undiluted. Use to flush and kill insects harboring in closed or inaccessible voids. Calculate the cubic area of the void and treat at the rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Apply in such a manner to limit dripping and run-off on structural surfaces.

**SPOT TREATMENT AND GENERAL SURFACE SPRAY**: Use diluted or undiluted. Hold spray nozzle 18 to 24 inches from areas to be treated. Treat surfaces until moist, but in such a manner to limit dripping and run-off.

#### INDOOR TREATMENTS

FLYING INSECTS (such as Bees, Cluster Flies, Flies, Gnats, Hornets, Mosquitoes, Moths, Small Flying Moths, Wasps, Webbing Clothes Moths and Yellow Jackets): Apply as a space spray or general surface spray. SPACE SPRAY: apply undiluted at the rate of 0.5 fl oz of concentrate per 1,000 cu ft of space. Point nozzle upward and direct spray mist to all parts of the room. GENERAL SURFACE SPRAY: use the 0.125% or 0.25% rate and direct spray toward upper corners of room especially around windows and other light sources which attract these insects. Do not remain in treated area(s) after application. Ventilate thoroughly before re-entry.

**CRAWLING INSECTS** (such as Ants, Booklice, Carpet Beetles, Centipedes, Clothes Moths, Clover Mites, Cockroaches, Crickets, Dermestid Beetles, Earwigs, Firebrats, Fleas, Millipedes, Scorpions, Silverfish, Sowbugs and Spiders): Apply as general surface spray, crack and crevice treatment or void injection. Use the 0.25% or 0.50% rate.

STORED PRODUCT PESTS (such as Angoumois Grain Moths, Caddies, Carpet Beetles, Chocolate Moths, Cigarette Beetles, Dermestid Beetles, Dried Fruit Beetles, Drug Store Beetles, Flour Beetles, Grain Mites, Granary Weevils, Indian Meal Moths, Meal Worms, Mediterranean Flour Moths, Fsocids, Ref Flour Beetles, Saw-toothed Grain Beetles, Spider Beetles, Trogaderma and Weevils). Apply as a space spray or general surface spray. Clean all food preparation areas thoroughly after treatment and before food is exposed. Use only in areas where food is not exposed. SPACE SPRAY: apply undiluted at the rate of 0.5 fl oz of concentrate per 1,000 cu ft of space. Direct treatment toward upper corners of room and ceiling. GENERAL SURFACE SPRAY: use the 0.25% or 0.50% rate. Direct output into corners and under pallets, hitting as many insects as possible.

BED BUGS, LICE AND TICKS: Apply as a space spray, spot treatment or crack and crevice treatment. First, thoroughly clean air mattresses and springs. SPACE SPRAY: apply undiluted at the rate of 0.5 fl oz of concentrate per 1,000 cu ft of space. CRACK AND CREVICE TREATMENT OR VOID

<sup>\*</sup> Do not dilute with spray oil.

INJECTION: use the 0.25% or 0.50% rate and apply to cracks and crevices or structural voids around baseboards, floorboards, bedboards and walls. SPOT TREATMENT: Take bed apart. Treat joints and channels if hollow, such as square or round tubing. See that the interior framework is treated. Treat mattresses, especially tufts, folds and edges. Also treat other areas where bed bugs may be hiding. Allow mattresses and springs to thoroughly dry prior to reuse.

FLEAS: Apply as a GENERAL SURFACE SPRAY undiluted or using the 0.25% or 0.50% rates. Direct treatment onto pet resting areas and floor around these areas. Treat pet bedding the same way. Also treat entire inside surface of dog houses. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. To control the source of flea infestations, pets inhabiting the treated premises should be treated with a product registered for application to pets. **DARKLING BEETLES**: After emptying poultry houses, apply as a space spray or general surface spray. Treat litter before cleaning. Keep closed for one hour, remove litter and retreat all surfaces. Ventilate for 24 hours before replacing poultry. SPACE SPRAY: apply undiluted at the rate of 0.25 fl oz of concentrate per 1,000 cu ft of space. GENERAL SURFACE SPRAY: use the 0.25% or 0.50% rate.

# INDOOR AND OUTDOOR TREATMENTS

BOXELDER BUGS, CARPENTER ANTS, CLUSTER FLIES AND ELMLEAF BEETLES: Apply as a CRACK AND CREVICE TREATMENT or as a void injection to voids and other areas where these insects are found. Use undiluted or at the 0.25% or 0.50% rates.

FLIES, GNATS, HORN FLIES, HOUSE FLIES, STABLE FLIES (AROUND LIVESTOCK): For fast knockdown of flying insects, apply as a SPACE SPRAY undiluted or using the 0.25% or 0.50% rates. Direct fog upward in all directions. Ventilate the area after treatment is completed. Remove or cover animal feed before spraying. Do not apply to lactating or food animals. Do not contaminate milk, food or drinking water.

# **OUTDOOR TREATMENTS**

**MOSQUITOES, FLIES, AND GNATS**: Dilute to 0.050% or 0.125% when applying with mechanical, electrical, fogging or automated misting equipment, or when applying as a GENERAL SURFACE SPRAY. To control these pests in open areas near homes, buildings and in campgrounds, treat shrubbery and vegetation and other areas where these pests may rest. Structural surfaces, shrubbery, and vegetation around stagnant pools, marshy areas, ponds, and shorelines may be treated.

**AUTOMATED MISTING SYSTEMS**: Automatic spraying systems must not be programmed to release pesticide where people, pets, food, or feed are directly exposed. A legible copy of the label must be securely attached to the equipment pesticide holding container or on the outside of the equipment timer.

**HORNETS, WASPS AND YELLOW JACKETS**: Apply as a GENERAL SURFACE SPRAY using the 0.25% or 0.50% rate. Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places, contacting as many insects as possible.

# HORTICULTURE USE

FOR USE IN: Hobby Greenhouses, Interiorscapes and Landscapes.

KILLS: Aphids, Armyworms, Bees, Beetles, Bugs (Boxelder, Lace and Plant), Caterpillars (Cabbage Worms), Rose Slugs, Hornworms), Centipedes, Clover Mites, Crickets, Earwigs, Firebrats, Flies, Fruitworm, Fungus Gnats, Fungus Gnat Larvae, Grasshoppers, Leafhoppers, Leafminers, Leaf Rollers, Loopers, Mealybugs, Millipedes, Mosquitoes, Psylia, Rose Aphids, Scale Insects, Scorpions, Sowbugs, Spiders, Spider Mites, Thrips, Wasps, Whiteflies and Yellow Jackets.

# APPLICATION INSTRUCTIONS

This product is designed for diluted use (0.05% - 0.25%) in sprayers. DO NOT DILUTE PRODUCT WITH SPRAY OIL. Treat upper and lower foliage surfaces of plants uniformly.

#### SPRAY DILUTION SHART

Pyrethrin % Desired	Amount of Concentrate per Gallon of Water*		
0.050%	2 fl oz		
0.125%	5 1/3 fl oz		
0.250%	10 2/3 fl oz		

<sup>\*</sup> Do not dilute with spray oil.

**PLANT PHYTOTOXICITY:** All varieties of the plants listed have not been tested *for phytotoxicity*.

When treating large numbers of plants of a single variety, treat a few plants and observe for phytotoxicity prior to full scale application.

Direct treatment to some open blooms may cause petal drop.

## FOR USE INDOORS AND OUTDOORS ON:

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, and garden mums. Cut Flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and philodendron.

Potted Flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African violets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamentals (such as): azalea, barberry, cotoneaster, euonymus, holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

# Do not treat vegetables.

In addition to sites listed on the front panel, DANCO CONCENTRATE is acceptable for use in the following sites:

# **INDOORS**

Flour mills Animal areas and quarters Meat packing plants Food handling establishments Milk rooms Apartments Food processing plants **Auditoriums** Milking parlors Food storage areas Bakeries Mills Freight containers Barns Missions Beverage plants Fruit packing sheds Mobile homes Garbage cans **Boats** Motels

Bottling plants Garbage compactors Museums Brandy storage warehouses Goat houses Mushroom houses

Buildings Grain elevators Mushroom processing plants Buses Grain handling equipment Nursing homes

Cabins Grain mills Office buildings Calf hutches Passenger rail cars Granaries Canneries Hobby greenhouses Peanut processing plants

Cattle barns Hog operations Peanut storage warehouses Homes Churches Playgrounds

Closets Horse barns Poultry houses Commercial and industrial Horse stables Poultry operations buildings Hospices Poultry processing plants

Hospitals Communication centers Prisons

Condominiums Hotels Public buildings Correctional facilities Industrial installations Rabbit houses

Institutions **Dairies** Rabbit processing plants

Dairy and livestock barns Interiorscapes Railroad cars

Drains and sewers Jails Recreational vehicles Dried fruit processing plants Kennels Research animal areas

Dried fruit warehouses Laboratories Restaurants Drugstores Libraries Restrooms **Dumpsters** Livestock barns Rice mills

**Dwellings** Loafing sheds Schools Egg processing plants Locker rooms Shade houses **Factories** Mausoleums Shipholds

Ships Theaters Utilities
Stable bins Tobacco plants Utility rooms

Stables Tobacco warehouses Voids (attics, walls, ceilings)

Store seed warehouses Townhouses Warehouses

Stores Trains Wine storage warehouses

Supermarkets Transportation equipment Wineries Swine houses Truck trailers Zoos

Textile mills and warehouses Trucks

# **OUTDOORS**

Campgrounds Landscapes
Corrals Lath houses
Drive-in restaurants Manure piles

Drive-in theaters Parks
Dumpsters Plantscapes

Feedlots Recreational areas

Garbage dumps Sewers
Golf courses Swineyards

Junkyards Zoos

Kennels

DANCO CONCENTRATE is also effective against the following insects when used according to label directions:

anochons.

#### **FLYING INSECTS**

**Aphids** Horn Flies Barn Flies Hornets Bed Bugs Horse Flies Bees House Flies Black Flies Mosquitoes Blow Flies Mud Daubers **Bottle Flies** Mushroom Flies Cheese Skippers Skipper Flies Cluster Flies Stable Flies Deer Flies Thrips

Face Flies Vinegar Flies
Flies Wasps
Fruit Flies Whiteflies
Fungus Gnats Yellow Jackets

Gnats

#### GRAIN BORDERS

Larger Grain Borers Lesser Grain Borers

# **CRAWLING INSECTS**

Ants Carpenter Ants
Bed Bugs Centipedes
Booklice Chiggers

Boxelder Bugs Chrysanthemum Leaf Miners

Cabbage Loopers Cockroaches
Cabbage Worms Crickets

Earwigs
Fire Ants
Firebrats
Grasshoppers
Mealy Bugs
Millipedes

Palmetto Bugs

Psocids Scorpions Silverfish Sowbugs Spring Tails

Pill Bugs

Vegetable Leaf Miners

**FLEAS AND TICKS** 

Brown Dog Ticks

Fleas

Sheep Ticks

Spinos Ear Ticks

Ticks

SPIDERS AND MITES

Cheese Mites Clover Mites Grain Mites

Red Spider Mites Spider Mites Spiders

LICE

Lice

Mounting stages of yellow lice and sucking blue

lice

**WORMS** 

Dark Mealworms
Lesser Mealworms

Mealworms

Yellow Mealworms

**BEETLES** 

American Black Flour Beetles Black Carpet Beetles Black Fungus Beetles Broadhorned Flour Beetles Brown Spider Beetles

Cadelles
Carpet Beetles
Catorama Beetles
Cereal Beetles
Cigarette Beetles
Confused Flour Beetles

Corn Sap Beetles
Darkling Beetles

Depressed Flour Beetles Dermestid Beetles Dried Fruit Beetles Drugstore Beetles Elmleaf Beetles Flat Grain Beetles

Foreign Grain Beetles

Fungus Beetles

Flour Beetles

Ground Beetles

Hairy Fungus Beetles Hairy Spider Beetles

Hide Beetles Khapra Beetles

Large Black Flour Beetles Longheaded Flour Beetles Merchants Grain Beetles Mexican Grain Beetles Murmidius Beetles Red Flour Beetles

Red Horned Grain Beetles Rusty Grain Beetles

Saw-Toothed Grain Beetles Slenderhorned Flour Beetles Smalleyed Flour Beetles

Spider Beetles

Squarenecked Grain Beetles

Trogoderma Beetles Two Banded Beetles

White Marked Spider Beetles

#### **WEEVILS**

Bean Weevils Broadnosed Grain Weevils Coffee Bean Weevils Granary Weevils Maize Weevils Rice Weevils

#### **MOTHS**

Almond Moths
Angoumois Grain Moths

Chocolate Moths
Clothes Moths

Cocoa Bean Moths
European Grin Moths

Indian Meal Moths

Mediterranean Flour Moths

Moths

Pink Scavenger Caterpillars

Rice Moths

Small Flying Moths Tobacco Moths

Webbing Clothes Moths

# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in original container in secured dry storage area. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Empty container by using the product in accordance with the label directions. Do not reuse this container! Place empty container in trash or offer for recycling if available. If container is partly filled, call your local solid waste agency for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

MADE IN THE U.S.A. Label Code oM611

