

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEP 2 1 2007

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Dan Hollas
NCH Corporation
2727 Chemsearch Blvd.
Irving, TX 75062

Dear Mr. Hollas:

Subject:

Watchtower Mosquito Mister

EPA Reg. No. 1769-378 Submission dated 8/31/2007

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

On page 4 of the master label add the following heading to the section on use in the Beacon Dispenser:

"Application Instructions for Use in the Outdoor Insecticide Delivery System."

On page 1 of the split label, revise the statement for use around apartments, campgrounds, homes, yards, patios and decks to read as follows and incorporate it into the master label:

For use outdoors around apartments, campgrounds, homes, yards, patios and decks.

On page 2 of the split label, revise the heading "Outdoor Treatments" to read as follows: For outdoor use only.

On page 2 of the split label and page 4 of the master label, revise the statement about potential contact to read as follows and move this statement to the general precautions and restrictions:

Do not apply when people, pets or food are present.

On page 2 of the split label and page 4 of the master label, revise the statement about ventilation to read as follows:

Do not enter or allow adults, children or pets to enter until vapors, mists and aerosols have dispersed.

Revise the directions for use on both the master and split label to delete the reference to "pests" as follows:

The Dispenser may only be used when mosquitoes are present.

On both page 2 of the split label and page 4 of the master label, add windows and doors to the areas to avoid spraying, as follows:

Direct the nozzle to spray towards the target area and away from swimming pools, water bodies, eating and cooking areas, windows and doors.

On page 3 of the split label and page 5 of the master label, revise the sentences about unintended exposure as follows:

To avoid exposure to people, pets or food near the dispenser, turn dispenser to OFF Mode or REMOTE ONLY mode if people, pets or food are present during or near dusk or dawn.

To avoid exposure to outdoor pets, use only in REMOTE MODE if pets live outdoors.

Revise the ingredient statement as follows:

Pyrethrins, (a botanical insecticide) 0.5%
Piperonyl butoxide, Technical * 4.0%
Other Ingredients ** 95.5%
Total 100.0%

- * Equivalent to 3.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.80% related compounds.
 - ** Contains petroleum distillate

A copy of the stamped label is enclosed. If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,

Richard Gebken

Product Manager 10

Insecticide Branch

Registration Division (7505P)



WATCHTOWER™ CONTACT INSECTICIDE

Helps protect your family from mosquitoes

Kills [Cluster Flies] [Fruit Flies] [Gnats] [Horn Flies] [House Flies] [Mosquitoes] [Small Flying Moths] [Stable Flies] and other flying insects fast.

Effectively kills [Cluster Flies][Flies][Fruit Flies][Gnats][Horn Flies][House Flies][Mosquitoes][Small Flying Moths][Stable Flies].

Kills on contact

No harsh insecticide odor

Contains pyrethrin, a botanical pesticide

May be used in the [BeaconTM Dispenser (sold separately)][Dispenser (sold separately)] [sold by][from] [NCH Corporation]

KILLS

Angoumois Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Earwigs, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths. Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sawbugs, Spiders, Stable Flies, Ticks, and Wasps.

FOR USE [AROUND] [IN AND AROUND]

Apartments, Campgrounds, Food Storage Areas, Homes, Yards, Patios, Decks, Hospitals*, Hotels, Motels, Nursing Homes*, Resorts, Restaurants*, and other Food Handling Establishments*, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, and Aircraft - Cargo Areas Only), Utilities, Warehouses, and other Commercial and Industrial buildings.

* See special instructions for these sites under Directions for Use		ACCEPTED
ACTIVE INGREDIENTS		" -; "with COMMENTS
ACTIVE INGREDIENTS Pyrethrins, a botanical insecticide	0.5%	In EPA Letter Dated:
Piperonyl Butoxide, Technical	4.0%	- up
OTHER INGREDIENTS	. <u>95.5%</u>	SEP 2.1 2007
TOTAL	100.0%	Onder the Freezis Insecticide,
OTHER INGREDIENTS. TOTAL. Contains petroleum distillate.		as amended, for the nesticide
· · · · · · · · · · · · · · · · · · ·	F73.7	registered under El'A Reg. No.
KEEP OUT OF REACH OF CHILDRI	EN	1769-378

CAUTION

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information, you may call CHEMTREC® at 1-800-424-9300, or the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

See (side panel) (back panel) (elsewhere) for additional precautionary statements.

[EPA Reg. No. 1769-378; Mas... Label]

4/10 [Page 2 of 5

EPA Reg. No. 1769-378 EPA Est. No. NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062

NET WEIGHT: [10 oz / 284 g] [18 oz (1 lb 2 oz) / 510 g] [23 oz (1 lb 7 oz) / 652 g]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly before eating, drinking, chewing gum, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. GENERAL PRECAUTIONS AND RESTRICTIONS

- Follow the instructions included with the dispenser (sold separately) to install [aerosol can][cylinder refill unit] in dispenser. Apply using the [BeaconTM Dispenser] (sold separately).
- Use only with [the Beacon Dispenser (sold separately)] [the supplied actuator [and injection tubes] or the Beacon Dispenser (sold separately)][the supplied actuator and injection tubes or other (NCH) equipment (sold separately)].
- Remove pets, birds, and cover fish aquariums before spraying.
- Do not spray on public, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

CRACK AND CREVICE TREATMENT: Inject WATCHTOWERTM into cracks and crevices or void spaces where insects may be harboring, living, and breeding. Place injector tip into cracks, crevices, holes, and other small openings. SPACE TREATMENT: Calculate the cubic footage to be treated and apply at the dosage rate specified below for the pest(s) to be treated. Thoroughly ventilate treated areas before reoccupying.

INDOOR TREATMENTS

CLUSTER FLIES, FRUIT FLIES, GNATS, HORN FLIES, HOUSE FLIES, MOSQUITOES, SMALL FLYING MOTHS AND STABLE FLIES: Apply as a space treatment at a rate of 1 to 3 seconds per 1,000 ft³. Close all windows and doors. Direct aerosol upward and disperse in all locations. Keep area closed for 15 minutes. Thoroughly ventilate treated areas before reoccupying.

CLUSTER FLIES, CLOVER MITES, WASPS, AND BEES INSIDE STRUCTURAL VOIDS: For treatment of these pests, locate all insect entrances and close all but one opening. Determine size of void. Inject 5 to 10 seconds per 3 ft³ of void into remaining opening. For best results, treat at dusk or later.

ANTS (except carpenter, pharaoh, fire, and harvester ants), BOOKLICE, CENTIPEDES, CLOVER MITES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SOWBUGS, AND SPIDERS: Apply as a crack & crevice treatment in cracks, crevices, and areas where these pests hide (such as behind baseboards, sinks, cabinets, meter boxes, door frames, and windows). For space treatments, apply at a rate of 20 seconds per 1,000 ft³. Open cabinets and doors in area to be treated, turn off air conditioners and fans and close doors and windows before treating. Disperse toward area suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 minutes. Thoroughly ventilate treated areas before reoccupying.

[Page 3 of 5]

For treatment of void areas such as attics, false ceilings and crawl spaces, calculate the volume of the void and treat at a rate of 20 seconds per 1,000 ft³.

BED BUGS: Take bed apart. Treat joints and channels. If hollow, such as square or round tubing, treat the interior framework. Treat mattresses, especially tufts, folds, and edges. Also treat other areas where bed bugs may be harboring. Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.

CARPET BEETLES (IN RESIDENCES): Hold product 36" above floor and direct spray toward floor and lower walls treating at a rate of 10 seconds per 100 ft². Also apply as a crack & crevice treatment to cracks and crevices near the source of the infestation.

CLOTHES MOTHS: Locate source of infestation. Apply as a crack & crevice treatment to nearby cracks and crevices and perform a space treatment of the infested area at a rate of 5 to 10 seconds per 1,000 ft³.

To protect woolens and other keratin containing materials, brush clean then air out. Before treating entire article, treat a small hidden area of fabric to determine if staining will occur. Treat thoroughly by holding dispenser at least 18" from garment. Treated articles should be put into a darkened closet or other darkened storage such as cedar chests, storage drawers or sealable plastic fabric bags. For best protection, clean and treat inside of closets or storage areas by treating 1 second per 10 ft². before putting treated materials away. Treatment should be repeated every 6 months if needed. Dry clean treated clothes before wearing.

CARPET BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES, GRANARY WEEVILS, RED FLOUR BEETLES, RICE WEEVILS, AND SAWTOOTHED GRAIN BEETLES (FOR EXPOSED ADULT AND LARVAL STAGES): Apply as a crack & crevice treatment into cracks and crevices of pantries, cabinets, food processing and handling equipment and other places where insects harbor or as a space treatment at a rate of 20 seconds per 1,000 ft³. Also apply around cartons, containers and other areas where these insects tend to congregate. Contact as many insects as possible. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

ANGOUMOIS GRAIN MOTHS, CHOCOLATE MOTHS, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS (FOR EXPOSED ADULT AND LARVAL STAGES): Apply as a space treatment at a rate of 5 to 10 seconds for each 1,000 ft³. Close all doors and windows. Direct into all parts of room, especially around stored product containers, pallets, and darkened areas. Keep area closed for 15 minutes following treatment. Open and ventilate before reoccupying. Repeat treatment weekly if necessary. Infested stored products should be furnigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS IN BUILDINGS: Hold product 36" above floor and direct spray toward floor and lower walls treating at a rate of 10 seconds per 100 ft². Make sure that all floor, sofa and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days if necessary.

TICKS: Holding container 36" above the floor, direct spray toward pet beds and resting quarters treating at a rate of 10 seconds per 100 ft². Also apply as a crack & crevice treatment into adjacent cracks and crevices such as behind baseboards and edges of carpet and floor covers. Also treat higher cracks such as upper door jams and window framing, behind pictures, and other areas where females may crawl to lay eggs. Remove pets before treatment. Allow treated surfaces to dry completely before allowing pets into treated areas. Do not use this product to treat pets.

IN HOSPITALS AND NURSING HOMES

Apply according to specific directions for pest(s) to be treated. Patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Apply according to specific directions for pest(s) to be treated. When applying as a space treatment in food handling areas, the areas of the operation being treated should be shut down. In food processing areas, all utensils, shelving, etc., where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use.

OUTDOOR TREATMENTS

Not for use in outdoor residential misting systems.

Directions for Hand Held Aerosol Application Outdoors

[Page 4 of 5]

• Do not apply more than 1 time per day. Do not allow adults, children, or pets to enter the treated areas until sprays have dried. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall.

GROUND APPLICATION (FLIES, GNATS, AND MOSQUITOES): Treat open areas near buildings and in campgrounds. Apply at a rate of 5 to 15 seconds per 1,000 ft³. Apply in swaths across area to be treated. Allow treatment to penetrate dense foliage. Best results are obtained when wind speed is 5 MPH or less. FLIES, CLUSTER FLIES, CLOVER MITES, MUD DAUBERS, AND WASPS: Apply mist directly on insects and their nests from approximately 18". Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible.

May be used in the [BeaconTM Dispenser (sold separately)][Dispenser (sold separately)] [supplied by][sold by] [NCH Corporation].

- The [Dispenser] may only be used when pests are present.
- Always place [dispenser] and remote out of reach of children and pets.
- Do not apply when people, pets, or food are near the dispenser and could potentially be contacted by the mist.
- Do not enter or allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.

To Install

Follow the instructions included with the [dispenser (sold separately)] to install the [aerosol can][cylinder refill unit] in the [dispenser].

To Use

Use in open areas near buildings and in campgrounds. One dispenser treats outdoor areas up to 300 ft². Multiple dispensers may be used to treat the entire outdoor area to be protected, but do not use more than one dispenser for every 300 ft² of outdoor area.

To kill ADULT MOSQUITOES, apply using the [Beacon Dispenser] [dispenser] supplied by][sold by] [NCH Corporation].

Hang the [dispenser] 6 feet above the ground, out of the reach of children and pets, or place on a sturdy flat surface 5-6 feet above the ground, out of the reach of children and pets. Direct the nozzle to spray towards the target area, and away from swimming pools, water bodies, or eating and cooking areas. For best results, direct the nozzle downwind, and treat when wind velocity does not exceed 5 miles per hour. Application in the evening and/or early morning is recommended.

Set [dispenser] in one of its three modes: "OFF" (Middle), "REMOTE ONLY" (left) and "DAWN/DUSK/REMOTE" (right).

OFF MODE

Place the 3-way power switch in the middle "OFF" position off whenever mosquitoes are not present or when winds exceed or may exceed 5 miles per hour.

REMOTE ONLY MODE

Place the 3-way power switch in the left "REMOTE ONLY" position to activate and dispense WATCHTOWER insecticide for 4 seconds by pressing the remote button. Activate the dispenser in the REMOTE ONLY position only when mosquitoes are present. When mosquitoes are present, dispense WATCHTOWER insecticide by pressing the remote control at least two but no more than four times per day.

[EPA Reg. No. 1769-378; Masic. Label]

7/10

[Page 5 of 5]

DUSK/DAWN/REMOTE MODE

Place the 3-way power switch in the right DUSK/DAWN/REMOTE position to activate and dispense WATCHTOWER insecticide for 4 seconds automatically at dusk and dawn and to dispense WATCHTOWER insecticide for 4 seconds by pressing the remote button. Place the dispenser in the DUSK/DAWN/REMOTE position only when mosquitoes are present and return to the OFF or the REMOTE ONLY positions when mosquitoes are no longer present. Do not use the remote to activate the dispenser more than twice per day when in the DUSK/DAWN/REMOTE mode.

- To avoid unintended exposure to people, pets, or food near the dispenser, turn dispenser to OFF Mode or REMOTE ONLY mode if people, pets, or food is anticipated during or near dusk or dawn.
- To avoid unintended exposure to outdoor pets, use only in REMOTE MODE if pets live outdoors.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame. Aerosols work best when can temperature is above 60°F. If temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partially full, contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062 www.nch.com ©2007 NCH Corporation



[EPA Reg. No. 1769-378; Split Label to be used with Insecticide Delivery System]

[Page 1 of 3]

WATCHTOWERTM CONTACT INSECTICIDE

Helps protect your family from mosquitoes

Kills Mosquitoes fast.

Effectively kills mosquitoes.

Kills on contact

No harsh insecticide odor

Contains pyrethrin, a botanical pesticide

May be used in the [Beacon™ Dispenser (sold separately)] [sold by] [NCH Corporation]

KILLS

Mosquitoes

FOR USE AROUND

Apartments, Campgrounds, Homes, Yards, Patios, and Decks

ACTIVE INGREDIENTS

 Pyrethrins, a botanical insecticide.
 0.5%

 Piperonyl Butoxide, Technical.
 4.0%

 OTHER INGREDIENTS.
 95.5%

 TOTAL.
 100.0%

Contains petroleum distillate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information, you may call CHEMTREC® at 1-800-424-9300, or the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

See (side panel) (back panel) (elsewhere) for additional precautionary statements.

EPA Reg. No. 1769-378 EPA Est. No. NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062

NET WEIGHT: [10 oz / 284 g] [18 oz (1 lb 2 oz) / 510 g] [23 oz (1 lb 7 oz) / 652 g]

[EPA Reg. No. 1769-378; Split Label to be used with Insecticide Delivery system]

[Page 2 of 3]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly before eating, drinking, chewing gum, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS

- Follow the instructions included with the dispenser (sold separately) to install [aerosol can][cylinder refill unit] in dispenser. Apply using the [BeaconTM Dispenser] (sold separately).
- Use only with [the Beacon Dispenser (sold separately)].
- Remove pets, birds, and cover fish aquariums before spraying.
- Do not spray on public, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

OUTDOOR TREATMENTS

Not for use in outdoor residential misting systems.

May be used in the [Beacon[™] Dispenser (sold separately)][Dispenser (sold separately)] [supplied by][sold by] [NCH Corporation].

- The [Dispenser] may only be used when pests are present.
- Always place [dispenser] and remote out of reach of children and pets.
- Do not apply when people, pets, or food are near the dispenser and could potentially be contacted by the mist.
- Do not enter or allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.

To Install

Follow the instructions included with the [dispenser (sold separately)] to install the [aerosol can][cylinder refill unit] in the [dispenser].

To Use

Use in open areas near buildings and in campgrounds. One dispenser treats outdoor areas up to 300 ft². Multiple dispensers may be used to treat the entire outdoor area to be protected, but do not use more than one dispenser for every 300 ft² of outdoor area.

To kill ADULT MOSQUITOES, apply using the [Beacon Dispenser] [dispenser] supplied by [sold by] [NCH Corporation].

Hang the [dispenser] 6 feet above the ground, out of the reach of children and pets, or place on a sturdy flat surface 5-6 feet above the ground, out of the reach of children and pets. Direct the nozzle to spray towards the target area, and away from swimming pools, water bodies, or eating and cooking areas. For best results, direct the nozzle downwind, and treat

10/0

[EPA Reg. No. 1769-378; Split Label to be used with Insecticide Delivery system]

[Page 3 of 3]

when wind velocity does not exceed 5 miles per hour. Application in the evening and/or early morning is recommended.

Set [dispenser] in one of its three modes: "OFF" (Middle), "REMOTE ONLY" (left) and "DAWN/DUSK/REMOTE" (right).

OFF MODE

Place the 3-way power switch in the middle "OFF" position off whenever mosquitoes are not present or when winds exceed or may exceed 5 miles per hour.

REMOTE ONLY MODE

Place the 3-way power switch in the left "REMOTE ONLY" position to activate and dispense WATCHTOWER insecticide for 4 seconds by pressing the remote button. Activate the dispenser in the REMOTE ONLY position only when mosquitoes are present. When mosquitoes are present, dispense WATCHTOWER insecticide by pressing the remote control at least two but no more than four times per day.

DUSK/DAWN/REMOTE MODE

Place the 3-way power switch in the right DUSK/DAWN/REMOTE position to activate and dispense WATCHTOWER insecticide for 4 seconds automatically at dusk and dawn and to dispense WATCHTOWER insecticide for 4 seconds by pressing the remote button. Place the dispenser in the DUSK/DAWN/REMOTE position only when mosquitoes are present and return to the OFF or the REMOTE ONLY positions when mosquitoes are no longer present. Do not use the remote to activate the dispenser more than twice per day when in the DUSK/DAWN/REMOTE mode.

- To avoid unintended exposure to people, pets, or food near the dispenser, turn dispenser to OFF Mode or REMOTE
 ONLY mode if people, pets, or food is anticipated during or near dusk or dawn.
- To avoid unintended exposure to outdoor pets, use only in REMOTE MODE if pets live outdoors.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame. Aerosols work best when can temperature is above 60°F. If temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partially full, contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



NCH Corporation 2727 Chemsearch Blvd. Irving, Texas 75062 www.nch.com ©2007 NCH Corporation