

1769-378

11/25/2008

1/11



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV 25 2008

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Dan Hollas
NCH Corporation
2727 Chemsearch Blvd.
Irving, TX 75062

Dear Mr. Hollas:

Subject: Watchtower
EPA Reg. No. 1769-378
Submission dated 10/26/2007

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Add to Physical and Chemical Hazards statements wherever they appear on the master label:

Do not apply this product around electrical equipment due to the possibility of shock hazard.

Delete Pesticide Disposal Statements wherever they appear as they are covered by the container disposal statements.

In accordance with PR Notice 2007-4, add to container disposal statements wherever they appear the following: Nonrefillable container.

According to PR Notice 2007-4, a batch code is required.

Make the following changes in the Instruction Manual:

On page 1 of 9, delete the following comparative claim which also detracts from the Precautionary Statements:

The Beacon Dispenser is an innovative Mosquito Defense Unit that incorporates breakthrough spray technology into a simple and affordable model that anyone can set up and use.

Delete the following enhanced efficacy claim:

On page 1 of 9: "Defend your yard".

On page 4 of 9, delete "Warning" as this is a signal work. You may use "important" or "attention" instead.

On page 5 of 9, revise "many outdoor settings" to read "listed outdoor settings".

On page 6 of 9, delete the following comparative claims:
"highly advanced"
"best possible".

On page 6 of 9, revise the restriction below as indicated to clarify the use pattern:
...away from swimming pools, water bodies and/or eating and cooking areas.

On page 8 of 9, revise the warranty in accordance with agency guidance at:
<http://www.epa.gov/pesticides/regulating/labels/pdf/warranty.pdf>.


On page 9 of 9, revise the use sites to conform to the use sites on page 7 of 9 of the label: use in open areas near buildings and in campgrounds.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance. As an alternative, you may refer consumers to the company's phone number or e:mail address.

Please note that a notice of availability of EPA's reregistration eligibility document (RED) for products contain pyrethrins and piperonyl butoxide was published in the Federal Register on July 26, 2006. Additional data and/or labeling changes may be required for products containing pyrethrins and piperonyl butoxide. For more information, see the following website:
<http://www.epa.gov/pesticides/reregistration/status.htm>.

If you have questions, please call Ann Sibold at 703 305-6502.

Sincerely,



for Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

3/11

[EPA Reg. No. 1769-378; Master Label]

[Indoor Master Label]

WATCHTOWER™ INDOOR CONTACT INSECTICIDE

Kills Mosquitoes

Kills [Cluster Flies,][Flies,][Fruit Flies,][Gnats,][Horn Flies,][House Flies,][Mosquitoes][Small Flying Moths,][Stable Flies,] and other flying insects fast.

Effectively kills [Cluster Flies,][Flies,][Fruit Flies,][Gnats,][Horn Flies,][House Flies,][Mosquitoes][Small Flying Moths,][Stable Flies,] and other flying insects fast.

Kills on contact

Contains pyrethrin, a botanical pesticide

KILLS

Angoumois Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sawbugs, Spiders, Stable Flies, Ticks, and Wasps.

FOR USE IN

Apartments, Food Storage Areas, Homes, Hospitals†, Hotels, Motels, Nursing Homes†, Resorts, Restaurants†, and other Food Handling Establishments†, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, and Aircraft - Cargo Areas Only), Utilities, Warehouses, and other Commercial and Industrial buildings.

† See special instructions for these sites under Directions for Use

ACTIVE INGREDIENTS

Pyrethrins, (a botanical insecticide).....	0.5%
Piperonyl Butoxide, Technical*.....	4.0%
OTHER INGREDIENTS**	95.5%
TOTAL	100.0%

*Equivalent to 3.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.80% related compounds.

**Contains petroleum distillate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

ACCEPTED
with COMMENTS
in EPA Letter Dated:

NOV 25 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
1769-378

[EPA Reg. No. 1769-378; Master Label]

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information, you may call CHEMTREC® at 1-800-424-9300, or the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

See [side panel] [back panel] for additional precautionary statements.

EPA Reg. No. 1769-378
EPA Est. No.

NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

NET WEIGHT: [10 oz / 284 g] [18 oz (1 lb 2 oz) / 510 g] [23 oz (1 lb 7 oz) / 652 g]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly before eating, drinking, chewing gum, or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS

- Use only with the supplied actuator [and injection tubes]
- Remove pets, birds, and cover fish aquariums before spraying.
- Do not apply when people, pets, or food are present.
- Do not spray on public, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.
- Do not allow adults, children, or pets to enter until sprays have dried and spray mist has dispersed.

CRACK AND CREVICE TREATMENT: Inject WATCHTOWER™ into cracks and crevices or void spaces where insects may be harboring, living, and breeding. Place injector tip into cracks, crevices, holes, and other small openings.

SPACE TREATMENT: Calculate the cubic footage to be treated and apply at the dosage rate specified below for the pest(s) to be treated. Thoroughly ventilate treated areas before reoccupying.

INDOOR TREATMENTS

CLUSTER FLIES, FLIES, FRUIT FLIES, GNATS, HORN FLIES, HOUSE FLIES, MOSQUITOES, SMALL FLYING MOTHS, AND STABLE FLIES: Apply as a space treatment at a rate of 1 to 3 seconds per 1,000 ft³.

Close all windows and doors. Direct aerosol upward and disperse in all locations. Keep area closed for 15 minutes. Thoroughly ventilate treated areas before reoccupying.

5/11

[EPA Reg. No. 1769-378; Master Label]

CLUSTER FLIES, CLOVER MITES, AND WASPS INSIDE STRUCTURAL VOIDS: For treatment of these pests, locate all insect entrances and close all but one opening. Determine size of void. Inject 5 to 10 seconds per 3 ft³ of void into remaining opening. For best results, treat at dusk or later.

ANTS (except carpenter, pharaoh, fire, and harvester ants), BOOKLICE, CENTIPEDES, CLOVER MITES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SOWBUGS, AND SPIDERS: Apply as a crack & crevice treatment in cracks, crevices, and areas where these pests hide (such as behind baseboards, sinks, cabinets, meter boxes, door frames, and windows). For space treatments, apply at a rate of 20 seconds per 1,000 ft³. Open cabinets and doors in area to be treated, turn off air conditioners and fans and close doors and windows before treating. Disperse toward area suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 minutes. Thoroughly ventilate treated areas before reoccupying. For treatment of void areas such as attics, false ceilings, and crawl spaces, calculate the volume of the void and treat at a rate of 20 seconds per 1,000 ft³.

BED BUGS: Take bed apart. Treat joints and channels. If hollow, such as square or round tubing, treat the interior framework. Treat mattresses, especially tufts, folds, and edges. Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs. Do not use treated mattresses until spray has dried.

CARPET BEETLES (IN RESIDENCES): Hold product 36" above floor and direct spray toward floor and lower walls treating at a rate of 10 seconds per 100 ft². Also apply as a crack & crevice treatment to cracks and crevices near the source of the infestation.

CLOTHES MOTHS: Locate source of infestation. Apply as a crack & crevice treatment to nearby cracks and crevices and perform a space treatment of the infested area at a rate of 5 to 10 seconds per 1,000 ft³.

To protect woolens and other keratin containing materials, brush clean then air out. Before treating entire article, treat a small hidden area of fabric to determine if staining will occur. Treat thoroughly by holding dispenser at least 18" from garment. Treated articles should be put into a darkened closet or other darkened storage such as cedar chests, storage drawers, or sealable plastic fabric bags. For best protection, clean and treat inside of closets or storage areas by treating 1 second per 10 ft² before putting treated materials away. Treatment should be repeated every 6 months if needed. Dry clean treated clothes before wearing.

CARPET BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES, GRANARY WEEVILS, RED FLOUR BEETLES, RICE WEEVILS, AND SAWTOOTHED GRAIN BEETLES (FOR EXPOSED ADULT AND LARVAL STAGES): Apply as a crack & crevice treatment into cracks and crevices of pantries, cabinets, food processing and handling equipment, and other places where insects harbor or as a space treatment at a rate of 20 seconds per 1,000 ft³. Also apply around cartons and containers, where these insects tend to congregate. Contact as many insects as possible. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

ANGOUMOIS GRAIN MOTHS, CHOCOLATE MOTHS, INDIAN MEAL MOTHS, AND MEDITERRANEAN FLOUR MOTHS (FOR EXPOSED ADULT AND LARVAL STAGES): Apply as a space treatment at a rate of 5 to 10 seconds for each 1,000 ft³. Close all doors and windows. Direct into all parts of room, especially around stored product containers, pallets, and darkened areas. Keep area closed for 15 minutes following treatment. Open and ventilate thoroughly before reoccupying. Repeat treatment weekly if necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS IN BUILDINGS: Hold product 36" above floor and direct spray toward floor and lower walls treating at a rate of 10 seconds per 100 ft². Make sure that all floor, sofa, and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate thoroughly before reoccupying. Repeat treatment after 7 days if necessary.

TICKS: Holding container 36" above the floor, direct spray toward pet beds and resting quarters treating at a rate of 10 seconds per 100 ft². Also apply as a crack & crevice treatment into adjacent cracks and crevices such as behind baseboards and edges of carpet and floor covers. Also treat higher cracks such as upper door jams and window framing and behind pictures, where females may crawl to lay eggs. Remove pets before treatment. Allow treated surfaces to dry completely before allowing pets into treated areas. **Do not use this product to treat pets.**

IN HOSPITALS AND NURSING HOMES

Apply according to specific directions for pest(s) to be treated. Patients must be removed from room prior to treatment. Ventilate rooms thoroughly for 2 hours after spraying and before reoccupying.

6/11

[EPA Reg. No. 1769-378; Master Label]

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Apply according to specific directions for pest(s) to be treated. Do not make space spray applications when facility is in operation. During space spray applications, cover or remove food. During space spray application, cover food processing surfaces or clean after treatment with a suitable detergent and rise with potable water before resuming operations.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame. Aerosols work best when can temperature is above 60°F. If temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partially full, contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.

Federal regulations prohibit CFC propellants in aerosols.

NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062
©2008 NCH Corporation



[Label Code] [SKU]
[Date Code] [UPC]

7/11

[EPA Reg. No. 1769-378; Master Label]

[Outdoor Master Label]

WATCHTOWER™
OUTDOOR CONTACT INSECTICIDE [&]
[CYLINDER REFILL UNIT (CRU)]

Kills Mosquitoes.

Kills [Cluster Flies,][Gnats,][Mosquitoes,][Small Flying Moths,] and other flying insects fast.

Effectively kills [Cluster Flies,][Gnats,][Mosquitoes,][Small Flying Moths,] and other flying insects fast.

Kills on contact

Contains pyrethrin, a botanical pesticide

**[Can be used in the]¹ [(Exclusively) For use in the]² [Beacon™ Dispenser (sold separately)¹ (included)²]
[Dispenser (sold separately)¹ (included)²] [sold by][from] [NCH Corporation]**

KILLS

Clover Mites, Cluster Flies, Flies, Gnats, Mosquitoes, Mud Daubers, Small Flying Moths, and Wasps.

FOR USE OUTDOORS AROUND

Apartments, Campgrounds, Homes, Yards, Patios, Decks, Hotels, Motels, Resorts, Supermarkets, Utilities, Warehouses, and other Commercial and Industrial buildings.

ACTIVE INGREDIENTS

Pyrethrins, (a botanical insecticide).....	0.5%
Piperonyl Butoxide, Technical*	4.0%
OTHER INGREDIENTS**	95.5%
TOTAL	100.0%

*Equivalent to 3.20% (butylcarbityl) (6-propylpiperonyl) ether and 0.80% related compounds.

**Contains petroleum distillate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information, you may call CHEMTREC® at 1-800-424-9300, or the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

Note to Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

¹ This text for use when sold separately from dispenser

² This text for use when sold with the dispenser

8/11

[EPA Reg. No. 1769-378; Master Label]

See [side panel] [back panel] for additional precautionary statements.

EPA Reg. No. 1769-378
EPA Est. No.

NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062

NET WEIGHT: [10 oz / 284 g] [18 oz (1 lb 2 oz) / 510 g] [23 oz (1 lb 7 oz) / 652 g]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly before eating, drinking, chewing gum, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment, washwater, or rinsate. See Directions for Use for additional precautions and requirements. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

OUTDOOR TREATMENTS

DIRECTIONS FOR HANDHELD AEROSOL APPLICATION OUTDOORS

GENERAL PRECAUTIONS AND RESTRICTIONS

- Do not apply when people, pets, or food are present.
- Use only with the supplied actuator [and injection tubes].
- Do not spray on public, painted, or varnished surfaces or directly into any electrical or electronic equipment such as breaker boxes or fuse boxes, air conditioning units, telephone or cable boxes, etc.

APPLICATION INSTRUCTIONS

- Do not apply more than 1 time per day. Do not allow adults, children, or pets to enter the treated areas until sprays have dried. Do not apply directly to or near water, storm drains, or drainage ditches. Do not apply when windy. To prevent product run-off, do not over water the treated area(s) or apply prior to heavy rainfall.

GROUND APPLICATION (FLIES, GNATS, AND MOSQUITOES): Treat open areas near buildings and in campgrounds. Apply at a rate of 5 to 15 seconds per 1,000 ft². Apply in swaths across area to be treated. Allow treatment to penetrate dense foliage. Best results are obtained when wind speed is 5 MPH or less.

FLIES, CLUSTER FLIES, CLOVER MITES, MUD DAUBERS, AND WASPS: Apply mist directly on insects and their nests from approximately 18". Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible.

9/11

OUTDOOR TREATMENTS
DIRECTIONS FOR USE [AS A CYLINDER REFILL UNIT] IN THE BEACON™ DISPENSER

GENERAL PRECAUTIONS AND RESTRICTIONS

- Not for use in outdoor residential misting systems.
- Follow the instructions included with the [dispenser][Beacon Dispenser] (sold separately)¹ (included)² to install [aerosol can][cylinder refill unit] in [dispenser][Beacon Dispenser]. Apply using the [Beacon™ Dispenser (sold separately)]¹.
- Use only with the Beacon Dispenser (sold separately)¹ (included)²
- Do not apply when people, pets, or food are present.
- Do not spray near electrical or electronic equipment such as breaker boxes or fuse boxes, air conditioning units, telephone or cable boxes, etc.
- Do not use indoors or in enclosed spaces.
- Do not use around schools.

APPLICATION INSTRUCTIONS

- For use in the (supplied)² Beacon Dispenser (sold separately)¹ [supplied by][sold by] [NCH Corporation].
- If the [aerosol can][cylinder refill unit] came fitted with an actuator (spray nozzle), remove and discard both the cap and actuator.
- After placing [aerosol container][Cylinder Refill Unit] in Beacon dispenser, do not remove and re-use for handheld aerosol application.
- Use the [Dispenser] [Beacon Dispenser] only when listed pests are present.
- Always place [dispenser] [Beacon Dispenser] and remote out of reach of children and pets.
- Do not enter or allow adults, children, or pets to enter until vapors, mists, and aerosols have dispersed.

To Install

Follow the instructions included with the [dispenser (sold separately)]¹ [Beacon Dispenser (sold separately)]¹ to install the [aerosol can][cylinder refill unit] in the [dispenser][Beacon Dispenser].

To Use

Use in open areas near buildings and in campgrounds. One [dispenser][Beacon Dispenser] treats outdoor areas up to 300 ft². Multiple [dispensers][Beacon Dispensers] can be used to treat the entire outdoor area to be protected, but do not use more than one [dispenser][Beacon Dispenser] for every 300 ft² of outdoor area.

To kill ADULT MOSQUITOES, and to kill Cluster Flies, Small Flying Moths, and Gnats (except black gnats, black flies, and biting midges), apply using the [[Beacon Dispenser (sold separately)]¹ [dispenser] [supplied by][sold by] [NCH Corporation].

Hang the [dispenser][Beacon Dispenser] 6 feet above the ground, out of the reach of children and pets, or place on a sturdy flat surface 5-6 feet above the ground, out of the reach of children and pets. Direct the nozzle to spray towards the target area, and away from swimming pools, water bodies, eating and cooking areas, windows, and doors. Direct the nozzle downwind, and treat when wind velocity does not exceed 5 miles per hour. Application in the evening and/or early morning is recommended.

Set [dispenser][Beacon Dispenser] in one of its three modes: "OFF" (middle), "REMOTE ONLY" (left), and "DUSK/DAWN® + REMOTE" (right).

¹ This text for use when sold separately from dispenser

² This text for use when sold with the dispenser

10/11

[EPA Reg. No. 1769-378; Master Label]

OFF MODE

Place the 3-way power switch in the middle OFF position off whenever mosquitoes are not present or when winds exceed or may exceed 5 miles per hour.

REMOTE ONLY MODE

Place the 3-way power switch in the left REMOTE ONLY position to activate and dispense WATCHTOWER insecticide for 4 seconds by pressing the remote button. Activate the [dispenser][Beacon Dispenser] in the REMOTE ONLY position only when mosquitoes are present. When mosquitoes are present, dispense WATCHTOWER insecticide by pressing the remote control at least two but no more than four times per day.

DUSK/DAWN + REMOTE MODE

Place the 3-way power switch in the right DUSK/DAWN + REMOTE position to activate and dispense WATCHTOWER insecticide for 4 seconds automatically at dusk and dawn and to dispense WATCHTOWER insecticide for 4 seconds by pressing the remote button. Place the [dispenser][Beacon Dispenser] in the DUSK/DAWN + REMOTE position only when mosquitoes are present and return to the OFF or the REMOTE ONLY positions when mosquitoes are no longer present. Do not use the remote to activate the [dispenser][Beacon Dispenser] more than twice per day when in the DUSK/DAWN + REMOTE mode.

- To avoid exposure to people, pets, or food near the [dispenser][Beacon Dispenser], turn [dispenser][Beacon Dispenser] to OFF mode or REMOTE ONLY mode if people, pets, or food are present during or near dusk or dawn.
- To avoid exposure to outdoor pets, use only in REMOTE ONLY mode if pets live outdoors.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool area away from heat or open flame. Aerosols work best when can temperature is above 60°F. If temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.

DISPENSER STORAGE: Store dispenser and remote in a cool, dry area. Remove batteries and (aerosol)(CRU) from dispenser before long-term storage.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partially full, contact your local solid waste agency for disposal instructions.

DISPENSER DISPOSAL: Remove (aerosol)(CRU) and batteries from dispenser before disposing of or recycling dispenser. Offer dispenser for recycling, if available, or place in trash. Offer batteries for recycling or dispose of in accordance with state and local regulations.

Contains no CFCs or other ozone depleting substances.

Federal regulations prohibit CFC propellants in aerosols.

NCH Corporation
2727 Chemsearch Blvd.
Irving, Texas 75062
©2008 NCH Corporation



[Label Code] [SKU]
[Date Code] [UPC]

[EPA Reg. No. 1769-378; Master Label]

[Dispenser Labeling]

Visible when the dispenser is in use:

CAUTION: This is a pesticide application device. Keep out of reach of children. Read and follow the directions and precautions on the [aerosol container][Cylinder Refill Unit] (inside device).

AVOID EYE CONTACT

Not visible when the dispenser is in use:

To Install:

1. Turn unit off.
2. Place can on flat surface.
3. Place lantern top on top of [aerosol can][Cylinder Refill Unit].
4. Press into place.

To Remove:

1. Turn unit off.
2. Pull release tabs on the under side of unit.
3. Gently lift unit from [aerosol can][Cylinder Refill Unit].

Temporary label:

TWIST OPEN

**Twist Spray Head so the "open" arrow below lines up with the arrow on the base, then lift.
(Instruction Manual and Remote Control are located inside.)**

[Remote Control Labeling]

Front Side:

KEEP AWAY FROM CHILDREN

THIS IS A REMOTE CONTROL FOR A PESTICIDE APPLICATION DEVICE