PRODUCT DESCRIPTION

This cleaner is used for cleaning, sanitizing, deodorizing and disinfecting in hospitals, schools, court houses, jails, industrial plants, restaurants, motels, canneries, barber and beauty shops, private and public institutions, kennels, meat shops and packing plants, fish processors and dairies.

CLEANING DIRECTIONS

For woodwork or other light cleaning, use approx. 2 oz. (1/4 cup) per gallon of water. For heavier woodwork, cleaning, damp mopping vaxed floors, etc., 4 oz. (1/2 cup) of this cleaner may be used per 1 gallon of water. For removing old wax and other severe cleaning, 1 cup of this cleaner may be used per gallon of water.

CLEANING DILUTION CHART

1-30 1-50 1-60 1-80 1-100 Heavy Med. Med. Light Light	Amt. of water need approx.
4 oz. 21/202. 2 oz. 11/202. 11/4 oz.	Gallon
8 oz. 15 oz. 4 oz. 3 oz. 21/20z.	2 Guillins
12 oz. 171/202. 6 oz. 41/202. 33/4 oz.	3 Galions
16 oz. 10 oz. 8 oz. 6 oz. 5 oz.	4 Galons

Dilution May Vary Depending On Severity Of Cleaning.

A GUARANTEED PRODUCT from GRIFFIN CHEMISTRY

Contents 1 Gallon





Griffin's DISINFECTANT CLEANER

Contains Sodium NitriteACTIVE INGREDIENTS5.5%Trisodium Phosphate3.0%n-Alkyl (C14-50%, C12-40%, C16-10%) Dimethyl1.5%Benzyl Ammonium Chlorides1.5%Methyldodecylbenzyl trimethyl ammonium chloride 0.8%-Methyl-dodecylxylylene bis (trimethyl ammonium1.0%INERT INGREDIENTS94.5%



DANGER KEEP OUT OF REACH OF CHILDREN

5

C.X

*DOES IT EASIER See Right Side Panel for Further Precautions and First Aid EPA. Reg. No. 1770-46 E.P.A. Est. No. 1770-OR-1

S., INC. PORTLAND, OR 97242

COPYRIGHT © 1972 GRIFFIN BROS., INC. All Rights Reserved

Griffin's DISINFECTANT CLEANER

Contains Sodium Nitrite	
	5.5%
Trisodium Phosphate	3.0%
n-Alkyl (C14-50%, C12-40%, C16-10%) Dimethyl Benzyl Ammonium Chlorides Methyldodecylbenzyl trimethyl ammonium chloride 0.8%	1.5%
Methyl-dodecylxylylene bis (trimethyl ammonium	
chloride) 0.2%	1.0% 94.5%
INERT INGREDIENTS	94.J%



DANGER KEEP OUT OF REACH OF CHILDREN



See Right Side Panel for Further Precautions and First Aid EPA. Reg. No. 1770-46 E.P.A. Est. No. 1770-OR-1

BROS., INC. PORTLAND, OR 97242

COPYRIGHT © 1972 GRIFFIN BROS., INC. All Rights Reserved C.X

0

 $\overline{}$

 \mathcal{N}

DISINFECTING DIRECTIONS

All articles to be sanitized and disinfected must first be cleaned, then immersed or treated with a dilution ac-

 λ Rinse food utensils and all food contact surfaces in 1 clean water prior to use.

DISINFECTING DILUTION CHART

Amount of

•	Disinfectant Cleaner	_	Amount of Water
8	ο Ζ .	to	1 gallon
16	OZ.	to	2 gallons
24	ο Ζ .	to	3 gallons
32	ο Ζ .	to	4 gallons
40	OZ.	to	5 gallons

DANGER-COTTOSIVE KEEP OUT OF REACH

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling concentrate. Harmful or fatal if swallowed. Avoid contamination of food. Rinse empty container with water and discard.

FIRST ADD In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. If persistent, convulsions may be controlled by the cautious injection of a short-acting barbiturate drug.