

NEOPHENE # 2[®] CONCENTRATED DISINFECTANT DETERGENT

Pseudomonacidal Staphylocidal Tuberculocidal Fungicidal

For Use in HOSPITALS, NURSING HOMES, HOTELS, MOTELS and SCHOOLS

ACTIVE INGREDIENTS, 23.95% — Isopropanol 5.05%, o-phenylphenol 5.00%, sodium dodecylbenzene sulfonate 4.50%, o-benzyl-p-chlorophenol 3.50%, tetrasodium ethylene diamine tetraacetate 1.90%, p-tertiary-amyphenol 1.50%, sodium hydroxide 1.50%, sodium xylene sulfonate 1.00%.

INERT INGREDIENTS, 76.05% — Water, sodium dodecylphenoxybenzene disulfonate, sodium sulfite.

NEOPHENE NO. 2 is a powerful Disinfectant effective against pathogenic fungi and against the following organisms at the A. O. A. C. use dilution test methods ratios set opposite the different organisms listed below.

	Use Dilution
TRICHOPHYTON INTERDIGITALE	1 : 225
SALMONELLA CHOLERAESUIS	1 : 225
SALMONELLA TYPHOSA	1 : 225
STAPHYLOCOCCUS AUREUS	1 : 128
PSEUDOMONAS AERUGINOSA	1 : 128
MYCOBACTERIUM TUBERCULOSIS	1 : 128

DIRECTIONS: Any practical manner of applying the diluted solution of Neophene No. 2, such as mopping, scrubbing or otherwise covering the surface thoroughly produces maximum results. For heavy soil or organic matter, a precleaning step is recommended. After applying as directed above, allow surface to dry without rinsing.

Neophene No. 2 when used as directed, is for use on all types of hard surfaces, such as floors, walls, woodwork, metal cabinets.

Avoid contamination of food feeds and food processing equipment. Do not store in unmarked container.

Rinse empty container thoroughly with water and discard it.

NOTE OUR RECOMMENDATIONS: Since it requires a dilution of 1 part Neophene No. 2 to 128 parts water or 1 oz. of Neophene No. 2 to 1 gallon of water to be effective against all the organisms listed above, we recommend that you adopt this dilution of 1 oz. of Neophene No. 2 to 1 gallon of water.

DANGER: Keep Out of the Reach of Children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use. If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, or convulsions may be needed.

E. P. A. Reg. No. 1778-50

NET CONTENTS _____ U. S GALLONS

Manufactured by WESTERN CHEMICAL COMPANY, General Office, St. Joseph, Missouri 64501

ACCEPTED
 Apr. 19-1973
 UNDER THE FEDERAL INSECTICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTRY
 NO. 1778-50
 ATTACHED COMMENTS

1778-50

DUB'L

DISINFECTANT DEODORANT CONCENTRATE

Commercial Grade Non-selective
VIRUCIDAL against INFLUENZA A₂ on
inanimate environmental surfaces.

DUB'L is a double-barrelled product . . . DISINFECTANT and DEODORANT combined into one. DUB'L will answer the multitude of needs in today's environmental sanitation program.


ACTIVE INGREDIENTS..... 83.78%
Ethanol 68.96%, Isopropanol 10.51%, Methanol
3.38%, Essential Oil 0.67%, o-Phenylphenol 0.23%,
p-tertiary-amylphenol 0.03%
INERT INGREDIENTS..... 16.22%
Water, Methyl Isobutyl Ketone

DANGER: Keep Out of the Reach of Children.
Flammable: Do not Use or Store Near Heat or Open Flame. Harmful If Swallowed. Do Not Take Internally. Avoid Prolonged Breathing of Spray Mist. Avoid Prolonged Contact with Skin. Do Not Spray Into Eyes. If sprayed into eyes, wash liberally with water and Call a Physician. May cause permanent damage to the eyes.

NET CONTENTS ONE QUART
ACCEPTED

FEB 15 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 1778-52



DANGER: Keep Out of Reach
of Children.

See other precautions on side panel.

Manufactured by

Pharmaceutical Division
WESTERN CHEMICAL CO.

St. Joseph, Missouri

EPA Reg No 1778-52

Use Suggestions

For use in Hospitals, Nursing Homes, Schools, Institutions, Industrial and Public Buildings.

DUB'L reduces the hazard of cross-infection from environmental surfaces. Use of DUB'L also removes unpleasant odors in Sick Rooms, Athletic Dressing Rooms, Garbage Cans.

Removes odors of stale smoke, vomitus, perspiration from porcelain and painted surfaces. Do not use on varnish or shellac wood surfaces.

DUB'L kills the following organisms: Staphylococcus Aureus, Salmonella Typhosa (Typhoid Fever), Salmonella Cholerasius (Food Poisoning), Trichophyton Interdigitale (Athlete's Foot), Pseudomonas Aeruginosa (Pus Former), and M. Tuberculosis var. hominis (Tuberculosis), on surfaces where these organisms are commonly found such as furniture, carts, telephones, switch plates, wash basins, garbage cans, file cabinets, athletic equipment.

Rinse empty container thoroughly with water and discard it.

Directions for Use

FOR USE AS A DEODORANT: Spray DUB'L in the area to be deodorized with either manual trigger type sprayer or automatic sprayer. Repeat as necessary.

FOR USE AS A DISINFECTANT: Use DUB'L undiluted, spray or wipe area to be disinfected; if sprayed, be sure all areas are thoroughly wetted.