

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals

DANGER


Danger: Corrosive. Will cause severe skin and eye irritation or chemical burns to broken skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

Environmental Hazards

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Physical and Chemical Hazards

Strong Oxidizing Agent: Mix only with water according to label directions. Mixing this product with organic matter (i.e. urine, feces, etc.) or chemicals (i.e. ammonia, acids, detergents, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.



BEST AVAILABLE COPY

Super Chlor



Creating solutions
for cleaner environments

EPA Reg. No. 1791-19
EPA Est. No. 37982-WA-1

Manufactured By:
Savolite, Inc.
10848 E. Marginal Way So.,
Seattle, WA. 98168

Net Contents: One Gallon (128 fl. oz.)
Lot Number

Liquid Concentrated Sodium Hypochlorite Solution

Active Ingredient:
Sodium Hypochlorite 10.0%
Inert Ingredients: 90.0%
Total 100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER

Statement of Practical Treatment (First Aid)*


Eyes: If contact with eyes occurs, flush with water for at least 15 minutes. Get prompt medical attention.

Skin: If contact with skin occurs, wash with plenty of soap and water.

Ingestion: IF SWALLOWED, drink large quantities of water. **DO NOT induce vomiting.** Call a physician or poison control center immediately.

* See side panel for additional precautionary statements.

Savolite is a registered trademark of Savolite Corporation



BEST AVAILABLE COPY

Directions For Use:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Laundry Bleach: Formula for 1% bleach - 1 gallon of Super Chlor in 13 gallons of water. Use 2 quarts of this 1% solution per each 100 pounds of dry weight of cloth.

Disinfection of Drinking Water (Emergency/Public/Individual Systems)

Public systems: Mix a ratio of 1 oz. of this product to 100 gallons of water. Begin feeding this solution with a hypochlorinator until a free available chlorine residual of at least 0.2 ppm and no more than 0.6 ppm is attained throughout the distribution system. Check water frequently with a chlorine test kit. Bacteriological sampling must be conducted at a frequency no less than that prescribed by the National Interim Primary Drinking Water Regulations. Contact your local Health Department for further details.

Note: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

Sanitization of Non-Porous Food Contact Surfaces

A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm available sanitizing solution by thoroughly mixing 1.28 oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2.56 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

Rinse Method: Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable

test kit, either discard the solution or add sufficient product to re-establish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Immersion Method: Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to re-establish a 200 ppm residual. Do not rinse equipment with water after treatment.


Disinfection of Non-Porous, Non-Food Contact Surfaces

Rinse Method: Prepare a disinfecting solution by thoroughly mixing 7.68 oz. of this product with 10 gallons of water to provide approximately 600 ppm available chlorine by weight. Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the disinfecting solution, maintaining contact with the solution for at least 10 minutes. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Storage and Disposal

Store this product in a cool, dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not re-use empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Store in upright position.

Seller makes no warranty, express or implied, concerning this material or the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.



BEST AVAILABLE COPY