

SANITIZATION - Recommended for use in restaurants, dairies, food processing plants, bars, etc. Remove all gross food particles and soil from areas which are to be sanitized with a good detergent by a pre-flush, pre-soak or pre-scrape treatment. Rinse with a potable water rinse.

Restaurant and Bar Rinse: Dishes, glassware, silverware, cooking utensils: wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 1 ounce RINSOL to 4 gallons of water for at least 60 seconds making sure to immerse completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

Food Processing Equipment: For sanitization of previously cleaned food processing equipment and food utensils, dilute 1 ounce RINSOL per 4 gallons of water to provide 200 ppm of active quaternaries. Flood the area to be sanitized for at least 60 seconds making sure to wet all surfaces completely. Remove and air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

Dairies: To sanitize dairy equipment such as tanks, lines, pails and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 1 ounce RINSOL to 4 gallons of water (200 ppm). Flood the area to be sanitized for at least 60 seconds making sure to wet all surfaces completely. Remove and let air dry. Prepare a fresh solution daily or more frequently as soil is apparent.

PRECAUTIONARY STATEMENTS
Hazard to Human and Domestic Animals
DANGER

Keep Out Of Reach Of Children. Causes severe eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if swallowed. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of food. Remove and wash contaminated clothing.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

BEST AVAILABLE COPY

RINSOL

12301

NORTH COAST RINSOL

DISINFECTANT SANITIZER DEODORIZER

ACTIVE INGREDIENTS:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	5%
p-Alkyl (68% C ₁₂ , 32% C ₁₄) dimethyl ethylbenzyl ammonium chlorides	5%

INERT INGREDIENTS	90.4
	100.00%

ACCEPTED
 MAY 24 1988
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1791-28

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panels for additional precautionary and practical treatment statements

EPA Reg. No. 1791-28
EPA Est. No. 1791-WA-1

Manufactured by:
North Coast Chemical Co., Inc.
6300 17th Ave. S.
Seattle, WA 98108

NET CONTENTS _____

NORTH COAST CHEMICAL CO. INC.

Since 1919

1791-28

PM 31

1/2

fos

77-27

2-1-66

FILE

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling
RMSOL is a concentrate and should be diluted before using

Household: For sanitizing and disinfecting floors, walls and inanimate hard surfaces. For Schools, Homes, Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 1 ounce RMSOL to 4 gallons of water. Disinfect with 3 ounces RMSOL to 5 gallons of water. Kills *Staphylococcus aureus* and *Salmonella choleraesuis*. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Hospitals: For floors, walls and other hard surfaces. In Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms, use RMSOL at 3 1/2 ounces per 5 gallons of water. Apply with cloth, mop, or sponge. At this level RMSOL will be effective against *Pseudomonas aeruginosa* PRD-18. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

Cold Sterilization: For disinfection of previously cleaned surgical instruments, barber tools and dental equipment, simply submerge instruments into solution containing 1 1/2 ounce RMSOL per gallon of water for 18 minutes.

FOR ROOM FOGGING

DIRECTIONS: To minimize the danger of cross-contamination from environmental surfaces apply solution of RMSOL as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices. 1. Remove all trash, animal, and plant life from room. 2. Open closed doors and drawers. 3. Set up 34" revolving platform in center of room. 4. Mount Jet FOAMASTER TRI-JET MODEL 6285, or other fogging device delivering equivalent spray at 3 rpm. 5. Fill spray reservoir with 1.5 ounces of RMSOL to 1 gallon of water to produce 1150 ppm active ingredients. 6. Set sprayer mechanism to deliver 1 gallon of solution. 7. Fog for 15 minutes for an average 2160 cu. ft. room. For different room sizes, proportionally time proportionately to ensure complete wetting of exposed surfaces. 8. Wait 2 hours before entering room after treatment. 9. Rinse fogging equipment thoroughly with clear water following use.

This product when used on environmental, inanimate, hard surfaces at 3 1/2 ounces per 5 gallons of water is effective against Influenza A2, Herpes Simplex, Adenovirus type 2, and Vaccinia Virus.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL

STORAGE — Store in a dry place no lower in temperature than 50° F or higher than 120° F.

CONTAINER DISPOSAL — Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL — Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

BEST AVAILABLE COPY

8