

DANGER

Corrosive. Causes eye damage and skin irritation. Harmful if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Avoid contamination of food and foodstuffs. Avoid breathing spray mist. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS. Do not use, pour, spill or store near heat or open flame.

DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE SOLUTION CHART*

Titratable Iodine	Product	Water
50 ppm solution	1 oz.	6 1/2 gals.
25 ppm solution	1 oz.	13 gals.
12 1/2 ppm solution	1 oz.	26 gals.
10 ppm solution	1 oz.	32 gals.
8 ppm solution	1 oz.	40 gals.

*Refer to use solution chart when preparing dilutions recommended in the following directions.

Always prepare fresh sanitizing solutions and use them the same day prepared. All sanitizing solutions should contact surfaces at least two minutes prior to rinsing. When circulating sanitizing solutions through CIP systems, allow at least 5 minutes contact.

No potable water rinse is required for sanitizing solutions containing 25 ppm titratable or less if treated surfaces are thoroughly drained. Titratable iodine solutions above 25 ppm require rinsing.

FOOD AND BEVERAGE SANITIZATION PROCEDURES:

Soft Drink Plants: Thoroughly rinse bottling and pre-mix dispensers with water. Drain thoroughly and fill equipment with 25 ppm solution (refer to use solution chart). Just before resuming operation, flush the 25 ppm solution from equipment with potable water. When changing over between soft drink flavors, rinse system well with water, flush with 25 ppm solution and rinse with potable water.

PLACIDINE 350

FOR INDUSTRIAL USE ONLY

A low-foaming sanitizer for food, meat and beverage industries

*ACTIVE INGREDIENTS:
Polyethoxypolypropoxypolyethoxyethanol-iodine complex ... 25%
INERT INGREDIENTS 75%
100%

*Provides 3.5% titratable iodine (w/w) or 4.2% titratable iodine (v/v).
Specific Gravity 1.2

**KEEP OUT OF REACH OF CHILDREN
DANGER**

PRACTICAL TREATMENT: Flush skin or eyes with water for 15 minutes. For eyes, contact physician. Remove and wash contaminated clothing. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Manufactured by
N. Coast Chemical Co., Inc., Seattle, WA 98108
EPA Reg. No. 1791-
EPA Est. No. 1791-WA-1 Net Contents: 500 lbs.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

JAN 21 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

1791-43

Sanitizing bo
final rinse of
concentration
(see solution

Sanitizing St
25 ppm so
mentation a
be applied b
junction v
systems. M
sanitizing.

Equipment
Processing
Processing P
surfaces wi
using 50 pp
water. For
faces, apply
flushing, or
wet surface
final water r

Milk; Citrus
Applied rout
to 25 pp
conveyors, e
eliminate ca
filling equi
bacteria o
equipment a
at 25 ppm
on equipmen

ST

1. Prohibit
Food, or
dumping
2. Pesticide
mixture
chemical
in a k
buried
supplies
3. Contain
(a) Res
rec
(b) Tri
for
dis
a s
4. General
Consult
authorit
procedu