

**NEW FIRE RESISTANT CON-O CHLOR CONCENTRATE
CONCENTRATED POOL CHLORINE**

- Features a dry chlorine that dissolves immediately
- A most effective germicide and algacide
- Will not cause cloudiness in water
- Will not add scale forming minerals in the water
- Will maintain your pool crystal clear
- Flame-resistant

The control of pH is greatly simplified using CON-O Chlor Concentrate. In fact, you will require from 1/2 to 1/4 the amount of acid usually applied. CON-O Chlor Concentrate provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply CON-O Chlor Concentrate less often.

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 ozs. CON-O Chlor Concentrate per 1,000 gallons of pool water. The next morning, add CON-O Pool Conditioner at the rate of 4 ozs. per 1,000 gallons to stabilize the pool.

CON-O Chlor Concentrate should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 ozs. of CON-O Chlor Concentrate per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.



LABORATORY
REGISTERED

SEP 7 1974



UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1803-22

**FIRE RESISTANT
CHLOR CONCENTRATE
GRANULAR CHLORINE**

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%
AVAILABLE CHLORINE 56%

DANGER: KEEP OUT OF REACH OF CHILDREN --
SEE FIRST AID AND PRECAUTIONS ON RIGHT PANEL

NET WT. **5** LBS

KE
CO
IN
VIA
VIA
BUR
FIR
and
eyes
reus
if sv
br c
DAN
Stror
irrita
at 3
deco
venti
Mix
Use
place
Do n
water
This
not t
publi
or di
Appl
EP
Pack

CON

ACCEPTED

SEP 7 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1803-22

FIRE RESISTANT CHLOR CONCENTRATE GRANULAR CHLORINE

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%

AVAILABLE CHLORINE 56%

DANGER: KEEP OUT OF REACH OF CHILDREN --
SEE FIRST AID AND PRECAUTIONS ON RIGHT PANEL.

NET WT. **5** LBS

DANGER

KEEP OUT OF REACH OF CHILDREN
CORROSIVE CAUSES EYE DAMAGE. DO NOT GET
IN EYES OR ON SKIN. DO NOT BREATHE DUST.
MAY CAUSE SKIN, NOSE AND THROAT IRRITATION.
MAY BE FATAL IF SWALLOWED. MAY CAUSE
BURNS TO BROKEN SKIN.

FIRST AID: In case of personal contact remove excess material
and flush skin or eyes with cold water for at least 15 minutes. For
eyes get medical attention. Clean contaminated clothing before
reuse.

If swallowed, feed gruel or cooked cereal followed by olive oil
or cooking oil. Call a Physician Immediately.

DANGER:

Strong oxidizing agent. Moisture contamination may liberate
irritating and hazardous chlorine-containing gases. Decomposes
at 350-475°F with liberation of harmful gases. In case of
decomposition, if possible isolate container in open air or well
ventilated area. Flood with large volume of water if necessary.
Mix only with water. Do not mix with other pool chemicals.
Use only dry clean measuring utensils. Store in a cool dry
place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with
water and discard.

This product is toxic to fish. Treated pool effluent water should
not be discharged where it will drain into lakes, streams, ponds or
public water. Do not contaminate water by cleaning of equipment
or disposal of wastes.

Apply this product only as specified on this label.

EPA REG. NO. 1803-22

EPA EST. 1803-CA-1

Packaged by: CONTINENTAL CHEMICAL COMPANY

2175 Acoma Street 1651 Babbitt Avenue
Sacramento, Ca. 95815 Anaheim, California 92805

**NEW FIRE RESISTANT CON-O CHLOR CONCENTRATE
CONCENTRATED POOL CHLORINE**

- Features a dry chlorine that dissolves immediately
- A most effective germicide and algicide
- Will not cause cloudiness in water
- Will not add scale forming minerals in the water
- Will maintain your pool crystal clear
- Flame-resistant

The control of pH is greatly simplified using CON-O Chlor Concentrate. In fact, you will require from 1/2 to 1/4 the amount of acid usually applied. CON-O Chlor Concentrate provides a more stable form of chlorine for easier maintenance of an effective chlorine residual in pool water for disinfecting action. It requires less storage space and maintains constant strength regardless of storage time. It is economical to use in that, after the pool is stabilized, you will need to apply CON-O Chlor Concentrate less often.

INSTRUCTIONS

When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 2.0 ppm available chlorine. To accomplish this, add 2 ozs. CON-O Chlor Concentrate per 1,000 gallons of pool water. The next morning, add CON-O Pool Conditioner at the rate of 4 ozs. per 1,000 gallons to stabilize the pool.

CON-O Chlor Concentrate should be added daily or as needed at the rate of 1/8 to 1/4 oz. per 1,000 gallons of pool water to maintain a chlorine residual at all times of 1.0 ppm to 2.0 ppm as determined by a suitable test kit. The pH should be maintained between 7.2 and 7.6.

A shock treatment should be made every week during hot weather or after heavy rains. Less frequent shock treatments may be made during cool weather. For the shock treatment, add 2 ozs. of CON-O Chlor Concentrate per 1,000 gallons of pool water. Swimmers should not be permitted in the pool after the shock treatment until the chlorine residual has reached the 1.0 ppm to 2.0 ppm range.

Keep in mind that a slight flexibility must be maintained in the event of heavy accumulations of dust and dirt caused by storms or super heavy bathing loads which require additional dosages as needed to maintain the chlorine residual between 1.0 ppm and 2.0 ppm.



SEP 7 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 15703-22

**FIRE RESISTANT
CHLOR CONCENTRATE
GRANULAR CHLORINE**

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%
AVAILABLE CHLORINE 56%

**DANGER: KEEP OUT OF REACH OF CHILDREN -
SEE FIRST AID AND PRECAUTIONS ON RIGHT PANEL.**

NET WT. 5 LBS

DANGER

**KEEP OUT OF REACH OF CHILDREN
CORROSIVE CAUSES EYE DAMAGE. DO NOT GET
IN EYES OR ON SKIN. DO NOT BREATHE DUST
MAY CAUSE SKIN, NOSE AND THROAT IRRITATION
MAY BE FATAL IF SWALLOWED. MAY CAUSE
BURNS TO BROKEN SKIN.**

FIRST AID: In case of personal contact remove excess and flush skin or eyes with cold water for at least 15 minutes. If eyes get medical attention. Clean contaminated clothing before reuse.

If swallowed, feed gruel or cooked cereal followed by water or cooking oil. Call a Physician immediately.

DANGER:

Strong oxidizing agent. Moisture contamination may irritate and hazardous chlorine-containing gases. Do not heat above 350-475°F with liberation of harmful gases.

Decomposition, if possible isolate container in open and ventilated area. Flood with large volume of water if necessary. Mix only with water. Do not mix with other pool chemicals. Use only dry clean measuring utensils. Store in a cool place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with water and discard.

This product is toxic to fish. Treated pool effluent water not be discharged where it will drain into lakes, streams, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label.

EPA REG. NO. 1803-22 EPA EST. 1803-22

Packaged by: CONTINENTAL CHEMICAL COMPANY
2175 Acoma Street 1651 Babbitt Avenue
Sacramento, Ca. 95815 Anaheim, California 92701

CON-O CHLOR CONCENTRATE
POOL CHLORINE

It dissolves immediately
and acts as a
bactericide and algicide
in water.
It dissolves in the water
and is crystal clear.

Simplified using CON-O Chlor
requires from 1/2 to 1/4 the
amount of CON-O Chlor Concentrate
required for easier maintenance of
pool water for disinfecting
space and maintains constant
level. It is economical to use in
that you will need to apply CON-O

Chlorinate to satisfy chlorine
demand of 1.0 ppm to 2.0 ppm
in pool water. Add 2 ozs. CON-O Chlor
to 1000 gal. water. The next morning,
test the water. The next morning,
the rate of 4 ozs. per 1,000

Test daily or as needed at the
end of pool water to maintain
1.0 ppm to 2.0 ppm as deter-
mined. pH should be maintained

every week during hot weather
shock treatments may be made
to pool water. Swimmers
after the shock treatment
the 1.0 ppm to 2.0 ppm range.
pH must be maintained in the
range of 7.2 to 7.6 and dirt caused by storms or
swimming require additional dosages as
determined. pH should be maintained
between 1.0 ppm and



CON-O



SEP 7 1974

REGISTERED UNDER THE FEDERAL INSECTICIDE
AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
UNDER NO. 157-22

FIRE RESISTANT
CHLOR CONCENTRATE
GRANULAR CHLORINE

ACTIVE INGREDIENT

SODIUM DICHLORO-S-TRIAZINETRIONE DIHYDRATE 100%
AVAILABLE CHLORINE 56%

DANGER: KEEP OUT OF REACH OF CHILDREN -
SEE FIRST AID AND PRECAUTIONS ON RIGHT PANEL.

NET WT. **5** LBS

DANGER

KEEP OUT OF REACH OF CHILDREN
CORROSIVE CAUSES EYE DAMAGE. DO NOT GET
IN EYES OR ON SKIN. DO NOT BREATHE DUST.
MAY CAUSE SKIN, NOSE AND THROAT IRRITATION.
MAY BE FATAL IF SWALLOWED. MAY CAUSE
BURNS TO BROKEN SKIN.

FIRST AID: In case of personal contact remove excess material
and flush skin or eyes with cold water for at least 15 minutes. For
burns get medical attention. Clean contaminated clothing before
re-use.

If swallowed, feed gruel or cooked cereal followed by olive oil
or cooking oil. Call a Physician immediately.

DANGER:

Strong oxidizing agent. Moisture contamination may liberate
irritating and hazardous chlorine-containing gases. Decomposes
at 350-475°F with liberation of harmful gases. In case of
decomposition, if possible isolate container in open air or well
ventilated area. Flood with large volume of water if necessary.

Mix only with water. Do not mix with other pool chemicals.
Use only dry clean measuring utensils. Store in a cool dry
place. Keep closed when not being used.

Do not reuse container. Rinse empty container thoroughly with
water and discard.

This product is toxic to fish. Treated pool effluent water should
not be discharged where it will drain into lakes, streams, ponds or
public water. Do not contaminate water by cleaning of equipment
or disposal of wastes.

Apply this product only as specified on this label.

EPA REG. NO. 1803-22 EPA EST. 1803-CA-1
Packaged by: **CONTINENTAL CHEMICAL COMPANY**
2175 Acoma Street 1651 Babbitt Avenue
Sacramento, Ca. 95815 Anaheim, California 92805