

DANGER: KEEP OUT OF REACH OF CHILDREN.



ANTIDOTES: If swallowed. Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

If on skin. Wash immediately with soap and water.

This product is toxic to fish and wildlife.

Keep out of any body of water.

Do not apply when weather conditions favor drift from areas treated. Do not graze dairy animals or animals being finished for slaughter on treated fields.

WARNING: Poisonous by skin contact, inhalation or swallowing! Rapidly absorbed through skin! Do not get in eyes, on skin or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Do not breathe dust or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. When workers must enter fields within five days of a spray application they should be protected. Use this product only for recommended purposes and at recommended dosages.

Wear protective clothing on body and synthetic rubber gloves on hands.

U. S. D. A. Reg. No. 1812-11

ENDRIN EMULSIFIABLE SPRAY

1.6 Lbs. Endrin Per Gallon

ACTIVE INGREDIENTS:

Hexachloroepoxyoctahydro-Endo,
Endo-Dimethanonaphthalene (Endrin) ----- 19.5%
Xylene ----- 70.5%

INERT INGREDIENTS ----- 10.0%
TOTAL ----- 100.0%

DIRECTION FOR AIRPLANE APPLICATION:

Use from 3 to 10 gallons of spray solution per acre consistent with crop growth and good coverage.

PARRAMORE & GRIFFIN

Valdosta, Georgia

DIRECTIONS FOR USE

GENERAL: Endrin Spray contains 1.6 pounds of Endrin per gallon. Endrin can be used in conventional hydraulic sprayers, low-volume ground applicators, and airplane sprayers. Mix Endrin Spray with water by agitation or by circulating the mixture through the spray pump and back into the tank.

COTTON: Bollworm, Leafworm, Boll Weevil, Cotton Fleahoppers, Tarnished Plant Bug, Grasshoppers and Thrips.

To control these insects apply Endrin Spray at the following rates mixed with the amount of water necessary to cover one acre.

Bollworms and Boll Weevils—1 to 3 pints per acre.

Leafworms—1 pint per acre.

Grasshoppers—1½ pints per acre.

Cotton Fleahopper, Tarnished Plant Bug, Rapid Plant Bug and Thrips—

Early season—1/3 pint per acre.

Mid season—2/3 pint per acre.

Late season—1 pint per acre.

Usually 2 to 3 applications at 5 to 7 day intervals will be necessary to control an infestation.


NOZZLE ARRANGEMENT FOR GROUND EQUIPMENT

SEEDLING COTTON: Use one nozzle per row placed 10 inches directly above the plants.

COTTON UP TO 20 INCHES HIGH: Use two nozzles per row placed one on each side of the row and 10 inches from the plant. The nozzle should be directed so that they cover the top and sides of each plant.

COTTON OVER 20 INCHES HIGH: Use three nozzles per row; one placed 10 inches directly above the plant and one on each side of the plant.

IMPORTANT - DO NOT RE-USE CONTAINER. THESE PROCEDURES SHOULD BE FOLLOWED WHEN THIS CONTAINER IS COMPLETELY EMPTIED: DE-CONTAMINATION. 1-Glass Container: Break the container and bury pieces at least 18 inches deep in an isolated location away from water supplies. 2-Metal Containers: Pour the following mixture into the empty container: 5-gal drums - 2 quarts water, ¼ cup caustic soda (household lye), 2 tablespoons detergent. 30-gal drums-3 gallons water, ½ pound caustic soda (household lye), ¼ cup detergent. 55-gal drums-5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies. **CAUTION:** Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package. **DISPOSAL OF 5-GALLON AND LARGER CONTAINERS:** Punch holes in the top and bottom of the container, crush the container and bury deeply in an isolated area. **IF THE ABOVE RINSE METHOD CANNOT BE USED**-Punch holes in the TOP of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.



DANGER: KEEP OUT OF REACH OF CHILDREN.



ANTIDOTES: If swallowed, Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately!

If on skin, Wash immediately with soap and water.

This product is toxic to fish and wildlife.

Keep out of any body of water.

Do not apply when weather conditions favor drift from areas treated. Do not graze dairy animals or animals being finished for slaughter on treated fields.

WARNING: Poisonous by skin contact, inhalation or swallowing! Rapidly absorbed through skin! Do not get in eyes, on skin or on clothing. In case of contact, immediately remove all contaminated clothing and flush skin or eyes with plenty of water for at least 15 minutes; for eyes, get medical attention. Do not breathe dust or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. When workers must enter fields within five days of a spray application they should be protected. Use this product only for recommended purposes and at recommended dosages.

Wear protective clothing on body and synthetic rubber gloves on hands.

U. S. D. A. Reg. No. 1812-11

ENDRIN EMULSIFIABLE SPRAY

1.6 Lbs. Endrin Per Gallon

ACTIVE INGREDIENTS:

Hexachloroepoxyoctahydro-Endo.	
Endo-Dimethanonaphthalene (Endrin) -----	19.5%
Xylene -----	70.5%
INERT INGREDIENTS -----	10.0%
TOTAL -----	100.0%

DIRECTION FOR AIRPLANE APPLICATION:

Use from 3 to 10 gallons of spray solution per acre consistent with crop growth and good coverage

PARRAMORE & GRIFFIN Valdosta, Georgia

DIRECTIONS FOR USE

GENERAL: Endrin Spray contains 1.6 pounds of Endrin per gallon. Endrin can be used in conventional hydraulic sprayers, low-volume ground applicators, and airplane sprayers. Mix Endrin Spray with water by agitation or by circulating the mixture through the spray pump and back into the tank.

COTTON: Bollworm, Leafworm, Boll Weevil, Cotton Fleahoppers, Tarnished Plant Bug, Grasshoppers and Thrips.

To control these insects apply Endrin Spray at the following rates mixed with the amount of water necessary to cover one acre.

Bollworms and Boll Weevils—1 to 3 pints per acre.

Leafworms—1 pint per acre.

Grasshoppers—1½ pints per acre.

Cotton Fleahopper, Tarnished Plant Bug, Rapid Plant Bug and Thrips--

Early season—1 3 pint per acre.

Mid season—2 3 pint per acre.

Late season—1 pint per acre

Usually 2 to 3 applications at 5 to 7 day intervals will be necessary to control an infestation.

NOZZLE ARRANGEMENT FOR GROUND EQUIPMENT

SEEDLING COTTON: Use one nozzle per row placed 10 inches directly above the plant.

COTTON UP TO 20 INCHES HIGH: Use two nozzles per row placed one on each side of the row and 10 inches from the plant. The nozzle should be directed so that they cover the top and sides of each plant.

COTTON OVER 20 INCHES HIGH: Use three nozzles per row: one placed 10 inches directly above the plant and one on each side of the plant.

IMPORTANT - DO NOT RE-USE CONTAINER - THESE PROCEDURES SHOULD BE FOLLOWED WHEN THIS CONTAINER IS COMPLETELY EMPTIED: 1-**GLASS CONTAINERS:** Read the container and bury in a deep hole in an isolated location away from water supplies. 2-**Metal Containers:** Pour the following mixture into the empty container. 5-gal drums - 2 quarts water, ½ cup caustic soda (household lye), 2 tablespoons detergent. 30 gal. drums - 3 gallons water, ½ pound caustic soda (household lye), ½ cup detergent. 55-gal drums - 5 gallons water, 2 pounds caustic soda (household lye), 1 cup detergent. Rotate container carefully until all inner surfaces are thoroughly wet. Bury the rinse solution at least 18 inches deep in an isolated area away from water supplies. **CAUTION:** Handle caustic soda (household lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package. **DISPOSAL OF 5 GALLON AND LARGER CONTAINERS:** Punch holes in the bottom of the container, crush the container and bury deeply in an isolated area. **IF THE ABOVE RINSE METHOD CANNOT BE USED:** Punch holes in the TOP of the container and burn in a hot fire until all of the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. Do not attempt to burn more than five containers at one time.

ACCEPTED
9-3-68
1812-11