



Danger:

May be fatal if swalowed, inhaled, or absorbed through skin! Rapidly absorbed through skin! Do not get in eyes, on skin, or on clothing.

Wear natural rubber gloves, protective clothing and goggles Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for parathion protection

Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or THESE PROCEDURES SHOULD BE smoking.

Wash all contaminated clothing with soap and hot water before reuse.

### FIRST AID TREATMENE-

CALL A PHYSICIAN IMMEDIATELY If operators haulling or working with Parathion develop symptoms of headache, blurred vision, weakness, nausea, cramps, diarrhea, or discomfort in the chest

ATROPINE (1 100 gr. tablet) is antidotal. Keep an emergency supply on hand. Until the physician arrives, follow the first aid treatments given here

INTERNAL-If swallowed, give one tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Administer milk or water freely. Have patient he down, keep warm and quiet Never give anything by mouth to an unconscious patient

INHALATION-Remove patient from contominated atmosphere.

SKIN-If skin is contaminated, immediate-Iv wash thoroughly with soap and water Flush skin with water for at least 15 minutes. If clothing is also contaminated, emove immediately and follow washing instructions given above

EYES - If eyes are contaminated, immediately flush with water for at least 15 minutes.

If examptones include blurred vision or pinpoint pupils, don't wait for doctor to arrive, but give ATROPINF (2 tablets) at

INFORMATION FOR PHYSICIANS ATROPINE IS ANTIDOTAL. Do not give morphine Give atropine grains 1/60 to grains 1/30 (1 or 2 mg.) every hour until pupils dilate. Clear chest by postural drainage. Give artificial respiration if patient becomes comtose

#### **IMPORTANT**

#### DO NOT RE-USE CONTAINER

FOLLOWED WHEN THIS CONTAINER IS COMPLETELY EMPTIED:

### DE CONTAMINATION

1-Glass Container: Break the container and bury the pieces at least 18 inches deep in an isolat d location away from water supplies.

2-Metal Containery: Pour the following mixture into the empty container:

5-gal drums-2 quarts water. 👆 cup caustic soda (household lve), 2 tablespoons detergent.

30 gal drums-3 gallons water, 12 pound caustie soda (household lye), 12 cup de

55 gal drums-5 gallons water, 2 pounds caustic soda (household lye), I cup de

Rotate container carefully until all inner surfaces are thoroughly wet. Bury the ringe solution at least 18 inches deep in an isolated area away from water supplies CAUTION: Handle caustic soda (house hold lye) with extreme care. Do not get on skin, in eyes, or on clothing. Read and carefully follow the precautions on the package.

DISPOSAL OF 5-GALLON AND 30 GALLON CONTAINERS:

Purch holes in the top and bottom of the container, enish the container and bury

 $_{lpha}$  Continued .

# Ethyl Parathion Per Gallon

**ACTIVE INGREDIENTS:** 

Parathion (Ø-diethyl O-p-nitrophenyl thiophosphate) Xylene

INERT INGREDIENTS TOTAL

## KEEP OUT OF REACH OF CHILDREN Danger:

This product may be applied by aircraft. If aircraft application is used, 2 quarts of product should be mixed with 3 to 10 gallons of water, consistent with crop growth and mal good coverage.

This product is toxic to fish and wildlife.

Apply only as specified on this label.

Keep out of lakes, streams and ponds. Birds feeding on treated areas may be killed.

Do not apply when weather conditions favor drift of spray from areas treated.

Mix with water by agitation. Agitate the mixture while spraying. If allowed to stand, re-agitate before use.

Workers entering fields within 24 hours after application should wear protective clothing.

See Antidote statement and other warnings on back/side panels.

U.S.D.A Reg. No. 1812-X

PARRAMORE & GRIFFIN

Valdosta, Ga.

1812-136

deepl

IF T NOT OF fire REC

in 1

and COV Do 1

Rep pick

and (der

mad one

EPbug for

with plar