

DIRECTIONS FOR USE

This is a concentrated insecticide and must be diluted for use. Use as a **spot application only** when using indoors.

FOR ROACHES, WATERBUGS, and SILVERFISH mix 1 part chlordane concentrate with 49 parts of water and apply thoroughly with a brush or coarse spray to infested cracks and other hiding or resting places. Repeat as often as necessary to maintain effective control.

FOR ANTS use same as for roaches, particularly on ant trails and trails and areas around water pipes, heat ducts and base boards where ants may enter the premises.

FOR FLEAS, TICKS, ANTS and CHIGGERS in outdoor premises use 1 part concentrate with 49 parts of water and spray infested areas including foliage of weeds and high grass thoroughly.

FOR LAWN AND TURF INSECTS, WHITE GRUBS, JAPANESE BEETLE LARVAE mix 1 part concentrate with 38 parts of water and apply 1 gallon of the solution to 1000 square feet of lawn. Wash the insecticide into the soil with ample quantities of additional water.

Keep children and pets off treated areas until the product has been washed in and the area is dry.

Birds feeding on treated areas may be killed.

FOR WIRE WORMS AND MOLE CRICKETS in lawns mix as above and apply 1/2 gallon to 1000 square feet washing in thoroughly.

PEE GEE

8 Lbs. Per Gallon

CHLORDANE EMULSIFIABLE CONCENTRATE

Each gallon contains 8 pound of Technical Chlordane

ACTIVE INGREDIENTS:

Technical Chlordane [Equivalent to 43% octachloro-4, 7-methanotetrahydroindane and 28.4% related compounds]	71.40
Xylene	24.60
INERT INGREDIENTS	4.00
TOTAL.....	100.00%

WARNING: KEEP OUT OF REACH OF CHILDREN.

Manufactured by

Parramore & Griffin

VALDOSTA, GEORGIA

E.P.A. Reg. No 1812-47 == E.P.A. Est. No. 1812-001

See other precautions on side panel.

ACCEPTED
 DEC 10 1975
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1812-47

DIRECTION FOR USE

FOR CORN ROOTWORMS: Band spraying - use 1 pint concentrate with sufficient water to cover 1 acre. Apply by spraying in bands of approximately 6 inches per row at planting time. For broadcast treatment apply 2 quarts per acre with sufficient water to cover. Work into soil to depth of several inches prior to planting.

FOR TOBACCO TRANSPLANT WATER: Mix 1/4 to 1/2 pint (depending on degree of infestation of Wireworms to 50 gallons of water. Apply 200 to 300 gallons of this mix per acre.

This product is toxic to fish and wildlife. Keep out of any body of water.

Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment, or disposal of wastes.

Apply this product only as specified on this label.

WARNING

Chlordane is toxic and may be absorbed through the skin. Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Do not use on household pets, animals or humans. Use only according to label directions. Do not re-use container. Destroy it by perforating or crushing. Bury or discard in a safe place.