POLYRAM⁽²⁾ 35 BED DUST

•

.

٠

USDA REG. NO. <u>181</u>	2	
<pre>/ethylen (16.1%) trimolec</pre>	e of 5.2 parts by ebis(dithiocarban ethylenebis <u>/</u> dith	weight (83.9%) of ato)/zinc with 1 p aiocarbamic acid/ b brosulfides and dis
Zinc expres	sed as metallic	0.66%
18 pt. type	(KEEP OU	CAUTION IT OF REACH OF CHII
12 pt. type	(cause irr (skin. Ir	armful if swallowed itation of eyes, r n case of contact, for eyes get medi
	D	RECTIONS FOR USE
CROP	TO CONTROL	
Tobacco Seedbeds	Blue Mold	Use two to four yards of plant cation when plant dime. Repeat until transplar
<u></u>		: Dispose of wast s away from water f smoke.

.

Polyram is a registered Trademark of Badische Anilin & Soda Fabrik A.G.

•

NET WEIGHT 50 LBS.

.

of ammoniates of part by weight bimolecular and sulfides ------ 3.5% ------96.5% 100.0%

•


LDREN

ed or inhaled. May nose, throat and flush with plenty lical attention.

REMARKS

ar pounds per 100 square t bed. Make first applilants are the size of a applications twice weekly ant time.

tes by burying supplies. Burn



~ ~ 7

•

o., Inc.

