

PARATHION 1 THIODAN® 2 EC

INSECTICIDE

DIRECTIONS FOR USE

Apply this insecticide to plants in the soil or to water. Do not apply to the foliage of the plant. Observe the interval between applications and do not apply to a crop more than these following crops:

BROCCOLI 7. **CABBAGE** 10. To control Cabbage Aphids, Cabbage Looper, Imported Cabbage worm, Diamond-back Moth, Larvae, Cross-striped Cabbage worm, Flea Beetle, Harlequin Bug, Stink Bug use 1 1/2 to 2 qts. per acre.

CABBAGEFLOWER To control Cabbage Looper, Imported Cabbage worm, Diamond-back Moth, Larvae, Cross striped Cabbage-worm use 1 to 1 1/2 qts. per acre. To control Flea Beetle, Harlequin Bug, Stink Bug use 1 1/2 qts. per acre. Do not apply after edible parts begin to form.

CUCUMBERS (15), PUMPKINS (15), SUMMER SQUASH (15), WINTER SQUASH (15) To control Aphids, Cucumber Beetles use 1 to 2 qts. per acre. Do not apply before vining.

HEAD LETTUCE 14. To control Cabbage Looper, Green Peach Aphid, Diamond-back Moth Larvae, Imported Cabbage Worm use 1 1/2 to 2 qts. per acre. Do not make more than 3 applications after vining. Remove wrapper leaves. Do not feed crop refuse to livestock.

MELONS 7. To control Aphids, Cucumber Beetles use 1 to 2 qts. per acre. To control Cabbage Looper, Omnivorous Leaf Roller use 2 qts. per acre.

PEPPERS 15. To control Flea Beetle, Green Peach Aphid use 1 qt. per acre.

POTATOES 5. To control Flea Beetle, Colorado Potato Beetle, Leafhopper, Aphids, Southern Armyworm, Green Stink Bug, Leaf-footed Plant Bugs and other Plant Bugs, Potato Tuberworm, Whitefly use 1 to 2 qts. per acre. To control False Chinch Bug use 2 qts. per acre. To control Potato Psyllid use 1 1/2 to 2 qts. per acre.

SUGAR BEETS (15): Green Peach Aphid, Sugar Beet Webworm, Meadow Spittlebug, Leafhoppers, Blister Beetles, Flea Beetles, Cutworms, Armyworms, Grasshoppers, Leaf Miner. Use 1 to 2 quarts per acre. Apply when insects first appear and repeat as required. Do not feed treated beet tops to livestock.

TOMATOES 10. To control Aphids, Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Stink Bug, Whitefly use 1 qt. per acre. To control Hornworm use 1 to 2 qts. per acre.

COTTON To control Sucker, Mealy Desert, Navel, Mealy Bug, etc. use 1 qt. per acre.

NOTE: Do not apply to the foliage of the plants. Do not graze dairy or meat animals in treated fields.

TOBACCO To control Budworm and Tobacco Suckler, use 1 1/2 to 2 quarts per acre. To control Cabbage Looper, Flea Beetle, Green Peach Aphid and Hornworm, use 1 to 2 quarts per acre. For Vegetable Weevil use 2 quarts per acre. **NOTE:** Do not apply within 5 days of picking or within 15 days of cutting. Do not enter field within 24 hours of application. Protective clothing should be worn during applications.

TOBACCO LEAF-BEETLE TREATMENT: Use 1 qt. per acre. Do not apply to the foliage of the plants. Do not graze dairy or meat animals in treated fields.

USDA REG. NO. 279-2089

ACTIVE INGREDIENTS

°Parathion	11.5%
°Endosulfan Hexachlorohexahydromethane	22.8%
2, 4, 3-benzodioxathiepin oxide	60.0%
Xylene base aromatic petroleum solvent	5.7%
INERT INGREDIENTS	100.0%

°O, O-Diethyl O-p-nitrophenyl thiophosphate
°Thiodan, U.S. Patent No. 2,799,685

Contains 10 lb. of actual Parathion and 20 lbs. of actual Thiodan per gallon.

DANGER-POISON
KEEP OUT OF REACH OF CHILDREN

ANTIDOTE: If swallowed, Give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a Physician Immediately.

If on skin. In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

ATROPINE IS ANTIDOTAL

Keep on hand an emergency supply of 20 tablets, grains 1 100. In case of accidental poisoning take 3 tablets (grs. 1 100) and call physician at once.

Physician: **Enough atropine** must be given in the shortest practical time to produce dilation of pupils. Patient must be under constant supervision and additional atropine may be necessary without delay. Clear chest by postural drainage. Use artificial respiration and oxygen if patient becomes comatose. Use of airway may be necessary.

Parramore & Griffin
Valdosta, Georgia

Parathion is a registered trademark of Farbwerke Hoechst A. G.

WARNING: Poisonous if swallowed. Irritant. Absorbed Through Skin. Rapidly Absorbed Through Skin. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. In case of contact, wash immediately with soap and water. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for Parathion protection. Keep all unprotected persons and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated. Do not contaminate feed and foodstuffs. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reusing. Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

DISPOSAL WARNING: Do not reuse the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Burn the empty container completely. Exercise caution and stay well away from the smoke.

Warning — Flammable

KEEP AWAY FROM HEAT AND OPEN FLAME
KEEP CONTAINER CLOSED
FLAMING PACKAGES SHOULD BE REMOVED TO A SAFE PLACE

DESTROY CONTAINERS WHEN EMPTY
CAUTION. DO NOT USE IN UNDILUTED FORM
DO NOT STORE AT TEMPERATURES BELOW 20 °F

Dealers Should Sell in Original Packages Only.

USAGE CAUTION: DO NOT ALLOW THIS MATERIAL TO DRIFT ONTO NEIGHBORING CROP OR NON-CROP AREAS OR USE IN A MANNER OR AT A TIME OTHER THAN IN ACCORDANCE WITH DIRECTIONS, BECAUSE PLANT INJURY, EXCESSIVE RESIDUES OR OTHER UNDESIRABLE RESULTS MAY OCCUR.

NOTICE: The manufacturer warrants that the product will conform to the label directions. The manufacturer makes no other warranty, expressed or implied covering the product. Neither Niagara nor Seller shall be held responsible in any manner for personal injury, property damage or other loss of any kind resulting from the use of the product, whether or not incurred in accordance with the directions on the label, or for any damage or liability that may be incurred by the user in the use of the product. The user shall be held responsible for any damage or liability that may be incurred by the user in the use of the product.

5-4-67
1812-88