ACCEPTED

ENDRIN

MAY 19 1969

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERUNDER NO. / 8/2~/2/

2 - 0 - 0

ANALYSIS

ACTIVE INGREDIENTS:

DIRECTIONS

COTTON: For the control of boll weevil, bollworm, thrips, fleahopper, rapid plant bug, tarnished plant bug, leaf-worm and grasshopper, apply at the rate of 13 to 20 lbs. per acre. Do not apply within 21 days of hand picking.

WARNING: KEEP OUT OF REACH OF CHILDREN.

WARNING: Hazardous by swallowing, inhaling, or skin contact! Rapidly absorbed through skin! Do not get in eyes, on skin, or on clothing. Do not breathe dust. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention. Wash thoroughly with soap and water after handling and before eating or smoking; wear clean clothing. Wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Department of Agriculture for endrin protection. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs.

Do not graze dairy animals or animals being finished for slaughter on treated fields.

TOXIC TO FISH AND WILDLIFE

Birds feeding on 'reated areas may be killed.

Apply this product only as specified on this label.

Keep out of lakes, streams, and ponds.

Do not apply when weather conditions favor drift from areas treated.

CAUCION: Workers entering field within five days after treatment should be protected.

Do not re-use container. Paper containers should be burned or buried. Stay out of smoke. Metal and glass containers should be crushed and buried.

U. S. D. A. Reg. No. 1812-121