

P E E - G E E

POLYRAM 5 DUST

Fungicide


ACTIVE INGREDIENT

A mixture of 5.2 parts by weight (83.9%) of ammoniates of (ethylenebis (dithiocarbamate) zinc with 1 part by weight (16.1%) ethylenebis (dithiocarbamic acid) bimolecular and trimolecular cyclic anhydrosulfides and disulfides -----
INERT INGREDIENTS -----

Zinc expressed as Metallic 0.95%

© Polyram is a registered Trademark of Badische Anilin and Soda Fabrik, A. G.

5.0%
95.0%
100.0%



CAUTION KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed or inhaled. Do not breathe dust. May cause irritation of eyes, nose, throat and skin. In case of contact, flush with plenty of water; for eyes get medical attention.

Do not feed treated forage to dairy animals or animals being furnished for slaughter.

DIRECTIONS FOR USE

CROP	TO CONTROL	REMARKS
Peanuts	Cercospora Leaf Spot	Use 20 to 30 pounds of dust per acre to be applied by ground dusters or airplane. Apply when spots first appear on old leaves at the base of the plants. If a heavy rain occurs within 24 hours after the first application, repeat in three to seven days; otherwise, repeat at ten to fourteen day intervals.

CAUTION: Use of this material in a manner or at a time other than in accordance with directions may produce plant injury, excessive residues or other undesirable results.