

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS**

DANGER

May be fatal if swallowed or inhaled or absorbed through skin. Rapidly absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear water-tight rubber gloves, protective clothing and shoes. Do not work or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Do not eat, drink, feed or foodstuffs. Wash hands, arms, and face thoroughly with soap and water before eating, drinking, or washing. Wash all contaminated clothing with soap and water before reuse.

If operators handling or working with parathion develop symptoms of headache, blurred vision, weakness, nausea, cramps, diarrhea or discomfort in the chest, ATROPINE (1-100 gr. tablets) is antidotal. Keep an emergency supply on hand. UNTIL THE PHYSICIAN ARRIVES, follow the first aid treatments given here. **INTERNAL** If swallowed, give one tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Administer milk or water freely. Have patient lie down, keep warm and quiet. Never give anything by mouth to an unconscious person. **IF INHALED** remove patient from contaminated area. **IF SKIN** is contaminated, immediately wash thoroughly with copious water. Flush skin with water for at least 15 minutes. If clothing is also contaminated, remove immediately and follow washing instructions given above. **IF EYES** are contaminated, immediately flush with water for at least 15 minutes. If symptoms include blurred vision or constricted pupils, don't wait for doctor to arrive, but use ATROPINE (2 tablets) at once. **INFORMATION FOR PHYSICIANS** Atropine is antidotal. Do not give morphine. Give atropine 1-2 mg. to 5 mg. to 10 mg. every 1-2 hours until patient is comfortable. Clear chest by postural drainage. Avoid artificial respiration if patient becomes comatose.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of ponds or streams. Do not apply where runoff is likely to occur. This product is highly toxic to bees exposed to direct treatment of residues on crops. Protective information may be obtained from Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store in areas where children play.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Workers entering fields within 24 hours after application should wear protective clothing.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

BEST DOCUMENT AVAILABLE

E. P. 4

Contains 4 lbs. Ethyl Parathion Per Gallon

ACTIVE INGREDIENTS:

Parathion	46.0%
(O, O-diethyl O-p-nitrophenyl Thiophosphate)	
Xylene	49.0%
INERT INGREDIENTS:	5.0%
TOTAL	100.00%

This product contains 4 lbs. of Ethyl Parathion Per Gallon

KEEP OUT OF REACH OF CHILDREN

DANGER — POISON

1812-136
SEP 20 1978



Under the Federal Insecticide, Fungicide, and Rodenticide Act, registered under EPA Reg. 1812-136

STATEMENT OF PRACTICAL TREATMENT

CALL A PHYSICIAN IMMEDIATELY

1. If swallowed, give one tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Administer milk or water freely. Have patient lie down, keep warm and quiet. Never give anything by mouth to an unconscious person. If inhaled, remove patient from contaminated area. If skin is contaminated, immediately wash thoroughly with copious water. Flush skin with water for at least 15 minutes. If clothing is also contaminated, remove immediately and follow washing instructions given above. If eyes are contaminated, immediately flush with water for at least 15 minutes. If symptoms include blurred vision or constricted pupils, don't wait for doctor to arrive, but use ATROPINE (2 tablets) at once.

Manufactured by
GRIFFIN CORPORATION
DALDOSA, GEORGIA 31801

NET CONTENTS 5 GALLONS

CATEGORY OF APPLICATOR

Certified applicator or persons under their direct supervision.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, State or Local authorities for approved alternative procedures.

This product may be applied by aircraft. If aircraft applicator used 2 quarts of product should be mixed with 3 to 10 gallons of water, consistent with crop growth and good coverage.

Mix with water by agitation. Agitate the mixture while spraying. If allowed to stand, re-agitate before use.

BEANS: Mexican bean beetle, leafhopper, aphids, red spider, armyworm, leaf roller and leaf miner, use 1 1/2 pints per acre. Repeat applications at 7 to 10 day intervals until controlled. Do not apply within 15 days of harvest.

CABBAGE, MUSTARD: Diamond back moth, imported cabbage worm and armyworm, use 1/2 pint per acre in sufficient water for thorough coverage. Use 3/8 pints per acre for speck thrip and aphid control. Do not apply within 21 days of harvest.

COTTON: Aphid, leafhopper, red spider mite, use 2 1/2 pints per acre. Repeat in 5-7 days as necessary. Do not apply within 5 days of handpicking or 15 days if cotton trash is to be fed to dairy animals or animals being finished for slaughter.

PECANS: Pecan nut casebearer. Use 1 pint of EP 4 to 100 gallons of water and make full coverage application. About 5 quarts of EP 4 per acre (depending on size of trees) is sufficient. First application should be made before first generation larvae enter the nuts. Repeat application one week later if necessary. Do not apply within 15 days of harvest. EP-4 is also effective against aphids, pecan leaf casebearers, spittlebugs, mites and May beetles. Consult your state agricultural authority for recommended amounts and time and method of application.

TOBACCO: Green peach aphid, use 1/2 pint per acre. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming.

WARRANTY STATEMENT

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling is contrary to label instructions.

