PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of the mouth and nose, muscle spasms and coma.

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if inhaled. Avoid. Poisonous if touched by hands or spray. Toxic to skin. Liquid clothing (liquid goes through clothes). Breathing vapors, spray mist or dust may be fatal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff is likely to occur. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

When necessary to enter treated fields within 24 hours after application, protective clothing should be worn.

CATEGORY OF APPLICATOR

Certified applicators or persons under their direct supervision

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

EMMY 2

An Emulsible Concentrated Insecticide For Spraying

"2-3" ETHYL & METHYL PARATHION

ACTIVE INGREDIENTS:

Parathion (O,O-diethyl O-p-nitrophenyl Thiophosphate)	21.68%
O, O-dimethyl O-p-nitrophenyl Thiophosphate	32.70%
Xylene	33.65%
INERT INGREDIENTS	11.97%
TOTAL	100.00%

ACCEPTED
NOV 07 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under Reg. No. 1812-139
1978

KEEP OUT OF REACH OF CHILDREN

DANGER — POISON

POISON

STATEMENT OF PRACTICAL TREATMENT

[illegible]

SEE OTHER PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by
GRIFFIN CORPORATION
VALDOSTA, GEORGIA 31601

EPA Est. No. 1812-GA-1 EPA Reg. No. 1812-139

NET CONTENTS

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill or bury in a safe place. Consult Federal, State or Local authorities for approved alternative procdeures.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given and if doctor cannot come, take victim to clinic or hospital.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

(1) Wear water proof pants, coat, hat, rubber boots or over shoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. (4) Wear heavy duty, natural gloves.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving the job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

NOTE TO PHYSICIAN

Antidote - administer atropine sulfate in large doses, two to four mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

TOBACCO: Green peach aphid and stink bugs. Use 1 pint of EMMY 2 in 15 to 20 gallons of water per acre to insure proper coverage. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming.

WARRANTY STATEMENT

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST DOCUMENT AVAILABLE

GREEN PEACE