

DANGER POISON PRECAUTIONS



STOP READ LABEL BEFORE USING!

WORK SAFETY



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear water proof pants, coat, hat, rubber boots or rubber overshoes (2) Wear safety goggles (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection (4) Wear heavy duty natural rubber gloves

Do not hand pick or harvest within 7 days of application.

When necessary to enter treated fields within 24 hours after application, protective clothing should be worn.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

POISON

See Side Panels for Antidote & Precautions



DANGER

Keep Out of Reach of Children

EMMY 1
AN EMULSIBLE CONCENTRATED INSECTICIDE FOR SPRAYING

"1-2" Ethyl & Methyl Parathion

ACTIVE INGREDIENTS:

Parathion [O,O-Diethyl O-p-nitrophenyl thiophosphate] ---	11.96%
O, O-Dimethyl O-p-nitrophenyl thiophosphate-----	24.06%
Xylene-----	57.94%

INERT INGREDIENTS: -----	6.04%
TOTAL -----	100.00%

SEE ANTIDOTAL STATEMENT AND OTHER WARNING ON SIDE PANEL.

TOBACCO: Green peach Aphid & Stink Bugs. Use 1 pint of EMMY 1 in 15 to 20 gallons of water per acre to insure good coverage. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming.

Do not use, pour, spill, or store near heat or open flame.

NOT FOR HOME USE

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative & Cultural Extension Service.

ACCEPTED
MAY 7 1975
U.S. DEPT. OF AGRICULTURE
OFFICE OF PLANT INDUSTRY
WASHINGTON, D.C. 20250
1812-140

Keep all unprotected persons a treated area or where there .

Do not rub eyes or mouth with in any way, STOP work and ge a doctor (physician), clinic or h Explain that the victim has b thion and describe his condit given (see First Aid Treatment for cannot come, take victim to IMPORTANT! Before removing with soap and water. Always t arms with soap and water befo drinking.

AFTER WORK, take off all wo Shower, using soap and wal clothes when leaving job. Do n clothing. Wash protective cl equipment with soap and wate pirator should be cleaned and mg to instructions included wi

POISON SIGNS

Parathion is a very dangerous ters the body on contact with eyes. Clothing wet with this moved immediately. Exposed prompt medical treatment or

Some of the signs and sympt Headache, nausea, vomiting blurred vision, pin-point pupi labored breathing, nervousne of eyes, drooling or frothing muscle spasms and coma.



STOP. READ LABEL BEFORE USING!

WORK SAFETY RULES

FIRST AID TREATMENT

POISON
Side Panels
Antidote &
Precautions



DANGER
Keep Out of
Reach of
Children

EMMY 1

EMULSIBLE CONCENTRATED INSECTICIDE FOR SPRAYING

"1-2" Ethyl & Methyl Parathion

ACTIVE INGREDIENTS:

Parathion [O,O-Diethyl O-p-nitrophenyl thiophosphate] ---	11.96%
O, O-Dimethyl O-p-nitrophenyl thiophosphate-----	24.06%
Xylene-----	57.94%

INERT INGREDIENTS:

-----	6.04%
TOTAL -----	100.00%

ANTIDOTAL STATEMENT AND OTHER WARNING ON SIDE PANEL.

TOBACCO: Green peach Aphid & Stink Bugs. Use 1 pint of EMMY 1 in 15 to 20 gallons of water per acre to insure good coverage. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming.

Do not use, pour, spill, or store near heat or open flame.

NOT FOR HOME USE

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

EPA EST. NO.
1812 - GA - 1

E.P.A. Reg. No. 1812 - 140



MARK OF QUALITY

PARRAMORE & GRIFFIN
Valdosta, Georgia 31601