

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die. Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of the mouth and nose, muscle spasms and coma.

This product can kill you if swallowed even in small amounts. Spray mist or dust may be fatal if swallowed. Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes). Breathing vapors, spray mist or dust may be fatal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wild life. Birds and other wild life in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply when runoff, silty, or windy. This product is highly toxic to bees exposed to direct treatment or residues on treated plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use in confined spaces.

DIRECTIONS FOR USE

This is a violation of Federal law if use is inconsistent with its labeling.

RE-ENTRY STATEMENT

When necessary, re-entry to treated areas will be allowed after application of protective measures.

CATEGORY OF APPLICATOR

Certified applicators or persons under their direct supervision.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

EMMY - 1

An Emulsible Concentrated Insecticide For Spraying

"1 - 2" ETHYL & METHYL PARATHION

ACTIVE INGREDIENTS:

Parathion (O, O-diethyl O-p-nitrophenyl Thiophosphate)	11.96%
(O, O-dimethyl O-p-nitrophenyl Thiophosphate)	24.06%
Xylene	57.94%

INERT INGREDIENTS: 6.04%

TOTAL 100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER — POISON



STATEMENT OF PRACTICAL TREATMENT

Do not induce vomiting. Do not give anything by mouth. Expectorants, such as ipecac, are contraindicated. Do not give anything by mouth if the patient is unconscious. If the patient is unconscious, give 1-2 tablets of sodium bicarbonate by mouth. If the patient is conscious, give 1-2 tablets of sodium bicarbonate by mouth. If the patient is conscious, give 1-2 tablets of sodium bicarbonate by mouth. If the patient is conscious, give 1-2 tablets of sodium bicarbonate by mouth.



Manufactured by
GRIFFIN CORPORATION
WALTON, MASSACHUSETTS

NET CONTENTS

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or Local Disposal Authorities for approved alternative procedures such as limited open burning.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated area or where there is danger of drift. Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital — immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given and if doctor cannot come, take victim to clinic or hospital.

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:

- (1) Wear water-proof pants, coat, hat, rubber boots or over-shoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural gloves.

IMPORTANT: Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK, take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

NOTE TO PHYSICIAN

Antidote: administer atropine sulfate in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

TOBACCO Green peach aphid and stink bugs. Use 1 pint of EMMY 1 in 15 to 20 gallons of water per acre to insure good coverage. Do not apply within 5 days of priming or 15 days of cutting. Avoid getting wet with plant juices when cutting or priming.

WARRANTY STATEMENT

Griffin makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

BEST DOCUMENT AVAILABLE