

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
& DOMESTIC ANIMALS
DANGER**

Do not breathe vapor or spray mist. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for parathion protection. Do not apply or allow drift to areas occupied by unprotected humans or beneficial animals. Do not get in eyes, on skin or on clothing. Wear natural rubber gloves, protective clothing and goggles. Wash hands, arms and face before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

FIRST AID: Call a physician at once in all cases of suspected parathion poisoning. If symptoms or signs of poisoning include blurred vision, abdominal cramps, and tightness in chest do not wait for a doctor, but give two atropine tablets (each 1-100 grain or 6.5 milligrams) at once. One tablet to children under five years of age. Remove patient from area where parathion is present. Remove contaminated clothing and wash the skin with plenty of soap and water. If swallowed, induce vomiting. Have victim lie down and keep quiet.

NOTICE TO PHYSICIAN: Large doses of atropine are required. For adults give 2.0 mg. to 4.0 mg. of atropine. Preferably by intravenous injection, repeat every 10 to 25 minutes until pupils dilate. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wild life. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RE-ENTRY STATEMENT

Vacated areas should be re-entered only after the pesticide and volatile residues have dissipated.

RESTRICTED USE PESTICIDE

FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.

BIG 9

EMULSIFIABLE CONCENTRATE INSECTICIDE

FOR CONTROLLING CERTAIN INSECTS ON FIELD, VEGETABLE & FORAGE CROPS

ACTIVE INGREDIENTS:

Parathion (O-O-diethyl O-p-nitrophenyl Phosphorothioate) 57.94%

O, O-dimethyl O-p-nitrophenyl Phosphorothioate 29.29%

INERT INGREDIENTS: 12.77%

TOTAL 100.00%

BEST DOCUMENT AVAILABLE

**KEEP OUT OF REACH OF CHILDREN
DANGER — POISON**



STATEMENT OF PRACTICAL TREATMENT

If swallowed, do not vomit. Get medical attention.
If in eyes, flush with running water for at least 15 minutes. Get medical attention.
If inhaled, remove to fresh air. Get medical attention.
If on skin, wash with soap and water. Get medical attention.
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MADE IN U.S.A.
GRIFFIN CORPORATION
LAFAYETTE, GEORGIA

NET CONTENTS 5 GALLONS

CATEGORY OF APPLICATOR

Certified applicators or persons under their direct supervision.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinseate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or Local Disposal Authorities for approved alternative procedures, such as limited open burning.

Fill spray tank half full with water, then pour in specified amount of BIG 9. Keep agitator running while filling tank and during spray application. This product is intended for both ground or aerial applications. When used for air applications, use 3 to 10 gallons per acre of mixture.

COTTON: For control of cotton leafworms, fleahoppers, lygus bug, red spider mites, thrips and garden webworms, use 2/3 to 1 1/3 pints per acre at 4 to 5 day intervals until control is obtained. Do not apply within 5 days of hand picking. Workers entering fields within 24 hours after application should wear protective clothing.

CORN: For control of rootworm adults, aphids, armyworms, fall army worms, cutworms, spider mites, cutworms and European corn borers, use 1/2 to 1 pint per acre with sprays at 5 to 7 day intervals.

SOYBEANS: For control of two spotted mites, stink bugs, bollworms, fall armyworms, green cloverworms, velvet bean caterpillars and webworms, use 1/2 to 1 pint per acre, 20 days limitation prior to harvest.

TOMATOES: For control of aphids, armyworms, cabbage loopers, grasshoppers, leaf miners, spider mites, tomato russet mites, whiteflies, pinworms and psyllids, use 1/2 pint per acre, 10 days limitation prior to harvest.

TURNIPS: For control of aphids, cabbage loopers, cabbage webworms and cutworms, use 1/2 to 1 pint per acre, 10 days limitation or 21 days if this material is used for food.

CABBAGE AND COLE CROPS (BROCCOLI, BRUSSELS SPROUTS, CAULIFLOWER, KOHLRABI): For control of aphids, cabbage loopers and vegetable weevils, use 1/2 to 1 pint per acre. For loopers, army worms and flea beetles, use 1/2 to 1 pint per acre, 10 days limitation at 1/2 pint dosage per 21 days limitation at 1 pint dosage.

PEACHES: For control of aphids, peach tree borers, plum curculion and peach twig weevils, use 1/2 pint per 100 gallons of water. For peach tree borer, apply 2 to 3 sprays to trunk from ground to scaffold limbs timed with the flight. For use in areas other than California. Do not apply more than 5 pints of active ingredient per acre per year, 14 days limitation prior to harvest.

WARRANTY STATEMENT

This warranty, expressed or implied, concerning the use of this product, is limited to that indicated on the label. Buyer assumes all risk of use of this material when such use and/or handling is not in accordance with the label instructions.

ACC
ED
JAN 17 1970
7517-154

